# Analysing Suicide Event Patterns Show Trend amongst Crisis Calls\*

City of Toronto Data

Vanshika Vanshika

January 23, 2024

Toronto Police Services' 10-year-long dataset on Persons in Crisis Calls for Service Attended was used to conduct an in-depth analysis of the major PIC call event: Suicide and its data characteristics. It is found that there is a direct relation/trend that can be observed between suicide PIC calls and several factors such as the specific time of the day, day of the week, and identifed hotspot geographical location. This is important as it's essential to analyze the patterns of suicide PIC calls to effectively deal with the problem at its root.

# Table of contents

1	Introduction					
2	Data					
	2.0.1	Person In Crisis for Calls Attended	3			
	2.0.2	Hood_158 and Type of Event	4			
3	Results		4			
	3.0.1	Type of Events	4			
	3.0.2	Neighbourhood and Suicide PIC Calls	4			
	3.0.3	Suicide calls for different days and time of the day	5			
4	Discussion		5			
	4.1 Conclu	usion	7			
Re	eferences		8			

<sup>\*</sup>Code and data are available at: https://github.com/vanshikav2/Data\_Analysis\_1.

# 1 Introduction

Toronto's Person In Crisis lines are an invaluable community asset that provides free, anonymous assistance to people experiencing a serious crisis. The frequency of crises in today's cities, particularly those involving populations at risk (PICs), highlights the need to better understand the dynamics behind such incidents. Over the years, the situation has drastically changed. As stated by Beverly Romeo-Beehler (Romeo-Beehler 2022), Before the COVID-19 pandemic hit in 2018 and 2019, the call center handled over 1.9 million service calls a year, with slightly under 60% of those calls coming from emergency 9-1-1 lines. This is quite a large number of calls being received. He further adds that calls for service fell to 1.7 million in 2020 and then slightly increased to 1.8 million in 2021.

The Toronto Police Service is in charge of the system, which is built to handle several kinds of crisis calls, each of which calls for a unique reaction. A variety of event types, including attempt suicide, the person in crisis, elopee, jumper, overdose, and threatened suicide, are included in the data set. The geographical location of the calls according to Toronto's hood\_158 system has also been recorded in the year 2014,2015. In this paper, all the neighborhood (Hood\_158) data is used as an estimand to get a better understanding of all the hotspots of the PIC calls in the Toronto neighborhood. To identify significant patterns and trends within the Persons in Crisis calls for help attended data set, several examinations of the interactions between type of events, geographical locations, month, day of the week & time of the day, and event-specific aspects are used. The focus of this paper is to draw the correlation between suicide-related events and the time of the day or day of the week. The analysis of suicide-related events, their frequency, and the geographical area of PIC calls shows a definitive trend among these factors. The analysis aims to provide insightful information that will improve the crisis response system and promote community well-being.

In this data section, various aspects of data set comparisons are analyzed, and the data-cleaning process used to derive those data sets is discussed. The results section of the paper presents all the results derived from different comparisons and data sets, and their analysis, trends, and understandings are discussed in the discussion section. Lastly, the conclusion section concludes the paper and provides final insights. Cross-referencing sections and sub-sections are implemented for coherence and clarity.

The remainder of this paper is structured as follows. Section 2....

# 2 Data

The data used in this paper is derived from the City of Toronto's opendatatoronto Portal (Data 2024). The dataset is titled 'Persons in Crisis Calls for Service Attended'. Data was cleaned and analyzed using the statistical programming software R (R Core Team 2022), and using other libraries such as tidyverse (Wickham et al. 2019), ggplot2 (Wickham 2016),

dplyr (Wickham et al. 2023), readr (Wickham, Hester, and Bryan 2024), tibble (Müller and Wickham 2023), janitor (Firke 2023),reshape2 (Wickham 2007), knitr (Xie 2023), ggbeeswarm (Clarke, Sherrill-Mix, and Dawson 2023), ggrepel (Slowikowski 2024), and here (Müller 2020). Later in this paper, there will be a more thorough explanation of the procedures involved in collecting, cleaning, and analyzing data.

# Event Types and Their Frequencies 150000 Overdose Person in Crisis Event Type

# Figure 1: Types of Call Events

#### 2.0.1 Person In Crisis for Calls Attended

This dataset is collected and provided by the Toronto Police Service and the dataset was last updated January 11, 2024, as of January 21, 2024. It includes data from the year 2014 to 2024. This dataset included event\_id, the time, day, month, and year of the call, the type of event that occurred if an apprehension after the call was made, the police division of the event, and whether an Occurrence was created. For the years 2014 and 2015, it also included the calls for old and new names of neighborhood, according to the Hood\_158 and Hood\_140 system, which was left "NSA" after to protect the privacy of the parties. Upon collection of the data, it was cleaned in several different ways to analyze the data fully. The columns of neighborhood addresses were removed, including division and event id. Please see Table 1 for the sample of this dataset

Table 1: Sample of Cleaned Person In Crisis for Calls Attended Data

Id	Event Year	Event Month	Event DOW	Event Hour	Event Type	Apprehension made
1	2014	January	Wednesday	9	Suicide-related	No
2	2014	January	Wednesday	2	Person in Crisis	No
3	2014	January	Wednesday	16	Suicide-related	No
4	2014	January	Wednesday	0	Suicide-related	No
5	2014	January	Wednesday	12	Person in Crisis	No

Table 2: Sample of Cleaned Person In Crisis With Hood 158 data

Id	Event Type	Hood_158 Number
1	Suicide-related	168
2	Person in Crisis	124
4	Suicide-related	88
5	Person in Crisis	78
6	Overdose	87

# 2.0.2 Hood\_158 and Type of Event

Moreover, using the same data from the Toronto Police Service, it was cleaned differently by deleting all the years after 2015 with no location, time, month, or day of the event and adding the hood\_158 column of the data to show the geographical location of the calls in early years. A sample of this data set can be viewed by Table 2.

# 3 Results

#### 3.0.1 Type of Events

From the years 2014 to 2023, Toronto has the highest number of PIC calls for the Person In crisis events which consists of all the different types of crises like elopee, jumper, and much more. The second highest category is suicide related which includes both suicide and suicide attempted and is a total of 91501 calls. The last category is Overdose. The total number of calls recorded in this dataset is 291991. The results can be seen at Figure 1.

#### 3.0.2 Neighbourhood and Suicide PIC Calls

Figure 2 shows the relationship between neighborhood and suicide PIC calls. There are around 174 neighborhoods divided in the Hood\_158 system and the graph shows around 158 neigh-

# Event Type by Hood 158




Figure 2: Relationship between suicide rate and the neighbourhood

borhoods have reported a PIC call for suicide-related events. The most number of calls were received from Hood 170 which were about 1022 suicide-related calls and the second most calls from received from the area Hood\_73 which were around 858 calls. The Hood\_170 is Yonge-Bay Corridor area and Hood\_73 is Moss Park area in the Old City of Toronto (Toronto 2022).

## 3.0.3 Suicide calls for different days and time of the day

The graph shows the time of the day that was most frequent for the suicide calls and day of the week that most people called for suicide PIC help. This is shown in Figure 3

# 4 Discussion

Upon thorough examination of the data set, several significant findings emerge. Overall, suicide PIC calls show a very important and crucial relationship with the other factors such as time of the day, day of the week, and geographical area. As highlighted in the Canadian Journal of Psychiatry (Mark Sinyor and Streiner 2014), suicide remains a noteworthy cause of death in Toronto, necessitating a nuanced understanding of the factors contributing to suicide and the development of targeted prevention strategies.




Figure 3: Frequency of Calls for Day and Time

The analysis of PIC calls reveals a persistent concern, as suicide-related calls consistently constitute a substantial portion of all recorded PIC calls over the years. This trend, observed in both 2014 and 2023, emphasizes the ongoing importance of addressing mental health crises within the community. Mapping these calls to specific areas reveals distinct hotspots, with neighborhoods such as Yonge-Bay Corridor (Hood\_170) and Moss Park in the Old City of Toronto (Hood\_73) reporting a disproportionately high number of suicide-related PIC calls, indicating potential areas for targeted intervention and support.

There is also a clear a correlation between the time of the day and day of the week with the frequency of suicide-related PIC calls like Figure 4. Thursday is the day of the week that receives most of the calls with Sunday being the day that receives the least calls. The hours between 1300 to 1500 receive a high amount of calls compared to the other time of the day which shows a direct relation between the day and time and suicide related calls.

However, it is crucial to acknowledge and discuss the inherent biases and limitations within the data set. The presence of numerous "NAS" (Not A Statement) assigned rows in the raw data introduces the possibility of errors in the graphs and analyses, potentially diverting the accuracy of the findings. Additionally, the data set lacks explicit information regarding the reasons for caller apprehension, hindering a direct correlation between apprehension and the nature of events.

Moreover, the 10-year span covered by the dataset introduces potential biases due to changes in data collection techniques and technology over time. The evolving landscape of mental health




Figure 4: Correlation of Suicide with Time of the Day

awareness and reporting practices may influence the comparability of older and more recent data. Furthermore, limitations arise from the cessation of recording neighborhood information after 2015, aimed at safeguarding the privacy of affected individuals. This restriction poses challenges in assessing the situation in 2023 and analyzing whether observed patterns persist or have evolved.

## 4.1 Conclusion

Finally, the examination of Person In Crisis (PIC) calls in Toronto offers insightful information about the dynamics of mental health crises in the community. The dataset, which covers the years 2014 to 2024, shows a steady and noteworthy increase in PIC calls connected to suicide, highlighting the continued need for focused intervention and support. The necessity of nuanced techniques in crisis management is shown by the association between suicide-related incidents and the time of day, day of the week, and geographic location.

Overall, this analysis provides insightful data that will improve Toronto's crisis response system's efficacy. The results underline how crucial it is to continue treating mental health emergencies and lay the groundwork for next initiatives to raise community well-being.

# References

- Clarke, Erik, Scott Sherrill-Mix, and Charlotte Dawson. 2023. *Ggbeeswarm: Categorical Scatter (Violin Point) Plots.* https://github.com/eclarke/ggbeeswarm.
- Data, Toronto Open. 2024. "Persons in Crisis Calls for Service Attended." https://open.toronto.ca/dataset/persons-in-crisis-calls-for-service-attended/.
- Firke, Sam. 2023. Janitor: Simple Tools for Examining and Cleaning Dirty Data. https://github.com/sfirke/janitor.
- Mark Sinyor, Ayal Schaffer, and David L Streiner. 2014. "Characterizing Suicide in Toronto: An Observational Study and Cluster Analysis." https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4079226/.
- Müller, Kirill. 2020. Here: A Simpler Way to Find Your Files. https://here.r-lib.org/.
- Müller, Kirill, and Hadley Wickham. 2023. Tibble: Simple Data Frames. https://tibble.tidyverse.org/.
- R Core Team. 2022. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.
- Romeo-Beehler, Beverly. 2022. "Toronto Police Service Audit of 9-1-1 Public Safety Answering Point Operations." https://www.toronto.ca/legdocs/mmis/2022/au/bgrd/backg roundfile-228260.pdf.
- Slowikowski, Kamil. 2024. Ggrepel: Automatically Position Non-Overlapping Text Labels with 'Gaplot2'. https://ggrepel.slowkow.com/.
- Toronto, City of. 2022. "About Toronto Neighbourhoods." https://www.toronto.ca/city-government/data-research-maps/neighbourhoods-communities/neighbourhood-profiles/about-toronto-neighbourhoods/.
- Wickham, Hadley. 2007. "Reshaping Data with the reshape Package." *Journal of Statistical Software* 21 (12): 1–20. http://www.jstatsoft.org/v21/i12/.
- ——. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. https://ggplot2.tidyverse.org.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. https://doi.org/10.21105/joss.01686.
- Wickham, Hadley, Romain François, Lionel Henry, Kirill Müller, and Davis Vaughan. 2023. *Dplyr: A Grammar of Data Manipulation*. https://dplyr.tidyverse.org.
- Wickham, Hadley, Jim Hester, and Jennifer Bryan. 2024. Readr: Read Rectangular Text Data. https://readr.tidyverse.org.
- Xie, Yihui. 2023. Knitr: A General-Purpose Package for Dynamic Report Generation in r. https://yihui.org/knitr/.