

- 1. [Intro](#)
- 2. [Goals](#)
- 3. [External references](#)
- 4. [Prerequisites](#)
- 5. [Step by step installation](#)
- 6. [Architecture](#)
 - 6.1. [Enable Hyper-V and Containers](#)
 - 6.2. [Convert any existing VirtualBox VM we want to keep](#)
 - 6.3. [Configure Windows to run docker for Windows](#)
 - 6.4. [Install the Windows Subsystem for Linux](#)
 - 6.5. [Configure WSL to run docker for Linux](#)
 - 6.6. [Expose the linux dockerd as a context in windows](#)
- 7. [questions to solve:](#)

Docker for windows side-by-side with Hyper-V Vms

In this step-by-step guide we will install Hyper-V alongside the Windows Subsystem for Linux, and install docker, both in WSL and Windows, but without installing Docker Desktop for Windows.

1. Intro

Because more and more Kofax Products can be run as Docker containers, we would like to be able to run those containers on our local laptop for demonstration purposes and proof of concepts. However, we cannot (yet) do without regular Virtual Machines, because not all Kofax software can be run as containers.

We also want to be able to run Windows based containers side by side with Linux based containers, because some products, notably RPA, consist of components which cannot all be run on Linux based containers, for example, even though RPA's management console, roboserver and several other components can be run as Linux based containers, the Document Transformation Service cannot, because it is a Internet Information Service application.

I use VirtualBox for my virtual machines and can host a docker service in an Ubuntu VM to run Linux based containers. However, to run windows based containers, we need to run docker for windows, which implies that Hyper-V should be activated on the Laptop. Hyper-V is able run alongside VirtualBox, but Docker Desktop for Windows (the standard solution pushed by Docker to run containers on Windows 10) doesn't play nice with VirtualBox and isn't free. Also, VirtualBox is not free for commercial use.

So I wanted to get rid of VirtualBox, and use Hyper-V instead and at the same time have an alternative to Docker Desktop for Windows.

This is in fact possible, and although this means we will not have a nice graphical user interface, we can build images and run containers from a command line without issue, while at the same time run virtual machines if we need them.

2. Goals

We want to be able to run side-by-side on a single laptop

- Virtual machines

- Linux based containers
- Windows based containers

We do not want to use anything for which we would need a commercial license

- no VirtualBox
- no VMWare
- no Docker Desktop for Windows

3. External references

Although it has been quite a bit of work to compile all of this, none of this can be called original research and relies heavily on research and documentation provided by others:

- <https://lippertmarkus.com/2021/09/04/containers-without-docker-desktop/>
- <https://learn.microsoft.com/en-us/windows/wsl/install>
- <https://learn.microsoft.com/en-us/windows/wsl/basic-commands>

The basic docker for windows is still provided free of charge, unlike Docker Desktop for Windows, but the installers are a bit hidden on the Docker site. Check the link below to see what the latest version is. In the steps below we used docker-20.10.21.zip but a newer version might be available by the time you read this.

https://download.docker.com/win/static/stable/x86_64/

4. Prerequisites


- W10 fully updated as of 17/11/2022 (Only Pro and Enterprise, Home edition will not work)
- Machine connected to the internet

5. Step by step installation

- enable Hyper-V and Containers
- convert any existing VirtualBox VM we want to keep
- configure Windows to run docker for Windows
- install the Windows Subsystem for Linux
- configure WSL to run docker for Linux
- expose the linux dockerd as a context in windows

6. Architecture

Because it can be quite confusing to grasp the relations between all the components, this diagram might offer some help:



6.1. Enable Hyper-V and Containers

In an elevated Powershell:

```
Enable-WindowsOptionalFeature -Online -FeatureName containers -All
Enable-WindowsOptionalFeature -Online -FeatureName Microsoft-Hyper-V -All
```

Then reboot.

After the reboot, the Hyper-V manager will be available in the Windows Start menu in the group Windows Administrative tools.

6.2. Convert any existing VirtualBox VM we want to keep

Existing VirtualBox VMs cannot be run directly under Hyper-V, and as far as I know it is not possible to import Virtual Appliances (.ova) into Hyper-V, but we can convert the virtual disk to a format that can be used by Hyper-V.

With Hyper-V installed we can convert .vhd drives to the .vhdx format required for Hyper-V VMs.

If you VirtualBox VM is not yet a single .vhd (because it has snapshots and/or is in .vdi format) Use the VirtualBox manager to clone you VM first and specify that you only keep the last state and convert to .vhd. Then convert that .vhd to a .vhdx (an example is shown below)

```
cd "C:\Users\michel.anders\VirtualBox VMs\Docker Clone"  
convert-vhd -Path '.\Docker Clone_copy.vhd' -DestinationPath '.\Docker  
Clone_copy.vhdx'
```

You can test any converted VMs before proceeding by creating a new VM in the Hyper-V manager that refers to the .vhdx.

6.3. Configure Windows to run docker for Windows

We need to download and install docker for windows (which is not the same as Docker Desktop for Windows!) first, and then run it as a service. That's just a few commands and we test whether docker can run a container as the final step. This will run a windows based container, as you will be able to verify by looking at the output.

In Powershell w. elevated privileges

```
cd \Temp  
curl.exe -o docker.zip -L -O  
https://download.docker.com/win/static/stable/x86_64/docker-20.10.21.zip  
Expand-Archive docker.zip -DestinationPath C:\  
[Environment]::SetEnvironmentVariable("Path", "$($env:path);C:\docker",  
[System.EnvironmentVariableTarget]::Machine)  
$env:Path = [System.Environment]::GetEnvironmentVariable("Path","Machine")  
dockerd --register-service  
Start-Service docker  
docker run hello-world
```

6.4. Install the Windows Subsystem for Linux

Installing the Windows Subsystem for Linux (version 2) used to be a hassle in older revisions of Windows 10, but nowadays it is a single command.

In Powershell w. elevated privileges

```
wsl --install
```

Then reboot.

This will make Ubuntu available directly in the Start menu. It is possible to install a different Linux distro, but here we used Ubuntu and the following steps rely on this.

6.5. Configure WSL to run docker for Linux

First enable systemd/distro inside WSL2. This provides easy management and configuration of Linux daemons, something we need to make sure docker starts when we start windows.

see: <https://github.com/nullpo-head/wsl-distrod>

Inside your WSL (Ubuntu) terminal:

```
curl -L -O "https://raw.githubusercontent.com/nullpo-head/wsl-  
distrod/main/install.sh"  
chmod +x install.sh  
sudo ./install.sh install  
/opt/distrod/bin/distrod enable --start-on-windows-boot
```

In Powershell w. elevated privileges

```
wsl --terminate Ubuntu
```

If you open your WSL terminal again, your Ubuntu now has systemd.

Then we install the docker service, start it and test it.

```
sudo bash  
apt-get install -y apt-transport-https ca-certificates curl gnupg lsb-release  
curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo gpg --dearmor -o  
/usr/share/keyrings/docker-archive-keyring.gpg  
echo "deb [arch=amd64 signed-by=/usr/share/keyrings/docker-archive-keyring.gpg]  
https://download.docker.com/linux/ubuntu $(lsb_release -cs) stable" | sudo tee  
/etc/apt/sources.list.d/docker.list > /dev/null  
apt-get update  
apt-get install -y docker-ce docker-ce-cli containerd.io  
docker run hello-world
```

This hello-world container will be based on a linux image.

6.6. Expose the linux dockerd as a context in windows

Now we have two docker installations, one inside WSL and one directly in Windows. But we want to be able to control both of them from a single Powershell. This is possible if we expose the port that dockerd inside the WSL is listening on, and configure the WSL docker as a context to be used in our windows environment.

Inside your WSL (Ubuntu) terminal:

```
sudo bash  
cp /lib/systemd/system/docker.service /etc/systemd/system/  
sed -i 's/\ -H\ fd:\//\ -H\ fd:\//\ -H\ tcp:\//127.0.0.1:2375/g'  
/etc/systemd/system/docker.service  
systemctl daemon-reload  
systemctl restart docker.service
```

In Powershell w. elevated privileges

```
docker context create lin --docker host=tcp://127.0.0.1:2375
```

Now we can interact with both dockerd daemons from within a Powershell w. elevated privileges:

```
# the windows dockerd
docker ps
# the WSL dockerd
docker -c lin ps
```

7. questions to solve:

- can we use docker compose to start containers in different context from a single docker-compose file?
- where are the docker images stored? (for ubuntu as well as windows)
- can you expose usb devices inside containers?