#### **ASSIGNMENT-05**

#### DATE: 05/06/2024

#### 1. Two Sum

```
def two sum(n, target):
      index = \{\}
      for i, num in enumerate(n):
        complement = target - num
        if complement in index:
           return [index[complement], i]
        index[num] = i
    n = [2, 7, 11, 15]
    target = 9
    print(two_sum(n,target))
2. Add Two Numbers
    class ListNode:
      def _init_(self, val=0, next=None):
        self.val = val
        self.next = next
    def addTwoNumbers(11, 12):
      dummy = ListNode(0)
      current = dummy
      carry = 0
      while 11 or 12 or carry:
        sum val = (11.val if 11 else 0) + (12.val if 12 else 0) + carry
        carry, val = divmod(sum val, 10)
        current.next = ListNode(val)
        current = current.next
        11 = 11.next if 11 else None
        12 = 12.next if 12 else None
      return dummy.next
    11 = ListNode(2, ListNode(4, ListNode(3)))
    12 = ListNode(5, ListNode(6, ListNode(4)))
    result = addTwoNumbers(11, 12)
    while result:
      print(result.val, end=" ")
```

# 3. Longest Substring without Repeating Characters

```
def longest_substring(s: str) -> int:
  index = {}
  start = max length = 0
```

result = result.next

```
for end, char in enumerate(s):
    if char in index and index[char] >= start:
        start = index[char] + 1
    index[char] = end
        max_length = max(max_length, end - start + 1)
    return max_length
s = "abcabcbb"
print(longest_substring(s))
```

### 4. Median of Two Sorted Arrays

```
def findMedianSortedArrays(n1, n2):

nums = sorted(n1 + n2)
n = len(nums)
if n % 2 == 1:

return nums[n // 2]

else:

return (nums[n // 2 - 1] + nums[n // 2]) / 2.0

n1 = [1, 3]
n2 = [2]
print(findMedianSortedArrays(n1, n2))
```

## 5. Longest Palindromic Substring

```
def longest_palindromic_substring(s):
    def is_palindrome(s):
        return s == s[::-1]
    longest_palindrome = ""
    for i in range(len(s)):
        for j in range(i, len(s)):
            substring = s[i:j+1]
            if is_palindrome(substring) and len(substring) > len(longest_palindrome):
                longest_palindrome = substring
    return longest_palindrome
s = "babad"
print(longest_palindromic_substring(s))
```

### 6. Zigzag Conversion

```
def convert(s: str, numRows: int) -> str:
  if numRows == 1 or numRows >= len(s):
    return s
  rows = ["] * numRows
  row, step = 0, -1
  for char in s:
    rows[row] += char
    if row == 0 or row == numRows - 1:
        step = -step
    row += step
  return ".join(rows)
```

```
input = "PAYPALISHIRING"
num_rows = 3
print(convert(input, num_rows))
```

# 7. Reverse Integer

```
num=1234

rev=0

while num!=0:

rem=num%10

rev=rev*10+rem

num//=10

print(rev)
```

# 8. String to Integer

```
str="42"
print(int(str))
```

### 9. Palindrome Number

```
num=127
temp=num
rev=0
while num>0:
    rem=num%10
    rev=rev*10+rem
    num=num//10
if temp==rev:
    print("palindrome")
else:
    print("not palindrome")
```

# 10. Regular Expression Matching

```
import re
p = "aa"
s = "a"

p = r"{}".format(p)
p = re.compile(p)
if p.fullmatch(s):
    print("true")
else:
    print("false")
```