

A Report on the Munich Internet Research Retreat 2017

ABSTRACT

This article summarizes the two-day Munich Internet Research Retreat (MIR) held in May 2017. The goal of the retreat was to provide a forum for both academic and industrial researchers to exchange ideas and get feedback on their current work. It was organized in a spirit that is similar to highly interactive “Dagstuhl” seminars, with a very limited number of full-length talks, while dedicating most of the time to poster sessions and group discussions. Presentations delivered during the seminar are made publicly available [3].

1. INTRODUCTION

The MIR originated from informal discussions of different research groups at TUM and a team at NetApp on diverse topics related to networking. The discussions brought together PhD students and post-docs to present their respective research (including both work in progress as well as polished results) and provided an informal setting for intense and rich exchange among participants involved. We realised that there was notable potential in reaching out further, which eventually led to the instantiation of the MIR.

The main mission of the MIR is to ensure mutual awareness of different teams working on current (complementary) topics in networking. We want to lay the foundations for establishing, broadening, and deepening cooperation among a variety of groups doing networking research. In order to foster easily sustainable relationships, our initial scope has been deliberately limited to the area around Munich (which may reach as far as 400 km in some cases). As a common denominator, we target like-minded teams within the region, where the common mindset stems from practical research in networked systems, paired with interest and efforts in the Internet Engineering Task Force (IETF), the Internet Research Task Force (IRTF) and the ACM SIGCOMM and SIGMOBILE communities.

The purpose of the MIR is threefold: 1) We seek to provide recurring opportunities for companies to get in touch with research groups that have expertise in fields relevant to the former. 2) We aim to support researchers in understanding current and emerging research and engineering problems from the commercial development and deployment perspectives. 3) We like to offer reality feedback to academic researchers and out-of-the-box ideas to those from industry. Overall, we hope to foster future bi- or multi-lateral collaboration between academics and industry.

The retreat is organized in a highly interactive fashion, combining posters (for providing variety) and group discussions intertwined with plenary talks that stimulate discussions. Organization directions are shaped by the feedback of the par-

ticipants, keeping the format constantly evolving. We borrow some elements from the renowned Dagstuhl seminars: We limit the number of participants to ~ 40 to maintain interactivity and allow all participants to meet one another. We hold the retreat in Raitenhaslach away from the daily activities to ensure focus and include an overnight stay and a social dinner to foster continued interaction and allow for digesting ideas. The seminar is by invitation only, and we put an emphasis on the industry, picking PhD students with matching topics, which helps with obtaining a compatible and energetic mix of people. Because we know that everybody’s time is scarce, we organize each retreat in a way that it occupies just two days including arrival and departure. With a target of two workshops per year, presently scheduled for May and November, we shall be able to continuously engage with a growing regional community even if individuals cannot participate on every occasion.

Towards this mission, the 1st MIR retreat was organized on November 24–25, 2016 at the TU Munich (TUM) Science and Study Center in Raitenhaslach, Germany. A 2nd iteration of the MIR was organized at the same location and held on May 23–24, 2017. Presentations on topics such as: ... were solicited. The retreat consisted of six invited presentations and several posters presenting early and upcoming research, with several breakout sessions to discuss topics of interests in an informal setting. Synopses of these sessions are described in this report in more detail.

2. INVITED PRESENTATIONS

The invited presentations were intended as a basis for triggering discussions and identifying areas for group work.

2.1 Opportunistic Content Dissemination Performance in Dense Network Segments

2.2 Precise User Tracking Based on TLS Client Certificate Authentication

The design and implementation of cryptographic systems offer many subtle pitfalls. One such pitfall is that cryptography may create unique identifiers potentially usable to repeatedly and precisely re-identify and hence track users. Quirin Scheitle (TU Munich) presented his investigation of TLS Client Certificate Authentication (CCA), which currently transmits certificates in plain text. He demonstrated [4] CCA’s impact on client traceability using Apple’s Apple Push Notification service (APNs) as an example. APNs is used by all Apple products, employs plain-text CCA, and aims to be constantly connected to its backend. Its novel combination of large device count, constant connections, device proximity to users and

unique client certificates provides for precise client traceability. He shows that passive eavesdropping allows to precisely re-identify and track users and that only ten interception points are required to track more than 80 percent of APNs users due to global routing characteristics. The work was conducted under strong ethical guidelines, with responsibly disclosing the findings, and a working patch by Apple for the highlighted issue was confirmed. The aim for this work is to provide the necessary factual and quantified evidence about negative implications of plain-text CCA to boost deployment of encrypted CCA as in TLS 1.3.

2.3 Tentatively: IoT Research Ideas

2.4 Dynamic MultiPath Routing Protocol

2.5 Internet of Things Security: TrustZone for v8-M architecture

3. PARALLEL GROUP WORK

The afternoon sessions were used to discuss selected topics in more depth in smaller groups. This section summarizes the discussions of each group.

4. POSTERS

Participants were encouraged to bring posters to present their recent research work.

4.1 Dynamic MultiPath Routing

4.2 Edge Clouds - Challenges and Solutions

includes durable I/O to network stacks and their APIs. This not only impairs inherent performance of NVMMs that is one to two orders of magnitude faster than traditional persistent medias like SSDs, but prevents systems from adopting them to be reliable with relative ease. Michio Honda (NEC) presented an investigation of this problem, designing an efficient network stack [1] and its APIs, and exploring new opportunities in networking such as software switches and middleboxes in addition to improving networked storage systems.

4.3 Measuring the Performance of Mobile Users

4.4 Lightweight Virtualization for Smart Cars

Modern vehicles are equipped with several interconnected sensors on board for monitoring and diagnosis purposes; their availability is a main driver for the development of novel applications in the smart vehicle domain. Roberto Morabito [2] presented a Docker container-based platform as solution for implementing customized smart car applications. Through a proof-of-concept prototype—developed on a Raspberry Pi3 board—we show that a container-based virtualization approach is not only viable but also effective and flexible in the management of several parallel processes running on On-Board Unit. More specifically, the platform can take priority-based

decisions by handling multiple inputs, e.g., data from the CANbus based on the OBD II codes, video from the on-board webcam, and so on. Results are promising for the development of future in-vehicle virtualized platforms.

4.5 Data-driven Mobility Modeling

4.6 iConfig - What I See is What I Configure

Michael Haus (TU Munich) presented iConfig to manage Internet of Things (IoT) devices in smart cities. The management of IoT devices in urban areas is becoming important due to that the majority of the people living in cities and the number of deployed IoT devices are increasing. Therefore, iConfig addresses three major issues in current IoT management: registration, configuration, and device maintenance. To achieve the goals of iConfig, the presented system relies on programmable edge modules, which can run on smartphones, wearables, and smart boards to configure physically proximate IoT devices.

4.7 Opportunistic Content Dissemination

4.8 Recommender Systems & Mobility Services

Recommender systems (RSs) in tourism often recommend single Points of Interests (POIs) such as restaurants or museums. However, tourists visiting a destination are usually looking for a tourist trip composed of multiple POIs along a practical route. Daniel Herzog (TU Munich) presented a Recommender system (RS) [5] recommending tourist trips to a group of users. This is a particularly complex problem as the RS has to aggregate the travel preferences of all group members before wgenerating recommendations. Furthermore, we want to research how different devices and user interfaces can support groups in providing feedback on recommendations and finding a consensus.

4.9 Data Dissemination in Vehicular Networks

Lars Wischhof (Hochschule Müncher) presented an architecture and preliminary results of an on-going research project at the research group where communication schemes combining cellular communication with direct-communication (such as Device-to-device (D2D) modes of the latest LTE-A releases or LTE-V) are combined for applications in intelligent mobility. The basic assumption is that future vehicles will most-likely have multiple communication technologies and modes available. Therefore, a context-aware selection of the communication mode is advocated. A suitable architecture is outlined. First simulation results for the example of a DENM-based application indicate that a context-aware selection can outperform a static assignment.

4.10 Accountability for Cyber-Physical Systems

Severin Kacianka (TU Munich) seeks to capture the essential features of an accountable (computer-)system. Logs are, for example, a common way to create evidence and establish "truth" in computer systems. Another facet are mechanisms to

process those logs and techniques to formulate the questions of compliance with laws as queries against those logs. However, there are currently no "blue prints" on how to make a system "accountable". We wish to develop a comprehensive framework that makes it possible to explicate the accountability features of a system, reason about their effectiveness, compare it to other solutions and offer options to exchange one specific component for another.

5. CONCLUSIONS AND NEXT STEPS

The 2nd Munich Internet Research retreat concluded successfully on May 23–24, 2017. All the presentation material and contact information of presenters are available online [3]. The readers are encouraged to contact the organizers to learn more about the the next retreat.

We also collected some feedback from the participants.

Acknowledgements

This seminar was located at the TUM Science and Study Center in Raitenhaslach, Germany, supported by NetApp, Huawei, and TUM. The organizers would like to thank the participants (alphabetically ordered by first name) for their contributions—Alberto Martínez Alba (TUM) Alf Zugenmaier (Hochschule München) Arend Martin (BMW AG) Christian Facchi (TH Ingolstadt) Christoph Nufer (Rohde & Schwarz) Daniel Herzog (TUM) Dirk Kutscher (Huawei German Research Center) Dominik Scholz (TUM) Edwin Cordeiro (TUM) Ermias Walelgne (Aalto University) Florian Westphal (Red Hat) Georg Carle (TUM) Hagen Paul Pfeifer (Rohde & Schwarz) Hannes Tschofenig (ARM) Holger Kinkel (TUM) Johannes Naab (TUM) Jörg Ott (TUM) Lars Eggert (NetApp) Lars Wischhof (Hochschule München) Ljubica Pajević Kärkkäinen (TUM) Marius Strobl (NetApp) Michael Haus (TUM) Michio Honda (NEC) Nemanja Deric (TUM) Quirin Scheitle (TUM) Roberto Morabito (Ericsson Research Finland) Severin Kacianka (TUM) Simon Leinen (SWITCH) Stefan Neumeier (TH Ingolstadt) Teemu Kärkkäinen (TUM) Vaibhav Bajpai (TUM) Vittorio Cozzolino (TUM)

6. REFERENCES

- [1] M. Honda, L. Eggert, and D. Santry. PASTE: Network Stacks Must Integrate with NVMM Abstractions. *Proc. ACM HotNets*, pp. 183–189, 2016.
- [2] R. Morabito, R. Petrolo, V. Loscri, N. Mitton, G. Ruggeri, and A. Molinaro. Lightweight Virtualization as Enabling Technology for Future Smart Cars. *International Symposium on Integrated Network Management (IM)*, 2017.
- [3] Munich Internet Research Retreat 2017. Presentation Materials: <https://www.cm.in.tum.de/en/mir/2017>.
- [4] M. Wachs, Q. Scheitle, and G. Carle. Push Away Your Privacy: Precise User Tracking Based on TLS Client Certificate Authentication. *Network Traffic Measurement and Analysis Conference (TMA)*, Jun. 2017.
- [5] W. Wörndl, A. Hefe, and D. Herzog. Recommending a sequence of interesting places for tourist trips. *J. of IT & Tourism*:31–54, 2017.