




Banba Kato yama

He states that atoms may not exist in their free state but may exist in the combined state in the form of molecules.



Any combination of atoms is called a molecule but the formation of chemical reactions by combining two different atoms is called a combination.

Law of Chemical Combination

Elements — substances those molecules are made up of only one type of atoms.

Compounds — substances whose molecules are made up of more than one type of atoms are called compounds.

Properties of compound are different from the properties of elements they are made up of.


The combination takes place via chemical reaction following certain laws called laws of Chemical Combination





When two or more substances combine to form an entirely different product

Principle Law of Chemical Combination

LAW OF CONSERVATION OF MASS



i) $X \text{ gm}$
ii) $X \text{ gm}$



Z^{-2}

a) compound


b) Molecule

c) Element



d) Both a & b

✓ Mass can created in chemical reaction.

LAW OF CONSTANT PROPORTIONS




Mass of H / Mass of O = $2/16 = 1:8$



"In a chemical substance the elements are always present in definite proportions by mass".

(i) When 12g of NaHCO_3 is added to a solution of HCl weighing 12g , it is observed that 2.2g of CO_2 is released into atmosphere. The residue left behind is found to weigh 12g .

C
is in agreement of
which law
of conservation of mass.



mass of reactants = mass of products

$$\text{mass of products} = 2\text{g} + 12\text{g} = 14.2\text{g}$$

✓ There is no loss or gain of mass during the reaction.

✓ Hence, the given observation prove the law of conservation of mass.

a) Calculate the mass of carbon present in 1g of CO_2



3g of Carbon combine with 8g of oxygen to form 11g of CO_2

$$11\text{g of CO}_2 \text{ contains C} = 3\text{g}$$

$$1\text{g of CO}_2 \text{ contains} = \frac{3}{11} \times 1\text{g} = 12$$

$$= 1.09$$

Q CaCO_3 contains 40% calcium, 12% carbon and 48% oxygen by mass. Knowing that the law of constant composition holds good, calculate the mass of the constituent elements present in 2g of CaCO_3 .



$$1\text{g Ca} + 12\text{g O}$$

$$+ 4\text{g of O}$$

$$= 100\text{g CaCO}_3$$

$$1\text{g Ca} + 3\text{g of C}$$

$$+ 12\text{g of O}$$


$$= 25\text{g of CaCO}_3$$

of 25g of mass

$$\boxed{11.90} \times$$

b) What mass of AgNO_3 will react with 5.85g of NaCl to produce 14.3g of AgCl & 8.5g of NaNO_3 , if the law of conservation of mass holds true.

$$\begin{array}{l} \text{Mass of reactants} = \text{Mass of products} \\ 5.85 + 8.5 = 8.5 + 14.35. \end{array}$$



$$1.75\text{g of Cu} \rightarrow 2.19\text{g of CuO}$$

$$\begin{array}{l} \text{o/p of Cu in the oxide} = \frac{1.75}{2.19} \times 100 \\ = 79.9\% \\ \text{or o/p of oxygen} = \frac{2.19 - 1.75}{2.19} \times 100 \\ = 20.1\% \end{array}$$

$$\begin{array}{l} \text{o/p of Cu in the oxide} = \frac{1.14}{1.13} \times 100 \\ = 100\% \\ \text{or o/p of O} = \frac{1.13}{1.14} \times 100 \\ = 95.6\% \end{array}$$

law of constant proportion

$$\begin{array}{l} 2\text{g of Cu} \\ 25\text{g CuCO}_3 \rightarrow 17\text{g O} \\ 25\text{g} \times \frac{10}{28} \times 2 \\ = \frac{25}{28} \times 20 = 5.85\text{g} \end{array}$$

$$\begin{array}{l} 25\text{g CuCO}_3 = 3\text{g O} \\ 25\text{g CuCO}_3 \times \frac{3}{28} \times 2 \\ = \frac{25}{28} \times 6 = 6.25\text{g} \end{array}$$

$$\begin{array}{l} 25\text{g of Cu} = 17\text{g O} \\ 25\text{g of CuCO}_3 = 12\text{g O} \\ 25\text{g of CuCO}_3 = 17\text{g O} \\ 25\text{g of CuCO}_3 = 12\text{g O} \\ = 6.95\text{g} \end{array}$$

Molecules of a compound
Molecules of a compound consist of or more than 2 different elements combined together in a definite proportion by mass to form a group that can exist alone.

e.g. Molecules of water, molecules of salt.



Distinctive features
e.g. Na^+ and Cl^-



Tetrahedral molecules
e.g. Hydrogen Fluoride (HF_3), ammonia (NH_3)

Molecular mass

→ Molecular mass of a substance (Element or Compound) is the relative mass of its molecules as compared with that of one atom of C-12 (Atomic Mass Unit = 12).

→ In other words, molecular mass of a substance represents the number of times the molecule of that substance is heavier than $\frac{1}{12}$ th mass of an atom of C-12 (atomic mass unit).

Calculation of Molecular Mass

$$\text{O}_3 \rightarrow 3 \times 16 = 48 \text{ u.}$$

$$\text{H}_2\text{O} \rightarrow 2 \times \text{atomic mass of hydrogen} + 1 \times \text{atomic mass of oxygen}$$
$$\rightarrow 2 \times 1 + 16 = 18 \text{ u}$$

$$\text{CO}_2 \rightarrow 1 \times \text{atomic mass of carbon} + 2 \times \text{atomic mass of oxygen}$$
$$\rightarrow 12 + 2 \times 16 = 44 \text{ u}$$

$$(b) \text{C}_{12}\text{H}_{22}\text{O}_{11} \rightarrow 12 \times 12 + 1 \times 22 + 16 \times 11$$
$$= 168 + 22 + 174$$
$$= 364 \text{ u.}$$

$$(b) \text{Al}_2(\text{SO}_4)_3 \rightarrow 27 \times 2 + 3 \times [16 \times 4]$$
$$= 54 + 3 \times 64$$
$$= 144 + 192$$
$$= 336 \text{ u.}$$

$$(c) \text{CuSO}_4 \cdot 5\text{H}_2\text{O} \rightarrow 63.5 + 32 + (16 \times 4)$$
$$= 249.5 + 5(2 \times 1 + 16)$$
$$= 249.5 + 100$$
$$= 349.5 \text{ u.}$$

Ions & Ionic Compounds



→ An atom or a group of atoms which carries positive or negative charge is called an ion.

→ The ion carrying positive charge is called a cation & the ion carrying -ve charge is called anion.

→ Ion consisting of only single atoms are called monatomic ions whereas an ion consisting of a group of atoms is called a polyatomic ion.


→ Compounds consisting of cations & anions are called ionic compounds.

→ In any ionic compound, the total positive charge carried by the cation is equal to the total negative charge carried by the anion so that as whole, the ionic compound is electrically neutral.

Naming

→ Cation is always named first followed by anion.

→ $\text{Al}_2(\text{SO}_4)_3$ → Aluminium sulphate



Writing chemical formula

Na^+ → 1 unit of +ve charge

Ca^{2+} → 2 units of +ve charge

Al^{3+} →

U^- → 1 unit -ve charge

O^{2-} → 2 units -ve charge

(Valency = 1)

Monovalent cations

H^+ , Na^+ , K^+

(Valency = 2)

Divalent cations

Ca^{2+} , Mg^{2+}

(Valency = 3)


Trivalent cation

Al^{3+} , Fe^{3+}

Formula of Simple Molecular Compounds



Hydrogen sulphide



valency

NH₃

CH₄

CO

NaCl

Mg²⁺

CaO

Al(OH)₃

(KNO₃)

(Na₂SO₄)

(Ca(NO₃)₂)

(CuSO₄)