

K. J. Somaiya College of Engineering, Mumbai
(A Constituent College of Somaiya Vidyavihar University)
Department of Computer Engineering

Batch: d2 Roll No.: 16010122323

Experiment / assignment / tutorial No.

Grade: AA / AB / BB / BC / CC / CD / DD

Signature of the Staff In-charge with date

Title: Implementation of Stack applications.

Objective: To implement applications of stack

Expected Outcome of Experiment:

CO	Outcome
1	Explain the different data structures used in problem solving

Books/ Journals/ Websites referred:

1. *Fundamentals Of Data Structures In C* – Ellis Horowitz, Satraj Sahni, Susan Anderson-Fred
2. *An Introduction to data structures with applications* – Jean Paul Tremblay, Paul G. Sorenson
3. *Data Structures A Pseudo Approach with C* – Richard F. Gilberg & Behrouz A. Forouzan
4. <https://www.cprogramming.com/tutorial/computersciencetheory/stack.html>
5. <https://www.geeksforgeeks.org/stack-data-structure-introduction-program/>
6. <https://www.thecrazyprogrammer.com/2013/12/c-program-for-array-representation-of-stack-push-pop-display.html>

Assigned Stack application:

static, parenthesis match.

Implementation:

```
include <conio.h>

#include <stdio.h>

#include <string.h>


int top = -1;

int i;


char push(char* stack,char c){

    stack[++top] = c;

    // printf("Element %c pushed\n",c);

}

char pop(char* stack){

    // printf("Element %c popped\n",stack[top]);

    stack[top] = 0;

    top--;

}

char peek(char* stack){

    // printf("%c\n",stack[top]);

    return stack[top];

}
```

K. J. Somaiya College of Engineering, Mumbai
(A Constituent College of Somaiya Vidyavihar University)
Department of Computer Engineering

```
int isEmpty(char* stack){

    if(top == -1){

        return 1;

    }

    else{

        return 0;

    }

}

void main(){

    int size;

    int flag = 0;

    char a[100];

    printf("Enter the equation: \n");

    scanf("%s",a);

    size=strlen(a);

    char stack[size];

    // printf("Length of string a = %zu \n",strlen(a));

    printf("You entered %s \n",a);

    for( i=0;i<size;i++){

        if(a[i] == '(' || ')'){

            printf("Scanned %c \n",a[i]);

            if(peek(stack) == '(' && a[i] == ')'){
```

K. J. Somaiya College of Engineering, Mumbai
(A Constituent College of Somaiya Vidyavihar University)
Department of Computer Engineering

```
        printf("popped %c \n",peek(stack));

        pop(stack);
    }
    else{
        if(a[i] == '){
            flag = 1;
            printf("WRONG");
            break;
        }
        else{
            push(stack,a[i]);
            printf("pushed %c \n",a[i]);
        }
    }
}

printf("\n");

if(flag == 0){
    if(isEmpty(stack) == 1){
        printf("WOHOOOO CORRECT");
    }
    else{
        printf("OOPSSS WRONG");
    }
}
```


}

Output Screenshots:

```
Enter the equation:
2-(3+2(3*2))+1
You entered 2-(3+2(3*2))+1
Scanned 2
pushed 2
Scanned -
pushed -
Scanned (
pushed (
Scanned 3
pushed 3
Scanned +
pushed +
Scanned 2
pushed 2
Scanned (
pushed (
Scanned 3
pushed 3
Scanned *
pushed *
Scanned 2
pushed 2
Scanned )
WRONG

-----
Process exited after 15.71 seconds with return value 10
Press any key to continue . . .
```

K. J. Somaiya College of Engineering, Mumbai
(A Constituent College of Somaiya Vidyavihar University)
Department of Computer Engineering



```
C:\Users\mishra\Documents\Experiment\1\exp1.cpp
Enter the equation:
(())()
You entered (())()
Scanned (
pushed (
Scanned )
popped (
Scanned (
pushed (
Scanned )
popped (
Scanned (
pushed (
Scanned )
popped (
Scanned (
pushed (
Scanned )
popped (
Scanned (
pushed (
Scanned )
popped (
WOH0000 CORRECT
-----
Process exited after 3.543 seconds with return value 15
Press any key to continue . . .
```

Conclusion:

Implemented , parenthesis match using stack.