

1. Program

1



Question 1

🔖 Revisit Later

How to Attempt?

Unique Digits Count

Write a function to find the count of unique digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the function should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

0/6 Solved Test Cases Failed

✓ Corner 2

✓ Corner 1

✓ Necessary 2

✓ Necessary 1

✓ Basic 4

✓ Basic 3

✓ Basic 2

✓ Basic 1



1. Program

Attempted: 1/1

Question 1

🔖 Revisit Later

How to Attempt?

Unique Digits Count

Write a function to find the count of unique digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the function should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

JAVA7

Compiler: Java - 1.7

```
1 import java.io.*;
2 import java.util.*;
3
4 // Read only region start
5 class UserMainCode
6 {
7
8     public int uniqueDigitsCount(int input1){
9         // Read only region end
10         String str=Integer.toString(input1);
11         int len=str.length();
12         int count=0;
13         for(int i=0;i<len-1;i++)
14         {
15             for(int j=i+1;j<len;j++)
16             {
17                 if(str.charAt(i)==str.charAt(j))
18                 {
19                     count++;
20                 }
21             }
22         }
23         return count;
24     }
25 }
```

☐ Use Custom Input

ⓘ

Compile and Test

Submit Code