

```

import pygame
import random

pygame.font.init()

s_width = 800
s_height = 700
play_width = 300
play_height = 600
block_size = 30

top_left_x = (s_width - play_width) // 2
top_left_y = s_height - play_height

S = [['.....',
       '.....',
       '..00.',
       '.00..',
       '.....'],
      [['.....',
       '.....',
       '..0..',
       '..00.',
       '...0.',
       '.....']]]

Z = [['.....',
       '.....',
       '.00..',
       '..00.',
       '.....'],
      [['.....',
       '.....',
       '..0..',
       '.00..',
       '.0...',
       '.....']]]

I = [['..0..',
       '..0..',
       '..0..',
       '..0..',
       '.....'],
      [['.....',
       '0000.',
       '.....',
       '.....',
       '.....']]]

O = [['.....',
       '.....',
       '..00.',
       '..00.',
       '.....']]

J = [['.....',
       '.0...',
       '.000.',
       '.....',
       '.....'],

```

```

[ '.....',
  '...00...',
  '...0...',
  '...0...',
  '.....'],
[ '.....',
  '.....',
  '...000...',
  '...0...',
  '.....'],
[ '.....',
  '...0...',
  '...0...',
  '...00...',
  '.....']]

```

```

L = [[ '.....',
        '...0...',
        '...000...',
        '.....'],
      [ '.....',
        '...0...',
        '...0...',
        '...00...',
        '.....'],
      [ '.....',
        '...000...',
        '...0...',
        '.....'],
      [ '.....',
        '...00...',
        '...0...',
        '...0...',
        '.....']]

```

```

T = [[ '.....',
        '...0...',
        '...000...',
        '.....'],
      [ '.....',
        '...0...',
        '...00...',
        '...0...',
        '.....'],
      [ '.....',
        '...000...',
        '...0...',
        '.....'],
      [ '.....',
        '...0...',
        '...00...',
        '...0...',
        '.....']]

```

```

shapes = [S, Z, I, O, J, L, T]
shape_colors = [(0, 255, 0), (255, 0, 0), (0, 255, 255), (255, 255, 0),
(255, 165, 0), (0, 0, 255), (128, 0, 128)]

class Piece(object):
    rows = 20
    columns = 10

    def __init__(self, column, row, shape):
        self.x = column
        self.y = row
        self.shape = shape
        self.color = shape_colors[shapes.index(shape)]
        self.rotation = 0

def create_grid(locked_positions={}):
    grid = [[(0, 0, 0) for x in range(10)] for x in range(20)]

    for i in range(len(grid)):
        for j in range(len(grid[i])):
            if (j, i) in locked_positions:
                c = locked_positions[(j, i)]
                grid[i][j] = c
    return grid

def convert_shape_format(shape):
    positions = []
    format = shape.shape[shape.rotation % len(shape.shape)]

    for i, line in enumerate(format):
        row = list(line)
        for j, column in enumerate(row):
            if column == '0':
                positions.append((shape.x + j, shape.y + i))

    for i, pos in enumerate(positions):
        positions[i] = (pos[0] - 2, pos[1] - 4)

    return positions

def valid_space(shape, grid):
    accepted_positions = [[(j, i) for j in range(10) if grid[i][j] == (0,
0, 0)] for i in range(20)]
    accepted_positions = [j for sub in accepted_positions for j in sub]
    formatted = convert_shape_format(shape)

    for pos in formatted:
        if pos not in accepted_positions:
            if pos[1] > -1:
                return False

    return True

def check_lost(positions):

```

```

    for pos in positions:
        x, y = pos
        if y < 1:
            return True
    return False

def get_shape():
    global shapes, shape_colors

    return Piece(5, 0, random.choice(shapes))

def draw_text_middle(text, size, color, surface):
    font = pygame.font.SysFont('comicsans', size, bold=True)
    label = font.render(text, 1, color)

    surface.blit(label, (
        top_left_x + play_width / 2 - (label.get_width() / 2), top_left_y +
        play_height / 2 - label.get_height() / 2))

def draw_grid(surface, row, col):
    sx = top_left_x
    sy = top_left_y
    for i in range(row):
        pygame.draw.line(surface, (128, 128, 128), (sx, sy + i * 30),
            (sx + play_width, sy + i * 30)) # horizontal
lines
        for j in range(col):
            pygame.draw.line(surface, (128, 128, 128), (sx + j * 30, sy),
                (sx + j * 30, sy + play_height)) # vertical
lines

def clear_rows(grid, locked):
    inc = 0
    for i in range(len(grid) - 1, -1, -1):
        row = grid[i]
        if (0, 0, 0) not in row:
            inc += 1
            ind = i
            for j in range(len(row)):
                try:
                    del locked[(j, i)]
                except:
                    continue
    if inc > 0:
        for key in sorted(list(locked), key=lambda x: x[1])[::-1]:
            x, y = key
            if y < ind:
                newKey = (x, y + inc)
                locked[newKey] = locked.pop(key)

def draw_next_shape(shape, surface):
    font = pygame.font.SysFont('comicsans', 30)
    label = font.render('Next Shape', 1, (255, 255, 255))

```

```

sx = top_left_x + play_width + 50
sy = top_left_y + play_height / 2 - 100
format = shape.shape[shape.rotation % len(shape.shape)]

for i, line in enumerate(format):
    row = list(line)
    for j, column in enumerate(row):
        if column == '0':
            pygame.draw.rect(surface, shape.color, (sx + j * 30, sy +
i * 30, 30, 30), 0)

        surface.blit(label, (sx + 10, sy - 30))

def draw_window(surface):
    surface.fill((0, 0, 0))
    font = pygame.font.SysFont('comicsans', 60)
    label = font.render('TETRIS', 1, (255, 255, 255))

    surface.blit(label, (top_left_x + play_width / 2 - (label.get_width()
/ 2), 30))

    for i in range(len(grid)):
        for j in range(len(grid[i])):
            pygame.draw.rect(surface, grid[i][j], (top_left_x + j * 30,
top_left_y + i * 30, 30, 30), 0)

    draw_grid(surface, 20, 10)
    pygame.draw.rect(surface, (255, 0, 0), (top_left_x, top_left_y,
play_width, play_height), 5)

def main():
    global grid

    locked_positions = {}
    grid = create_grid(locked_positions)

    change_piece = False
    run = True
    current_piece = get_shape()
    next_piece = get_shape()
    clock = pygame.time.Clock()
    fall_time = 0
    level_time = 0
    fall_speed = 0.27
    score = 0

    while run:

        grid = create_grid(locked_positions)
        fall_time += clock.get_rawtime()
        level_time += clock.get_rawtime()
        clock.tick()

        if level_time / 1000 > 4:
            level_time = 0
            if fall_speed > 0.15:

```

```

        fall_speed -= 0.005

    if fall_time / 1000 >= fall_speed:
        fall_time = 0
        current_piece.y += 1
        if not (valid_space(current_piece, grid)) and current_piece.y
> 0:
            current_piece.y -= 1
            change_piece = True

    for event in pygame.event.get():
        if event.type == pygame.QUIT:
            run = False
            pygame.display.quit()
            quit()

        if event.type == pygame.KEYDOWN:
            if event.key == pygame.K_LEFT:
                current_piece.x -= 1
                if not valid_space(current_piece, grid):
                    current_piece.x += 1

            elif event.key == pygame.K_RIGHT:
                current_piece.x += 1
                if not valid_space(current_piece, grid):
                    current_piece.x -= 1
            elif event.key == pygame.K_UP:
                current_piece.rotation = current_piece.rotation + 1 %
len(current_piece.shape)
                if not valid_space(current_piece, grid):
                    current_piece.rotation = current_piece.rotation -
1 % len(current_piece.shape)

            if event.key == pygame.K_DOWN:
                current_piece.y += 1
                if not valid_space(current_piece, grid):
                    current_piece.y -= 1

    shape_pos = convert_shape_format(current_piece)

    for i in range(len(shape_pos)):
        x, y = shape_pos[i]
        if y > -1:
            grid[y][x] = current_piece.color

    if change_piece:
        for pos in shape_pos:
            p = (pos[0], pos[1])
            locked_positions[p] = current_piece.color
        current_piece = next_piece
        next_piece = get_shape()
        change_piece = False

        if clear_rows(grid, locked_positions):
            score += 10

    draw_window(win)
    draw_next_shape(next_piece, win)

```

```

pygame.display.update()

if check_lost(locked_positions):
    run = False

draw_text_middle("You Lost", 40, (255, 255, 255), win)
pygame.display.update()
pygame.time.delay(2000)

def main_menu():
    run = True
    while run:
        win.fill((0, 0, 0))
        draw_text_middle('Press any key to begin.', 60, (255, 255, 255),
win)
        pygame.display.update()
        for event in pygame.event.get():
            if event.type == pygame.QUIT:
                run = False

            if event.type == pygame.KEYDOWN:
                main()
    pygame.quit()

win = pygame.display.set_mode((s_width, s_height))
pygame.display.set_caption('Tetris')

main_menu()

```