

Eocrinoidea Lyracystis radiata removed a priori Vetulocystis catenata −Beidazoon venustum Vetulicola cuneata Crinoidea Aethocrinus Eocrinoidea Akadocrinus ₽Rhombifera Macrocystella 99% Rhombifera Pleurocystites Eocrinoidea Ubaghsicystis Eocrinoidea Gogia Eocrinoidea Kinzercystis Edrioasteroidea Camptostroma 96% <sup>00</sup>4Helicoplacus 96% LHelicocystis moroccoensis Edrioasteroidea Kailidiscus chinensis Edrioasteroidea Stromatocystites Solute Castericystis vali 100% -Solute Coleicarpus sprinklei 88%-Cornute Ceratocystis perneri Cornute Ponticulocarpus 100% Mitrate Lagynocystis pyramidalis -Mitrate Mitrocystella incipiens 93%Ctenocystoid Courtessolea 00% Ctenoimbricata spinosa Cinctan Bohemiacinctus havliceki Banffia constricta -Yanjiahella biscarpa 96% -Pterobranch Cephalodiscus LPterobranch Rhabdopleura 91% Hemichordata Oesia %Enteropneusta Spengelidae Glandiceps Enteropneusta Harrimaniidae Saccoglossus -Hemichordata Spartobranchus Hemichordata Gyaltsenglossus Rotadiscus Herpetogaster collinsi Phlogites longus 84% Shankouclava anningense Leaf stability Tunicata Ciona Unstable Cephalochordata Branchiostoma Amiskwia sagittiformis Stable

## Eocrinoidea Lyracystis radiata removed a posteriori



Taxon removed:

- a priori
- o a posteriori
- + median



Trustworthiness = 0.817Continuity = 0.871TxC = 0.711sqrtTxC = 0.843