

Vetulicola cuneata removed a priori Yanjiahella biscarpa Rotadiscus Eocrinoidea Akadocrinus Eocrinoidea Gogia Rhombifera Macrocystella Rhombifera Pleurocystites Eocrinoidea Ubaghsicystis 979 Eocrinoidea Lyracystis radiata Eocrinoidea Kinzercystis Crinoidea Aethocrinus Edrioasteroidea Camptostroma **34**Helicoplacus -Helicocystis moroccoensis 80% Edrioasteroidea Kailidiscus chinensis Edrioasteroidea Stromatocystites Solute Castericystis vali Solute Coleicarpus sprinklei 80%-Cornute Ceratocystis perneri 100% LCornute Ponticulocarpus --Mitrate Lagynocystis pyramidalis ∟Mitrate Mitrocystella incipiens 91%Ctenocystoid Courtessolea 99% └Ctenoimbricata spinosa 100% Cinctan Bohemiacinctus havliceki Vetulocystis catenata Beidazoon venustum Banffia constricta 93% -Pterobranch Cephalodiscus ∟Pterobranch Rhabdopleura 100% Hemichordata Oesia 04Enteropneusta Spengelidae Glandiceps LEnteropneusta Harrimaniidae Saccoglossus -Hemichordata Spartobranchus Hemichordata Gyaltsenglossus Herpetogaster collinsi Phlogites longus Shankouclava anningense Leaf stability 84% Tunicata Ciona Unstable Cephalochordata Branchiostoma Amiskwia sagittiformis

Stable

## Vetulicola cuneata removed a posteriori

Yanjiahella biscarpa





Tree space mapping quality
Trustworthiness = 0.826
Continuity = 0.885