



# STATISTICS FOR DATA SCIENCE

## POWER OF TEST AND SIMPLE LINEAR REGRESSION

---

**SIVASANKARI V**

Department of Science & Humanities

# STATISTICS FOR DATA SCIENCE

---



## Unit 5 : Power of test and Simple linear regression

### Session : 2

### Sub Topic : Power of test

**SIVASANKARI V**

Department of Science & Humanities

# Calculating Power

## A Two-tailed Z test Example

**Computing the power involves two steps:**

1. Compute the rejection region.
2. Compute the probability that the test statistic falls in the rejection region if the alternate hypothesis is true.

This is the power.

### Problem 1:


A pollster will conduct a survey of a random sample of voters in a community to estimate the proportion who support a measure on school bonds. Let  $p$  be the proportion of the population who support the measure. The pollster will test  $H_0 : p = 0.50$  versus  $H_1 : p \neq 0.50$  at the 5% level. If 200 voters are sampled, **what is the power of the test if the true value of  $p$  is 0.55?**

**Solution:**

**Null distribution of  $\hat{p}$  :**

$$\hat{p} \sim N(p_0, \sigma_{\hat{p}}^2) \text{ where } \sigma_{\hat{p}} = \sqrt{\frac{p_0(1 - p_0)}{n}}$$

**Null distribution of  $\hat{p}$  :**  $\hat{p} \sim N\left(0.5, \frac{0.5(1-0.5)}{200}\right)$   
 $\sim N(0.5, 0.00125)$



**Null distribution of  $\hat{p}$  :**

$$\hat{p} \sim N\left(0.5, \frac{0.5(1 - 0.5)}{200}\right)$$
$$\sim N(0.5, 0.00125)$$

Given  $\alpha = 0.05$ . Since its two-sided test, the critical value is

For  $z \leq -1.96$

$$\hat{p} \leq 0.5 + (-1.96)\sqrt{0.00125}$$

$$\hat{p} \leq 0.43$$


For  $z \geq 1.96$

$$\hat{p} \geq 0.5 + (1.96)\sqrt{0.00125}$$

$$\hat{p} \geq 0.569$$

Alternate distribution of  $\hat{p}$  :

$$\hat{p} \sim N(0.55, 0.00125)$$





**Alternate distribution of  $\hat{p}$  :**

$$\hat{p} \sim N(0.55, 0.00125)$$

Z-scores corresponding to the critical points are

$$z = \frac{0.43 - 0.55}{\sqrt{0.00125}}$$

$$z = -3.39$$

$$P(z < -3.39) = 0.0003$$

$$z = \frac{0.569 - 0.55}{\sqrt{0.00125}}$$

$$z = 0.54$$

$$P(z > 0.54) = 0.2946$$

$$\text{Power} = 0.0003 + 0.2946 = 0.2949$$

### Problem 2

A pollster will conduct a survey of a random sample of voters in a community to estimate the proportion who support a measure on school bonds.


Let  $p$  be the proportion of the population who support the measure. The pollster will test:

$H_0 : p = 0.50$  versus  $H_1 : p \neq 0.50$

at the 5% level. How many voters must be sampled so that the power will be 0.8 when the true value of  $p = 0.55$ ?

Let  $n$  represent the necessary sample size.

**Null distribution of  $\hat{p}$  :**  $\hat{p} \sim N\left(0.5, \frac{0.5(1-0.5)}{n}\right)$   
 $\sim N\left(0.5, \frac{0.25}{n}\right)$



We can generally ignore the miniscule region associated with one of the tails

Critical Value under Null Distribution	
$Z \leq -1.96$ $\hat{p} \leq 0.5 - 1.96 \times \sqrt{\frac{0.25}{n}}$ (Ignored)	$Z = 1.96$ $\hat{p} = 0.5 + 1.96 \times \sqrt{\frac{0.25}{n}}$

We can generally ignore the miniscule region associated with one of the tails

### Critical Value under Alternate Distribution

$$\begin{aligned}\text{Since Power} &= 0.80 \\ P(Z > z) &= 0.80 \\ \Rightarrow z\text{-score} &= -0.84 \\ \hat{p} &= 0.55 - 0.84 \times \sqrt{\frac{0.25}{n}}\end{aligned}$$

Setting the critical values equal

$$0.5 + 1.96 \times \sqrt{\frac{0.25}{n}} = 0.55 - 0.84 \times \sqrt{\frac{0.25}{n}}$$

$$n = 784$$



**THANK YOU**

---

**SIVASANKARI V**

Department of Science & Humanities

**[sivasankariv@pes.edu](mailto:sivasankariv@pes.edu)**