



# LINEAR ALGEBRA AND ITS APPLICATIONS

---

**Renna Sultana**

Department of Science and Humanities

# LINEAR ALGEBRA AND ITS APPLICATIONS

---

## MATRICES AND GAUSSIAN ELIMINATION

**Renna Sultana**

Department of Science and Humanities

### Course Content: Elementary Matrices

- ❖ Elementary Matrix  $E_{ij}$  is obtained from the Identity Matrix  $I$  by using transformation  $R_i - l_{ij}R_j$  where  $l_{ij}$  is the multiplier

i.e

$$I \longrightarrow E_{ij}$$

Example:  $E_{32}$  is obtained as follows:

$$\begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \xrightarrow{R_3 - 2R_2} \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & -2 & 1 \end{pmatrix} = E_{32}$$

# LINEAR ALGEBRA AND ITS APPLICATIONS

## MATRICES AND GAUSSIAN ELIMINATION:

**Example:**

Consider the matrix  $A = \begin{pmatrix} 3 & 1 & 2 \\ 2 & -3 & -1 \\ 1 & 2 & 1 \end{pmatrix} \xrightarrow[R_3 - 1/3 R_1]{R_2 - 2/3 R_1} \begin{pmatrix} 3 & 1 & 2 \\ 0 & -11/3 & -7/3 \\ 0 & 5/3 & 1/3 \end{pmatrix}$

$$\xrightarrow{R_3 + (5/11)R_2} \begin{pmatrix} 3 & 1 & 2 \\ 0 & -11/3 & -7/3 \\ 0 & 0 & -8/11 \end{pmatrix} = U \quad E = E_{21} = R_2 - (2/3)R_1 = \begin{pmatrix} 1 & 0 & 0 \\ -2/3 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

$$F = E_{31} = R_3 - (1/3)R_1 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ -1/3 & 0 & 1 \end{pmatrix} \quad G = E_{32} = R_3 + (5/11)R_2 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 5/11 & 1 \end{pmatrix}$$

$$E_{32}E_{31}E_{21}A = U$$

# LINEAR ALGEBRA AND ITS APPLICATIONS

## MATRICES AND GAUSSIAN ELIMINATION:

### Problems:

1. Which elimination matrices put A into upper triangular matrix U?

$$\begin{aligned}
 A = \begin{pmatrix} 2 & -1 & 0 & 0 \\ -1 & 2 & -1 & 0 \\ 0 & -1 & 2 & -1 \\ 0 & 0 & -1 & 2 \end{pmatrix} &\xrightarrow{R_2 + (1/2)R_1} \begin{pmatrix} 2 & -1 & 0 & 0 \\ 0 & 3/2 & -1 & 0 \\ 0 & -1 & 2 & -1 \\ 0 & 0 & -1 & 2 \end{pmatrix} \xrightarrow{R_3 + (2/3)R_2} \begin{pmatrix} 2 & -1 & 0 & 0 \\ 0 & 3/2 & -1 & 0 \\ 0 & 0 & 4/3 & -1 \\ 0 & 0 & -1 & 2 \end{pmatrix} \\
 &\xrightarrow{R_4 + (3/4)R_3} \begin{pmatrix} 2 & -1 & 0 & 0 \\ 0 & 3/2 & -1 & 0 \\ 0 & 0 & 4/3 & -1 \\ 0 & 0 & 0 & 5/4 \end{pmatrix} = U
 \end{aligned}$$

The elimination matrices  $E_{21}$ ,  $E_{32}$  and  $E_{43}$  put A into upper triangular matrix i.e.,

$$E_{43}E_{32}E_{21}A = U$$

$$E_{43}E_{32}E_{21}A = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 3/4 & 1 \end{pmatrix} \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 2/3 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} 1 & 0 & 0 & 0 \\ 1/2 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} A = U$$

# LINEAR ALGEBRA AND ITS APPLICATIONS

## MATRICES AND GAUSSIAN ELIMINATION:

2. Which elementary matrices convert  $A = \begin{pmatrix} 0 & 2 & -6 & -2 & 4 \\ 0 & -1 & 3 & 3 & 2 \\ 0 & -1 & 3 & 7 & 10 \end{pmatrix}$  into upper triangular matrix U?

$$A = \begin{pmatrix} 0 & 2 & -6 & -2 & 4 \\ 0 & -1 & 3 & 3 & 2 \\ 0 & -1 & 3 & 7 & 10 \end{pmatrix} \xrightarrow[R_3 + 1/2 R_1]{R_2 + 1/2 R_1} \begin{pmatrix} 0 & 2 & -6 & -2 & 4 \\ 0 & 0 & 0 & 2 & 4 \\ 0 & 0 & 0 & 6 & 12 \end{pmatrix}$$

$$\xrightarrow{R_3 - 3R_2} \begin{pmatrix} 0 & 2 & -6 & -2 & 4 \\ 0 & 0 & 0 & 2 & 4 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} = U$$

Matrices  $E_{21}, E_{31}, E_{32}$  convert A into triangular form U.

$$E_{21} = \begin{pmatrix} 1 & 0 & 0 \\ 1/2 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \quad E_{31} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 1/2 & 0 & 1 \end{pmatrix} \quad E_{32} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & -3 & 1 \end{pmatrix}$$



# THANK YOU

---

**Renna Sultana**

Department of Science and Humanities

**[rennasultana@pes.edu](mailto:rennasultana@pes.edu)**