

# Database Management Systems (DBMS)

Lec 4: Relational model of data (Cont.)

Ramesh K. Jallu

IIIT Raichur

Date:02/02/21

# Recap

- Schema diagram and other constraints
- Relational algebra and a few operations
  - **Selection**: Filters tuples that satisfy a given condition
  - **Projection**: Selects attributes and removes duplicates, if any
  - **Rename**: Gives names to the intermediate result relations, and renames either the relation name or the attributes name
  - **Set theoretic operations**: Applicable only if the relations satisfy ***union compatible*** condition
  - **Cartesian product**: All combinations of tuples

# Today's plan

- The join operation
- Some exercise queries

# Exercise: Bank database

- Branch(**Name**, Assets, City)
- Customer(**ID**, Customer\_Name, Street, City)
- Loan (**Loan\_Number**, Branch\_name, Amount)
- Borrower(**BC\_ID**, **BL\_Number**)
- Account (**Account\_Number**, AB\_name, Balance)
- Depositor (**DC\_ID** , **A\_number**)

# Queries

1. Identify all foreign keys
2. Find all loans over 10,000/-
3. Find loan number for each loan greater than 25,000/-
4. Find all customers IDs who have loan 10,000/- or account balance > 5,000/-
5. Find the IDs of all customers who have a loan at the Raichur branch
6. Find the IDs of all customers who have a loan at the Raichur branch but do not have an account at any branch of the bank

# Answers

1. Branch\_name in Loan, both BC\_ID and BL\_Number in Borrower, AB\_Name in account, and both DC\_ID and A\_Number in Depositer
2.  $\sigma_{\text{amount} > 10000}(\text{Loan})$
3.  $\pi_{\text{Loan\_Number}}(\sigma_{\text{amount} > 25000}(\text{Loan}))$
4.  $\pi_{\text{BC\_ID}}(\sigma_{\text{Amount} = 10000}(\text{Borrower})) \cup \pi_{\text{DC\_ID}}(\sigma_{\text{Account\_Number} = \text{A\_Number}}(\text{Account} \times \text{Depoister}))$

# Answers (Cont.)

4.  $\pi_{BC\_ID} (\sigma_{Branch\_Name = 'Raichur' \text{ AND } BL\_Number = Loan\_Number} (Borrower \times Loan))$

5.  $TEMP \leftarrow \pi_{BC\_ID} (\sigma_{Branch\_Name = 'Raichur' \text{ AND } BL\_Number = Loan\_Number} (Borrower \times Loan))$   
 $TEMP - \pi_{DC\_ID}(Depoister)$

# Take home queries

1. Find the customer name for the last three queries with the same requirement
2. Find the largest account balance
  - Hint: Use Rename, Cartesian, and Set Minus operations



# The join operation ( $\bowtie$ )

- Used to combine related tuples from two relations into single tuples
- Notation:  $R \bowtie_{\langle \text{join condition} \rangle} S$
- The join of two relations  $R(A_1, A_2, \dots, A_n)$  and  $S(B_1, B_2, \dots, B_m)$  is a new relation  $Q(A_1, A_2, \dots, A_n, B_1, B_2, \dots, B_m)$
- $Q$  contains those tuples satisfying the given join condition
- The degree of  $Q$  ?, and the cardinality?

# Example

EMPLOYEE

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
John	B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000	333445555	5
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000	333445555	5
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	V	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	M	25000	987654321	4
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000	NULL	1

DEPARTMENT

Dname	Dnumber	Mgr_ssn	Mgr_start_date
Research	5	333445555	1988-05-22
Administration	4	987654321	1995-01-01
Headquarters	1	888665555	1981-06-19

**Query:** Retrieve the name of the manager of each department

$\text{DEPT\_MGR} \leftarrow \text{DEPARTMENT} \bowtie_{\text{Mgr\_ssn}=\text{Ssn}} \text{EMPLOYEE}$   
 $\text{RESULT} \leftarrow \pi_{\text{Dname, Lname, Fname}}(\text{DEPT\_MGR})$

DEPT\_MGR

Dname	Dnumber	Mgr_ssn	...	Fname	Minit	Lname	Ssn	...
Research	5	333445555	...	Franklin	T	Wong	333445555	...
Administration	4	987654321	...	Jennifer	S	Wallace	987654321	...
Headquarters	1	888665555	...	James	E	Borg	888665555	...

## RESULT

Dname	Lname	Fname
Research	Wong	Franklin
Administration	Wallace	Jennifer
Headquarters	Borg	James

# Observation

- $\bowtie$  is Cartesian product operation followed by a Select operation
  - $R \bowtie_{\langle \text{join condition} \rangle} S = \sigma_{\langle \text{join condition} \rangle}(R \times S)$
- A general join condition:  $\langle \text{cond} \rangle \text{ AND } \langle \text{cond} \rangle \text{ AND } \dots \text{ AND } \langle \text{cond} \rangle$ 
  - **Theta join**:  $A_i \theta B_j$  such that  $\text{dom}(A_i) = \text{dom}(B_j)$ , and  $\theta$  is one of the comparison operators  $\{=, <, \leq, >, \geq, \neq\}$
  - Tuples whose join attributes are NULL or for which the join condition is FALSE do not appear in the result

# Example from last class

- List of names of each female employee's dependents
  - $\text{FEMALE\_EMPS} \leftarrow \sigma_{\text{Sex}='F'}(\text{EMPLOYEE})$
  - $\text{EMP\_NAMES} \leftarrow \pi_{\text{Fname}, \text{Lname}, \text{Ssn}}(\text{FEMALE\_EMPS})$
  - $\text{EMP\_DEPENDENTS} \leftarrow \text{EMP\_NAMES} \times \text{DEPENDENT}$
  - $\text{ACTUAL\_DEPENDENTS} \leftarrow \sigma_{\text{Ssn}=\text{Essn}}(\text{EMP\_DEPENDENTS})$
  - $\text{RESULT} \leftarrow \pi_{\text{Fname}, \text{Lname}, \text{Dependent\_name}}(\text{ACTUAL\_DEPENDENTS})$

**EMPLOYEE**

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
John	B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000	333445555	5
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000	333445555	5
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	V	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	M	25000	987654321	4
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000	NULL	1

**DEPARTMENT**

Dname	Dnumber	Mgr_ssn	Mgr_start_date
Research	5	333445555	1988-05-22
Administration	4	987654321	1995-01-01
Headquarters	1	888665555	1981-06-19

**DEPT\_LOCATIONS**

Dnumber	Dlocation
1	Houston
4	Stafford
5	Bellaire
5	Sugarland
5	Houston

**WORKS\_ON**

Essn	Pno	Hours
123456789	1	32.5
123456789	2	7.5
666884444	3	40.0
453453453	1	20.0
453453453	2	20.0
333445555	2	10.0
333445555	3	10.0
333445555	10	10.0
333445555	20	10.0
999887777	30	30.0
999887777	10	10.0
987987987	10	35.0
987987987	30	5.0
987654321	30	20.0
987654321	20	15.0
888665555	20	NULL

**PROJECT**

Pname	Pnumber	Plocation	Dnum
ProductX	1	Bellaire	5
ProductY	2	Sugarland	5
ProductZ	3	Houston	5
Computerization	10	Stafford	4
Reorganization	20	Houston	1
Newbenefits	30	Stafford	4

**DEPENDENT**

Essn	Dependent_name	Sex	Bdate	Relationship
333445555	Alice	F	1986-04-05	Daughter
333445555	Theodore	M	1983-10-25	Son
333445555	Joy	F	1958-05-03	Spouse
987654321	Abner	M	1942-02-28	Spouse
123456789	Michael	M	1988-01-04	Son
123456789	Alice	F	1988-12-30	Daughter
123456789	Elizabeth	F	1967-05-05	Spouse

**FEMALE\_EMPS**

Fname	Minit	Lname	Ssn	Bdate	Address	Sex	Salary	Super_ssn	Dno
Alicia	J	Zelaya	999887777	1968-07-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5

**EMPNAMES**

Fname	Lname	Ssn
Alicia	Zelaya	999887777
Jennifer	Wallace	987654321
Joyce	English	453453453

**EMP\_DEPENDENTS**

Fname	Lname	Ssn	Essn	Dependent_name	Sex	Bdate	...
Alicia	Zelaya	999887777	333445555	Alice	F	1986-04-05	...
Alicia	Zelaya	999887777	333445555	Theodore	M	1983-10-25	...
Alicia	Zelaya	999887777	333445555	Joy	F	1958-05-03	...
Alicia	Zelaya	999887777	987654321	Abner	M	1942-02-28	...
Alicia	Zelaya	999887777	123456789	Michael	M	1988-01-04	...
Alicia	Zelaya	999887777	123456789	Alice	F	1988-12-30	...
Alicia	Zelaya	999887777	123456789	Elizabeth	F	1967-05-05	...
Jennifer	Wallace	987654321	333445555	Alice	F	1986-04-05	...
Jennifer	Wallace	987654321	333445555	Theodore	M	1983-10-25	...
Jennifer	Wallace	987654321	333445555	Joy	F	1958-05-03	...
Jennifer	Wallace	987654321	987654321	Abner	M	1942-02-28	...
Jennifer	Wallace	987654321	123456789	Michael	M	1988-01-04	...
Jennifer	Wallace	987654321	123456789	Alice	F	1988-12-30	...
Jennifer	Wallace	987654321	123456789	Elizabeth	F	1967-05-05	...
Joyce	English	453453453	333445555	Alice	F	1986-04-05	...
Joyce	English	453453453	333445555	Theodore	M	1983-10-25	...
Joyce	English	453453453	333445555	Joy	F	1958-05-03	...
Joyce	English	453453453	987654321	Abner	M	1942-02-28	...
Joyce	English	453453453	123456789	Michael	M	1988-01-04	...
Joyce	English	453453453	123456789	Alice	F	1988-12-30	...
Joyce	English	453453453	123456789	Elizabeth	F	1967-05-05	...

**ACTUAL\_DEPENDENTS**

Fname	Lname	Ssn	Essn	Dependent_name	Sex	Bdate	...
Jennifer	Wallace	987654321	987654321	Abner	M	1942-02-28	...

**RESULT**

Fname	Lname	Dependent_name
Jennifer	Wallace	Abner

# Example from last class

- List of names of each female employee's dependents
  - $\text{FEMALE\_EMPS} \leftarrow \sigma_{\text{Sex}='F'}(\text{EMPLOYEE})$
  - $\text{EMPNAMES} \leftarrow \pi_{\text{Fname}, \text{Lname}, \text{Ssn}}(\text{FEMALE\_EMPS})$
  - $\text{ACTUAL\_DEPENDENTS} \leftarrow \text{EMPNAMES} \bowtie_{\text{Ssn}=\text{Essn}} \text{DEPENDENT}$
  - $\text{RESULT} \leftarrow \pi_{\text{Fname}, \text{Lname}, \text{Dependent\_name}}(\text{ACTUAL\_DEPENDENTS})$



# Exercise

**Query 1.** Retrieve the name and address of all employees who work for the 'Research' department.

```
RESEARCH_DEPT  $\leftarrow \sigma_{Dname='Research'}(DEPARTMENT)$   
RESEARCH_EMPS  $\leftarrow (RESEARCH\_DEPT \bowtie_{Dnumber=Dno} EMPLOYEE)$   
RESULT  $\leftarrow \pi_{Fname, Lname, Address}(RESEARCH\_EMPS)$ 
```

As a single in-line expression, this query becomes:

```
 $\pi_{Fname, Lname, Address}(\sigma_{Dname='Research'}(DEPARTMENT \bowtie_{Dnumber=Dno}(EMPLOYEE)))$ 
```

Thank you!