EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Nos. 9958 and PSD-TX-766M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY*
01	Konus Oil Heaters Nos. 1 and 2	PM_{10} VOC CO NO_X	8.0 6.3 13.4 10.6	35.0 27.7 58.7 46.4
02	Dryer Nos. 1, 2, and 3	PM_{10} VOC CO NO_{X} $C_{6}H_{5}OH$ $CHOH***$	12.3 195.0 117.0 28.6 0.69 18.0	54.1 854.1 512.5 125.3 3.0 78.8
03	Trim Saw Baghouse	PM_{10}	0.8	3.5
04	T and G Sanders Baghous	e PM ₁₀	0.7	3.1
05	Dry Fuel Baghouse	PM_{10}	0.19	0.8
06	Press Vent Nos. 1 through 39.1	gh 4	PM_{10}	8.9
		VOC C ₆ H₅OH CHOH Wax/Resin	56.3 1.4 1.8 0.01	246.4 6.0 8.0 0.05
10	Wood Yard Fugitive (4)	PM PM ₁₀	0.13 0.06	0.41 0.18

15	Konus Ash (4)	PM_{10}	0.2	0.9
18	EFB Auxiliary Baghouse	PM ₁₀	0.01	0.06

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM_{10} .
 - PM_{10} particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
 - CO carbon monoxide
 - NO_X total oxides of nitrogen

C₆H₅OH - phenol

- CHOH formaldehyde
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
 - * Compliance with annual emission limits is based on a rolling 12-month period.
- ** Emission rates are based on and the facilities are limited by the following maximum operating schedule:
- <u>24</u> Hrs/day <u>7</u> Days/week <u>52</u> Weeks/year or <u>8,760</u> Hrs/year

Emission rates are based on the production of $\underline{26}$ TPH (based on daily average) of finished oriented strand board (OSB) which is $\underline{30.42}$ TPH of dry wafers with fines included.

Annual emission rates are based on $\underline{227,760}$ TPY of finished OSB board.

*** Also counted as total VOC.