

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Flexible Permit Number 74886

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY (4)

Included in the HAP, VOC, and Exempt Solvent Sitewide Cap:

S1	Storage Tank S1
S2	Storage Tank S2
S3	Storage Tank S3
S4	Storage Tank S4
S5	Storage Tank S5
S6	Storage Tank S6
S7	Storage Tank S7
S8	Storage Tank S8
S9	Storage Tank S9
S10	Storage Tank S10
S11	Storage Tank S11
S12	Storage Tank S12
S13	Storage Tank S13
S14	Storage Tank S14
T1	Storage Tank T1
T2	Storage Tank T2
T3	Storage Tank T3
T4	Storage Tank T4
T5	Storage Tank T5
T6	Storage Tank T6
T7	Storage Tank T7
T8	Storage Tank T8
T9	Storage Tank T9
T10	Storage Tank T10
T11	Storage Tank T11
T12	Storage Tank T12
T13	Storage Tank T13
T14	Storage Tank T14

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

T15 Storage Tank T15

Included in the PM, HAP, VOC, and Exempt Solvent Sitewide Cap:

P-DC2-MAIN	Main Building Dust Collector Stack			
P-DC-DEP	Main Building DEP Dust Collector			
P-DC75-GEP	GEP Dust Collector			
P-DC54-5	Building 5 Dust Collector			
F-BLDG2	Building 2 Fugitives			
P-PV2-2	Mail Building 2nd Floor Process Vent			
P-GV2-2	Mail Building 2nd Floor General Vent			
P-PV2-1	Mail Building Filling Vent			
P-GV-GEP	GEP General Roof Vents			
F-GEP	GEP Fugitives			
SITEWIDE CAP	All (Excluding B-1)	VOC	92.40 (5)	48.45 (5)
		Exempt Solvent	92.40 (5)	48.45 (5)
		PM	5.43	23.82
B-1	Natural Gas-Fired Boiler (4.2 MMBtu/hr)	VOC	0.02	0.10
		PM ₁₀	0.03	0.14
		NO _x	0.41	1.80
		CO	0.35	1.51
		SO ₂	<0.01	0.01
All Emission Points at the Site	All Sources at the Site	Individual HAP		<10.00
		All HAPs		<16.67

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names.
- (3) Exempt Solvent - Those carbon compounds or mixtures of carbon compounds used as solvents which have been excluded from the definition of volatile organic compound.
 - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - PM - particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
 - PM₁₀ - particulate matter equal to or less than 10 microns in diameter
 - PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
 - NO_x - total oxides of nitrogen
 - CO - carbon monoxide
 - SO₂ - sulfur dioxide
 - HAP(s) - hazardous air pollutant(s) as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C
- (4) Compliance with annual emission limits is based on a rolling 12-month period.
- (5) Total hourly VOC plus exempt solvent emissions shall not exceed 92.40 pounds per hour. Total annual VOC plus exempt solvent emissions shall not exceed 48.45 tons per year.

Dated December 28, 2009