Permit No. 4437A and PSD-TX-808

This table lists the maximum allowable emission caps or rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)		1b/hr	<u>TPY</u>
CO, NO _x Sources:					
Flare System **:					
216 308 408	Flare Flare Flare	$\begin{array}{c} \text{CO, NO}_{\times} \\ \text{CO, NO}_{\times} \\ \text{CO, NO}_{\times} \end{array}$			
Polyethylene Cat	alyst Activation Facili	ty:			
83 86 146 170 1000 1001 1003	Activator No. 2 Main B Activator No. 3 Main B Activator No. 4 Main B Activator No. 5 Main B Activator No. 1 Main B Activator No. 1 HEPA F Activator No. 5 HEPA F	urner urner urner urner ilter	CO, CO, CO, CO,	NO _x NO _x NO _x	
	Emission Cap Emission Cap	CO NO _x		165.9 22.2	482.5 68.7

PM₁₀ Sources:

Polyethylene Catalyst Activation Facility:

83	Activator No. 2 Main Burner	PM_{10}
86	Activator No. 3 Main Burner	PM_{10}
146	Activator No. 4 Main Burner	PM_{10}
170	Activator No. 5 Main Burner	PM_{10}
1000	Activator No. 1 Main Burner	PM_{10}
1001	Activator No. 1 HEPA Filter	PM_{10}

AIR CONTAMINANTS DATA

Emission <u>*</u>	Source	Air Contaminant	<u>Emission Rates</u>
Point No. (1)	Name (2)	Name (3)	<u>lb/hr TPY</u>
1002	Act. Nos. 2,3,4 HEPA	Filter	PM_{10}
1003	Activator No. 5 HEPA	Filter	PM ₁₀
1004	Quench Station Vent	(5) PM ₁₀	
1005	Raw Catalyst Charging	g Bldg PM ₁₀	
1006	Drum Unloading Enclos	sure PM ₁₀	
1007	Catalyst Fugitives (4	4) PM ₁₀	

Polyethylene Plant:

206	DEC	De de Addition	DM	
206		Powder Additive Tank	PM ₁₀	
208		Pellet Blend Tanks	PM ₁₀	
209		Off-Spec Tank	PM ₁₀	
210		Pellet Silos	PM_{10}	
212		Pellet Blender	PM_{10}	
213		Supply Silos	PM_{10}	
214		Loading Bin	PM_{10}	
217		Extruder Feed/Blender		
218	PE6	Fluff Loadout	PM_{10}	
219	PE6	Pellet Loadout	PM_{10}	
252	PE6	Powder Additive Tank	PM_{10}	
254	PE6	Pellet Blend Tanks	PM_{10}	
255	PE6	Off-Spec Tank	PM_{10}	
257	PE6	Pellet Silos	PM_{10}	
258	PE6	Pellet Blender	PM_{10}	
261	PE6	Extruder Feed/Blender	PM_{10}	
302	PE7	Powder Additive Tank	PM_{10}	
304	PE7	Pellet Blend Tanks	PM_{10}	
305	PE7	Pellet Loadout	PM_{10}	
311		Fluff Loadout	PM ₁₀	
312		Pellet Loading	PM_{10}	
313		Extruder Feed/Blender		
352		Powder Additive Tank		
354		Pellet Blend Tanks	PM ₁₀	
355		Extruder Feed/Blender		
402		Powder Additive Tank		
404		Pellet Blend Tanks	PM ₁₀	
405		Pellet Loadout	PM ₁₀	
103	. 20	TOTTEE LOUGOUT	i 1.1T0	

Emission *	Source	Air Contaminant	<u>Emissio</u>	n Rates
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
411 412 413 452 454 455	PE8 Fluff Loadout PE8 Pellet Loading PE8 Extruder Feed/B PE8 Powder Additive PE8 Pellet Blend Ta PE8 Extruder Feed/B	Tank PM ₁₀ nks PM ₁₀		
HAC Polypropyle	ne Plant:			
39A 39B 39C 39D 39E 52 53	Tank Farm Pellet Loading Spot Pellet Loading Spot Hopper Car Loading Bagging and Boxing Fluff Filter Bagging House			
HAC Polypropyle	ne Plant (continued):			
701 702 704 716 719 729 736 739 750 751	Train 1 Fluff Surge Train 2 Fluff Surge Train 4 Fluff Surge Train 1 Pure Add. H Train 1 Pellet Drye Train 2 Pellet Drye Trains 3,4 Pure Add Train 3 Pellet Drye Train 4 Pellet Drye Baghouse	Tank PM ₁₀ Tank PM ₁₀ opper PM ₁₀ r PM ₁₀ r PM ₁₀ r PM ₁₀ r Hopper r PM ₁₀	PM ₁₀	
GPH Polypropyle	ne Plant:			
810A 810B 810C 810D	Additive Vent Filte Additive Vent Filte Additive Vent Filte Additive Vent Filte	$\begin{array}{ccc} r & B & PM_{10} \\ r & C & PM_{10} \end{array}$		

1000

EMISSION SOURCES - EMISSION CAPS AND RATES

AIR CONTAMINANTS DATA

V0C

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
810E 810F 810G 811 816 817A 817B 817C 817D 818 819A 819B 820 821 822 39D 39E	Additive Vent Filter Additive Vent Filter Additive Vent Filter Additive Pressure EL Pellet Dryer Vent Pellet Silo A Filter Pellet Silo B Filter Pellet Silo C Filter Pellet Silo D Filter Pellet Silo D Filter Pellet Silo B Blender Silo A Blender Silo B Off Pellet Hopper B-Pellet Feed Hopper Pellet Feed Hopper Pellet Feed Hopper S-E PP Hopper Car Lo	F PM ₁₀ C PM ₁₀	PM ₁₀ PM ₁₀	
	Emission Cap	PM ₁₀	5.3	16.5
VOC Sources:				
Flare System:				
216 308 408	Flare Flare Flare	VOC VOC VOC		
Hydrocarbon Load	ling/Unloading Facilit	ty:		
900	Piping Fugitives (4)	(6) VOC		
Polyethylene Cat	alyst Activation Fac	ility:		
83 86 146 170	Activator No. 2 Mair Activator No. 3 Mair Activator No. 4 Mair Activator No. 5 Mair	n Burner n Burner n Burner	VOC VOC VOC	

Activator No. 1 Main Burner

Emission *	Source	Air Contaminant	Emission Rates
Point No. (1)	Name (2)	Name (3)	lb/hr TPY
Polyethylene Pla	ant:		
201	PE6 Flash Tank	VOC	
207	PE6 Pellet Dryer	VOC	
208	PE6 Pellet Blend Ta		
209	PE6 Off-Spec Tank	VOC	
210	PE6 Pellet Silos	VOC	
212	PE6 Pellet Blender	VOC	
213	PE6 Supply Silos	VOC	
217	PE6 Extruder Feed/B	lender	VOC
219	PE6 Pellet Loadout	VOC	
250	PE6 Flash Tank	VOC	
253	PE6 Pellet Dryer	VOC	
254	PE6 Pellet Blend Ta	nks VOC	
255	PE6 Off-Spec Tank	VOC	
257	PE6 Pellet Silos	VOC	
258	PE6 Pellet Blender	VOC	
259	PE6 Piping Fugitive	s (4) VOC	
260	PE6 Cooling Tower (4) VOC	
261	PE6 Extruder Feed/B		VOC
300	PE7 Flash Tank	VOC	
303	PE7 Pellet Dryer	VOC	
304	PE7 Pellet Blend Ta	nks VOC	
305	PE7 Pellet Loadout	VOC	
306	PE7 Piping Fugitive	s (4) VOC	
307	PE7 Cooling Tower (
313	PE7 Extruder Feed/B		VOC
350	PE7 Flash Tank	VOC	
353	PE7 Pellet Dryer	VOC	
354	PE7 Pellet Blend Ta		
355	PE7 Extruder Feed/B		VOC
400	PE8 Flash Tank	VOC	
403	PE8 Pellet Dryer	VOC	
404	PE8 Pellet Blend Ta		
405	PE8 Pellet Loadout	VOC	

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
- Point No. (1)	Name (2)	Name (3)	lb/hr TPY	
Polyethylene Pla	nt (continued):			
406 407 413 450 453 454 455	PE8 Piping Fugitives PE8 Cooling Tower (4 PE8 Extruder Feed/B1 PE8 Flash Tank PE8 Pellet Dryer PE8 Pellet Blend Tan PE8 Extruder Feed/B1) VOC ender VOC VOC ks VOC	VOC	
HAC Polypropyler	e Plant:			
39A 39B 39C 39E 56 132 701 702 704 719 729 748 749 750 751	Tank Farm Pellet Loading Spot Pellet Loading Spot Bagging and Boxing Piping Fugitives (4) Cooling Tower (4) Train 1 Fluff Surge Train 2 Fluff Surge Train 4 Fluff Surge Train 1 Pellet Dryer Train 2 Pellet Dryer Train 4 Extruder Chu Train 4 Extruder Ven Train 4 Pellet Dryer Baghouse	14 VOC VOC VOC Tank VOC Tank VOC Tank VOC Toc VOC VOC Toc VOC Toc VOC Toc VOC Toc VOC Toc VOC Toc VOC		
GPH Polypropylene Plant:				
801 803 815 816	Piping Fugitives (4) Cooling Tower (4) Extruder Vent Pellet Dryer Vent	VOC VOC VOC VOC		

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
817A 817B 817C 817D 818 819A 819B 820 821 822 39D 39E	Pellet Silo A Filter Pellet Silo B Filter Pellet Silo C Filter Pellet Silo D Filter Pellet Service Hoppe Blender Silo A Blender Silo B Off Pellet Hopper B-Pellet Feed Hopper Pellet Feed Hopper S-E PP Hopper Car Lo PP Boxing and Baggin	VOC VOC VOC VOC VOC VOC VOC VOC VOC VOC	VOC	
	Emission Cap	VOC	300.7	925.2
<u>Hexene Sources:</u>				
Flare System:				

216	Flare	Hexene
308	Flare	Hexene
408	Flare	Hexene

Hydrocarbon Loading/Unloading Facility:

900 Piping Fugitives (4) (6) Hexene

Polyethylene Plant:

201	PE6 Flash Tank Hexene	
217	PE6 Extruder Feed/Blender	Hexene
250	PE6 Flash Tank Hexene	
259	PE6 Piping Fugitives (4) Hexene	
261	PE6 Extruder Feed/Blender	Hexene
300	PE7 Flash Tank Hexene	

Emission *	Source	Air Contaminant		<u>Emissic</u>	n Rates
Point No. (1)	Name (2)	Name (3)	-	lb/hr	TPY
306	PE7 Piping Fugitives	s (4) Hexene			
313	PE7 Extruder Feed/B	lender	Hexe	ene	
350	PE7 Flash Tank	Hexene			
355	PE7 Extruder Feed/B	lender	Hexe	ene	
400	PE8 Flash Tank	Hexene			
406	PE8 Piping Fugitives	s (4) Hexene			
413	PE8 Extruder Feed/B	lender	Hexe	ene	
450	PE8 Flash Tank	Hexene			
455	PE8 Extruder Feed/B	lender	Hexe	ene	
	Emission Cap	Hexene		22.1	82.3

- (1) Emission point identification either specific equipment designation or emission point number (EPN) from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide
 - $NO_{\boldsymbol{x}}$ total oxides of nitrogen
 - PM_{10} particulate matter less than 10 microns
 - VOC volatile organic compounds as defined in General Rule 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emergency use only.
- (6) Isobutane, hexene, and n-hexane emissions only. Emissions of other materials at EPN 900 are covered in Permit No. 21150.

- * Emission rates are based on and the facilities are limited by the following maximum operating schedule: Hrs/year_8,760_
- ** The PSD-TX-808 emissions are those CO flare emissions attributable to Polyethylene VI, VII, and VIII.

_		
Dэ	ιted	
υa	ıccu	