### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 56588

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Source	Air Contaminant	Emission Rates *	
Name (2)	Name (3)	lb/hr	<u>TPY</u>
Boiler	NO <sub>x</sub>	1.05	4.58
10.46 MMBtu/hr	CO		3.85
			0.25
			0.35
	$SO_2$	0.01	0.03
Prime and Finish Coating	VOC	131.00	333.59
Prime Oxidizer	$NO_x$	4.46	19.54
	CO	45.41	199.32
	VOC	16.04	55.55
	PM	0.34	1.49
	SO <sub>2</sub>	0.03	0.13
Finish Oxidizer	$NO_x$	4.46	
	CO	116.92	
	VOC	30.62	
	PM	0.34	
	$SO_2$	0.03	
Waste Heat Boiler	NO <sub>x</sub>	3.79	
	CO	92.22	
	VOC	26.02	
	PM	0.29	
	SO <sub>2</sub>	0.03	
Combined Finish Oxidizer	$NO_x$		19.54
and Waste Heat Boiler	CO		512.09
	VOC		89.11
	PM		1.49
	Boiler 10.46 MMBtu/hr  Prime and Finish Coating Prime Oxidizer  Finish Oxidizer  Waste Heat Boiler  Combined Finish Oxidizer	Boiler 10.46 MMBtu/hr CO YOC PM SO2  Prime and Finish Coating  VOC  Prime Oxidizer  NOx CO YOC PM SO2  Finish Oxidizer  NOx CO YOC PM SO2  Waste Heat Boiler  NOx CO YOC PM SO2  CO YOC PM SO2	Name (2)   Name (3)   Ib/hr

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
		SO <sub>2</sub>		0.13
RG	Roll Grinder	VOC	0.92	4.03
LS	Lime Silo Waste Treatment	РМ	0.06	0.26
QCEXITMEK	Exit End MEK Rub Test	VOC	0.42	1.84
QCLABMEK	Lab MEK Rub Test	VOC	0.42	1.84
MEKTOTE	MEK Tote Tank Storage	VOC	<0.01	<0.01
IMAGE	Stenciling onto Painted Coils	VOC	0.15	0.68
0.4GFHTR	Comfort Heating 0.4 MMBtu/hr	$NO_x$ $CO$ $VOC$ $PM$ $SO_2$	0.04 0.04 <0.01 <0.01 <0.01	0.18 0.15 0.01 0.01 <0.01
0.8GFHTR	Comfort Heating 0.8 MMBtu/hr	NO <sub>x</sub> CO VOC PM SO <sub>2</sub>	0.08 0.07 <0.01 <0.01 <0.01	0.35 0.30 0.03 <0.02 <0.01

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number from a plot plan.

CO - carbon monoxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>

PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not

<sup>(2)</sup> Specific point source names. For fugitive sources use area name or fugitive source name.

<sup>(3)</sup> NO<sub>x</sub> - total oxides of nitrogen

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

	listed, it shall be assumed that no particulate matter greater than 10 microns is emitted. $SO_2$ - sulfur dioxide
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule: Entire Facility
	Hrs/day Days/week Weeks/year or Hrs/year_ 8,760
	Dated October 7, 2005