

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 20618

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
Primary Station				
PFH and PRBF	Plant Loading Operations (5)	PM	2.14	5.20
		PM <sub>10</sub>	0.78	1.91
		PM <sub>2.5</sub>	0.12	0.29
PCR-1	Primary Crusher 1 (5)	PM	0.14	0.33
		PM <sub>10</sub>	0.06	0.15
		PM <sub>2.5</sub>	0.01	0.02
PSC-1 and PSC-2	Primary Screens (5)	PM	0.63	1.53
		PM <sub>10</sub>	0.22	0.53
		PM <sub>2.5</sub>	0.03	0.08
P-MHFUG	Primary Station Material Handling (5, 7)	PM	1.20	2.91
		PM <sub>10</sub>	0.40	0.99
		PM <sub>2.5</sub>	0.10	0.24
Secondary Station				
SCR-1	Secondary Crusher 1 (5)	PM	0.09	0.33
		PM <sub>10</sub>	0.04	0.15
		PM <sub>2.5</sub>	0.01	0.02
SCR-2	Secondary Crusher 2 (5)	PM	0.01	0.02
		PM <sub>10</sub>	<0.01	0.01
		PM <sub>2.5</sub>	<0.01	<0.01

## Emission Sources - Maximum Allowable Emission Rates

SSC-1	Secondary Screen 1 (5)	PM	1.49	3.61
		PM <sub>10</sub>	0.50	1.22
		PM <sub>2.5</sub>	0.03	0.08
SSC-2	Secondary Screen 2 (5)	PM	0.63	1.53
		PM <sub>10</sub>	0.22	0.53
		PM <sub>2.5</sub>	0.03	0.08
SSC-3	Secondary Screen 3 (5)	PM	0.63	1.53
		PM <sub>10</sub>	0.22	0.53
		PM <sub>2.5</sub>	0.03	0.08
S-MHFUG	Secondary Station Material Handling (5, 8)	PM	1.17	2.90
		PM <sub>10</sub>	0.41	0.96
		PM <sub>2.5</sub>	0.13	0.28
Tertiary Station				
TCR-1	Tertiary Crusher 1 (5)	PM	0.02	0.07
		PM <sub>10</sub>	0.01	0.03
		PM <sub>2.5</sub>	<0.01	<0.01
TCR-2	Tertiary Crusher 2 (5)	PM	0.07	0.29
		PM <sub>10</sub>	0.03	0.13
		PM <sub>2.5</sub>	0.01	0.02
T-MHFUG	Tertiary Station Material Handling (5, 9)	PM	0.50	1.28
		PM <sub>10</sub>	0.19	0.42
		PM <sub>2.5</sub>	0.07	0.14
TRL	Material Loading Operations (5)	PM	0.04	0.12
		PM <sub>10</sub>	0.02	0.04

Emission Sources - Maximum Allowable Emission Rates

		PM <sub>2.5</sub>	<0.01	0.01
Total Plant				
SPFUG	Stockpiles (5)	PM	-.--	18.07
		PM <sub>10</sub>	-.--	9.03
		PM <sub>2.5</sub>	-.--	1.37

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) PM
  - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
- PM<sub>10</sub>
  - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
- PM<sub>2.5</sub>
  - particulate matter equal to or less than 2.5 microns in diameter
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.
- (7) Includes the following EPNs; PGR, PCV-1, PCV-2, PCV-3, PCV-4, PCV-5, PST-2, PCV-7, PCV-8, PUF-1, PUF-2, PUF-3, PUF-4, MAIN CV-1, MAIN CV-2, PSC-1-DROP, and PSC-2-DROP.
- (8) Includes the following EPNs: SSC-1-DROP, SCV-1, SUF-1, LWASH CV-1, SCV-2, MAIN CV-3, SSC-2-DROP, SSC-3-DROP, SCV-3A, SCV-3B, SCV-4A, SCV-4B, SCV-5, SCV-6, SCV-7, SCV-8, SCV-9, SCV-10, SCV-12, SSH, SSH-DROP and SUF-2.
- (9) Includes the following EPNs; MAIN CV-5, MAIN UF, WEST UF, EAST UF, CBHOP, CBHOPDROP, BUF-2, BUF-3, BETA-CV-9 and ALPHA-CV-2

Date: October 7, 2013