## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit No. 8953

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
01	White-Superior 6G-825 E	ingine	VOC	0.51
	(387-Hp)	$NO_x$	1.71	7.47
		CO	1.71	7.47
02	Amine Reboiler	VOC	0.02	0.07
	(3.84 MMBTU/hr)	$NO_x$	0.66	2.88
		CO	0.14	0.60
		$PM_{10}$	0.08	0.34
03	Acid Gas Flare	VOC	<0.01	0.04
		$NO_x$	0.02	0.07
		$SO_2$	10.39	45.51
		CO	0.13	0.58
		H <sub>2</sub> S	0.11	0.48
04	TEG Reboiler	VOC	<0.01	<0.01
	(0.35 MMBTU/hr)	NO <sub>x</sub>	0.08	0.34
		CO	0.02	0.07
		$PM_{10}$	0.01	0.04
05	TEG Still Vent	VOC	2.26	9.90
06	Fugitives (4)	VOC	1.40	6.15
07	Condensate Tank	VOC	69.06	1.96
08	Fugitives (4)	$H_2S$	<0.01	0.02

## AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissic</u>	on Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
09	Molecular Sieve Regenerator <0.01		VOC	<0.01
	Heater (0.4 MMBTU/	/hr) NO <sub>x</sub> CO PM <sub>10</sub>	0.15 0.03 0.02	0.26 0.05 0.03
10	Product Loading	VOC	10.56	1.40

- (1)Emission point identification - either specific equipment designation or emission point number from plot plan.
- Specific point source name. For fugitive sources use area name (2) or fugitive source name.
- volatile organic compounds as defined in General Rule (3) 101.1
  - $NO_x$  total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide
  - $PM_{10}$  particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
  - carbon monoxide CO
  - hydrogen sulfide H₂S
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

Una /day		Dave /wask	Mooks /voss	0.19	ο.	760
following maximum	operating	schedule:		•		

	•			
	Hrs/day	 Days/week	Weeks/year or	8,760
Hrs/year				

Emission rates are based on and the facilities are limited by the