EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 18978 and PSD-TX-752M2

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Name (2)	Name (3)	Air (lb/hr	Contaminant TPY		Emissio	n Rates *
QE1001B	Pyrolysis F	urnace		NO_x CO SO_2 VOC PM_{10}		30.30 8.17 0.30 0.70 0.66	132.71 35.78 1.31 3.00 2.89
QE1002B	Pyrolysis F	urnace		NO_x CO SO_2 VOC PM_{10}	0.66	30.30 8.17 0.30 0.70 2.89	132.71 35.78 1.31 3.00
QE1003B	Pyrolysis F	urnace		NO_x CO SO_2 VOC PM_{10}		30.30 8.17 0.30 0.70 0.66	132.71 35.78 1.31 3.00 2.89
QE1004B	Pyrolysis F	urnace		NO_x CO SO_2 VOC PM_{10}		30.30 8.17 0.30 0.70 0.66	132.71 35.78 1.31 3.00 2.89
QE1005B	Pyrolysis F	urnace		NO_x CO SO_2 VOC PM_{10}		30.30 8.17 0.30 0.70 0.66	132.71 35.78 1.31 3.00 2.89
QE1006B	Pyrolysis F	urnace		NO _x		30.30	132.71

Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission	Source	Air Contaminant	Emission	Rates *			
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY			
				CO	8.	.17	35.78
				SO_2	0.	.30	1.31
				VOC	0.	.70	3.00
				PM_{10}	0.	.66	2.89

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission S	Source Air Contaminant	Emission Rates *		
Point No. (1)	Name (2) Name (3)	lb/hr TPY		
QE1007B	Pyrolysis Furnace	NO_x	30.30	132.71
		CO	8.17	35.78
		SO_2	0.30	1.31
		VOC	0.70	3.00
		PM_{10}	0.66	2.89
QE1008B	Pyrolysis Furnace	NO_x	30.30	132.71
		CO	8.17	35.78
		SO_2	0.30	1.31
		VOC	0.70	3.00
		PM_{10}	0.66	2.89
QEE1009B	Pyrolysis Furnace	NO_x	31.75	139.10
		CO	12.75	55.80
		SO_2	0.36	1.56
		VOC	0.83	3.63
		PM_{10}	0.83	3.64
QE5802UA	Package Boiler	NO_x	22.50	98.55
		CO	7.90	34.60
		SO_2	0.14	0.61
		VOC	0.34	1.49
		PM ₁₀	0.34	1.49
QE5802UB	Package Boiler	NO_x	22.50	98.55
		CO	7.90	34.60
		SO ₂	0.14	0.61
		VOC	0.34	1.49
		PM ₁₀	0.34	1.49
QE6410F	Pyrolysis Gasoline Tan	k VOC	0.20	0.88
QE6411F	Pyrolysis Fuel Oil Tank	VOC	0.10	0.19
QE2410F	Wash Oil Drum	VOC	0.26	0.08

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission Source	_	Emission Rates *		
Point No. (1) Nam QE3416F	<u>le (2) </u>	lb/hr TPY VOC	0.18	0.15
QE3410F	Methanol Lank	VOC	0.16	0.13
QE1416F	Decoking Drum	CO	519.30	138.70
		PM ₁₀	4.14	1.06
QEFUG	Process Fugitive (4)	VOC	21.68	94.96
QE7801U	Cooling Tower Fugitives	VOC	7.14	31.27
	(4)			
QE8001A	Wastewater Sources	VOC	3.55	15.54
•		SO2	<0.01 <0.01	
QE3418F	MAPD Decoke Pot	CO	17.30	0.08
QE8050B	Elevated Flare	NO_x		43.71
		CO		31.53
		VOC PM ₁₀		1.57 0.18
		SO_2		0.03
QE3050B	ARU Flare	NO _x		6.32
		CO		4.57
		VOC		0.07
		$PM_{10} \\ SO_2$		0.03 <0.01
0574405	Maala Oil Tarala		0.50	
QE7412F	Wash Oil Tank	VOC	0.56	0.17
QE6801U	Thermal Oxidizing Flare	VOC	11.20	3.10
		NO _x CO	10.67 7.71	6.15 8.15
		PM ₁₀	0.06	0.05
QEDOCKFUG	Dock Fugitives	VOC	0.24	1.03

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- Specific point source name. For fugitive sources use area name or fugitive source name. (2)
- particulate matter (3) PM

PM₁₀ - particulate matter less than 10 microns in diameter

VOC - volatile organic compounds as defined in General Rule 101.1 $NO_{\rm x}$ - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

Permit No.	18978	and	PSD-TX-752N	И2
Page 6				

(4)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

*	Emission rates are based on and the facilities are limited by the following maximum operatin schedule:				
	Hrs/dayDays/weekWeeks/yearor Hrs/year_8,760_				
		Dated_			