

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 20519

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
<u>GROUND CALCIUM CARBONATE (GCC) PLANT</u>				
3-AS-1	Dryer 1 - Baghouse Stack	PM	1.23	4.92
		PM ₁₀	1.23	4.92
		VOC	0.23	0.93
		NO _x	4.22	16.86
		SO ₂	0.63	2.53
		CO	3.54	14.16
3-AS-2	Dryer 2 - Baghouse Stack	PM	1.23	4.92
		PM ₁₀	1.23	4.92
		VOC	0.23	0.93
		NO _x	4.22	16.86
		SO ₂	0.63	2.53
		CO	3.54	14.16
3-AS-3	System Dust Collector Baghouse Stack	PM	0.34	1.37
		PM ₁₀	0.17	0.69
3-AS-4	System Dust Collector Baghouse Stack	PM	0.64	2.57
		PM ₁₀	0.32	1.29
3-AS-5	Bin Vent Dust Collector Baghouse Stack	PM	0.39	1.54
		PM ₁₀	0.19	0.77
3-AS-6	Truck Loading Dust Collector Baghouse Stack	PM	0.13	0.51
		PM ₁₀	0.06	0.26

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
3-AS-7	Truck Loading Dust Collector	PM	0.13	0.51
	Baghouse Stack	PM ₁₀	0.06	0.26
Various	Material Handling (4)	PM	0.06	0.19
		PM ₁₀	0.02	0.06
<u>LIMESTONE PREPARATION SYSTEM</u>				
1CR1	Primary Jaw Crusher (4)	PM	0.09	0.08
		PM ₁₀	0.04	0.04
1SN1	Primary Screen (4)	PM	2.20	1.93
		PM ₁₀	0.74	0.65
1CR2	Secondary Crusher (4)	PM	0.36	0.32
		PM ₁₀	0.16	0.14
1SN2	Secondary Screen (4)	PM	1.98	1.74
		PM ₁₀	0.67	0.58
2SN1	Tertiary Screen (4)	PM	1.32	1.16
		PM ₁₀	0.44	0.39
Various	Material Handling (4)	PM	1.14	0.97
		PM ₁₀	0.38	0.32
Various	Stockpiles (4)	PM	0.64	2.79
		PM ₁₀	0.32	1.40

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (3) PM - particulate matter, suspended in the atmosphere, including PM₁₀.
 PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
- VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 NO_x - total oxides of nitrogen
 SO₂ - sulfur dioxide
 CO - carbon monoxide
- (4) Fugitive emissions are an estimate only.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:

Primary Crusher:	<u>420</u>	Tons/hr	<u>738,000</u>	Tons/yr	<u>8,760</u>	Hrs/yr
Secondary Crusher:	<u>300</u>	Tons/hr	<u>527,400</u>	Tons/yr	<u>8,760</u>	Hrs/yr
Dryer No. 1:	<u>75</u>	Tons/hr	<u>498,000</u>	Tons/yr	<u>8,000</u>	Hrs/yr
Dryer No. 2:	<u>75</u>	Tons/hr	<u>498,000</u>	Tons/yr	<u>8,000</u>	Hrs/yr
System Dust Collectors (2):					<u>8,000</u>	Hrs/yr

Dated February 13, 2007