EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 27933

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *			
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **		
EXPANSION JOINT PRODUCTION LINE						
1	Expansion Joint Limestone Silo Baghouse Vent	PM ₁₀	0.07	0.08		
FUG1	Expansion Joint Production (4)	PM ₁₀ VOC	0.03 0.06	0.03 0.05		
HOT POUR PRODUCTION LINE						
2	Hot Pour Mixing Tank (5)	PM ₁₀ VOC	Emissions included in EPN 5			
FUG2	Hot Pour Holding/ Carton Filling (4)	PM ₁₀ VOC	0.10 0.21	0.015 0.03		
CURE/FORM RELEASE PRODUCTION LINE						
FUG3	Cure/Form Release (4)	VOC	0.19	<0.02		
STANDARD EXEMPTION OPERATIONS						
FUG4	Storage Tanks 1 through 15 (4)	VOC	0.17	0.76		
FUG5	Manual Cutting Operation (4)	РМ	<0.1	<0.1		

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **	
4	Boiler Stack	PM	0.006	0.026	
		NO_x	0.05	0.22	
		SO_2	<0.001	<0.002	
		CO	0.01	<0.05	
		VOC	0.003	<0.02	
5	Stimsonite Limestone	PM_{10}	< 0.17	<0.18	
	Silo Baghouse Vent (6)	VOC	0.20	0.03	
FLICE	Stimsonite Mix Tank	DM	1 10	0.06	
FUG6	Sumsome wix rank	PM VOC	1.12 <0.18	< 0.03	
		VOC	~0.10	~ 0.03	
SEALTIGHT TEXAS TYPE II WATER BASE CONCRETE CURING COMPOUND PRODUCTION					
02/12/10/11 12/0/10		11212 00111110 001111 00	ND I KODO	011011	
9	Mix Tank No. 9	VOC	9.13	0.55	
10	Mix Tank No. 10	IOC-U	<0.01	<0.01	
11	Mix Tank No. 11	VOC	9.13	0.55	
11	WIX TAIR NO. II	VOC	3.13	0.55	
16	Storage Tank No. 16	VOC	0.27	0.02	
17	Storage Tank No. 17	VOC	0.27	0.04	
18	Storage Tank No. 18	VOC	0.27	0.02	
19	Storage Tank No. 19	VOC	0.27	0.04	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter, suspended in the atmosphere, including PM₁₀.
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - IOC-U inorganic compounds, unspeciated
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - CO carbon monoxide
- (4) Fugitive emissions are an estimate only.
- (5) Hot Pour Mixing Tank vented to Stimsonite limestone silo baghouse and emissions included in EPN 5 emissions.
- (6) Contaminates from EPN 2 also exhaust through this fabric filter.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:
- 9 Hrs/day 5 Days/week 50 Weeks/year or 2,250 Hrs/year
- ** Compliance with annual emission limits is based on a rolling 12-month period.

Dated <u>October 17, 2002</u>