EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 18105

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
Line No. 1				
072TK150	Catalyst Tank	VOC	<0.1	<0.1
148TK153	Additive Tank	VOC	7.3	0.2
148TK157	Additive Tank	VOC	7.3	0.2
072C110	Oil Tank	VOC	0.21	0.9
238FS301	Flare	VOC CO SO ₂ NO _x	63.92 70.7 <0.01 8.25	51.38 58.05 <0.01 6.77
072T158	Additive Tank	VOC	0.5	<0.1
072T159	Additive Tank	VOC	0.5	<0.1
072C120	Oil Tank	VOC	0.21	0.9
072G133	Bag Dump	PM	0.10	<0.1
072F142	Mixer Hopper	PM VOC	0.02 <0.1	<0.1 <0.1
148TK151	Additive Tank	VOC	<0.1	<0.1
072TK133	Additive Tank	VOC	<0.1	<0.1
072SD141	Pellet Dryer	PM	0.67	2.92

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *			
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	<u>TPY</u>		
		VOC	<0.1	<0.1		
F072FG1	Fugitives	VOC	9.6	42.0		
F072AV1	Analyzer Vents	VOC	0.5	2.1		
F029FG1	Fugitives	VOC	0.9	3.73		
238FS300	Flare	For Emergency Use	For Emergency Use Only			
Line No. 2						
238F301A	Flare	VOC	63.92	25.82		
		CO SO₂	70.7 <0.01	29.26 <0.01		
		NO _x	8.25	3.41		
072T133A	Additive Tank	VOC	<0.1	<0.1		
072D141A	Pellet Dryer	PM	0.67	2.92		
	•	VOC	<0.01	<0.01		
072T150A	Catalyst Tank	VOC	0.1	0.1		
148T153A	Additive Tank	VOC	7.3	0.2		
148T157A	Additive Tank	VOC	7.3	0.2		
072C110A	Oil Tank	VOC	0.21	0.9		
F072FG2A	Fugitives (4)	VOC	4.9	21.3		
F072AV2A	Analyzer Vents	VOC	0.5	2.1		
238F330A	Flare	For Emergency Use	For Emergency Use Only			

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
<u>Common</u>				
072F251	Baghouse	PM	2.1	9.2
0721231	Dagnouse	VOC	18.7	46.9
F063CT3	Cooling Tower	VOC	0.42	1.83

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter
 - VOC volatile organic compounds as defined in General Rule 101.1
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide

Llug/day.

- CO carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Modeshiose of 0.700 High con

 nis/uay	_ Days/week	weeks/y	ear or	8,700	mis/yeai	

Dated			
_			