EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 8418

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissio</u>	Emission Rates*	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
6	1½ - 501KC Allison Turbines	PM_{10}	0.43	1.90	
	With 10MMBtu/hr Duct	VOC	0.17	0.75	
	Burner	NO_x	39.30	138.30	
		SO_2	0.12	0.53	
		CO	5.17	22.60	
7	1½ - 501KC Allison Turbines	PM_{10}	0.43	1.90	
	With 10MMBtu/hr Duct	VOC	0.17	0.75	
	Burner	NO_x	39.30	138.30	
		SO_2	0.12	0.53	
		СО	5.17	22.60	
8	1½ - 501KC Allison Turbines	PM_{10}	0.43	1.90	
	With 10MMBtu/hr Duct	VOC	0.17	0.75	
	Burner	NO_x	39.30	138.30	
		SO_2	0.12	0.53	
		СО	5.17	22.60	
9	1½ - 501KC Allison Turbines	PM ₁₀	0.43	1.90	
	With 10MMBtu/hr Duct	VOC	0.17	0.75	
	Burner	NO_x	39.30	138.30	
		SO_2	0.12	0.53	
		СО	5.17	22.60	
14	501KC Allison Turbine	PM ₁₀	0.18	0.81	
	With Water Injection	VOC	0.80	3.50	
	•	NO_x	7.00	30.66	
		SO_2	0.07	0.30	
		СО	4.50	19.71	
15	501KC Allison Turbine	PM ₁₀	0.18	0.81	
	With Water Injection	VOC	0.80	3.50	
	•	NO_x	7.00	30.66	
		SO_2	0.07	0.30	
		CO	4.50	19.71	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES ATA

Emission	Source	Air Contaminant ONTAMINANTS DATA		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
F2	Butamer Units I, II Fugitives (4) VOC	2.44	10.70
F4	Deisobutanizer Units I, II Fugitives (4)	VOC	1.91	8.35
F22	600 Deisobutanizer Unit Fugitives (4)	VOC	0.09	0.41
F28	1200 Deisobutanizer Unit Fugitives (4)	VOC	0.12	0.52
FL-1	Main Flare Contribution	NO_x CO VOC SO_2	2.00 4.00 5.30 0.02	8.70 17.40 23.20 0.10

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM_{10} particulate matter equal to or less than 10 microns in diameter
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - $NO_{\scriptscriptstyle X}\;$ total oxides of nitrogen
 - SO₂ sulfur dioxide
 - CO carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- Emission rates are based on and the facilities are limited by the following maximum operating schedule:
 Hrs/day Days/week Weeks/year or 8,760 Hrs/year

^{**} Compliance with annual emission limits is based on a rolling 12-month period.

EMISSIOENSIOERODES O WAXXESU IMIA X LIVOUWA BLEGENASSIEDEN RIASTSES N RATES

AIR CONTAMINANTS DATA

Doint No. (1) Nome (2) Ib/br	
Point No. (1) Name (2) Name (3) Ib/hr	TPY**

Dated____