EMISSION SOURCES MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 20315

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Contaminant <u>Emission Rates *</u>		
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
F1	Meal Dryer Cooler Deck Cyclone No. 1	PM ₁₀ Hexane	0.22 5.14	0.96 22.13
F2	Meal Dryer Cooler Deck Cyclone No. 2	PM ₁₀ Hexane	0.12 5.14	0.53 22.13
F3	Meal Dryer Cooler Deck Cyclone No. 3	PM_{10}	0.53	2.30
G	Main Vent	Hexane	24.22	104.73
CF1	Collected Fugitive Stack 1	Hexane	11.01	46.83
CF2	Collected Fugitive Stack 2	Hexane	11.01	46.83
BAG-1	Corn Germ Receiving Baghous	e PM ₁₀	0.05	0.20
BAG-2	Meal Loadout Baghouse	PM ₁₀	0.90	3.94
PB1	Screener Baghouse	PM ₁₀	1.07	4.69
PB3	Cake Transfer System	PM ₁₀	0.39	1.66
PB4	Grinding Aspiration No. 1	PM ₁₀	0.46	2.01
PB5	Grinding Aspiration No. 2	PM ₁₀	0.46	2.01
PB6	Dust Control Grinding	PM ₁₀	0.25	1.08
PB7	Rail Loadout Dust Collection	PM ₁₀	0.01	0.04
PB8	Grinding Aspiration No. 3	PM ₁₀	0.46	2.01

EMISSION SOURCES MAXIMUM ALLOWABLE EMISSION RATES

PC9	Cake Overflow Cyclone		PM ₁₀	0.15	0.64		
LC15	2nd Cut Delinter Cyclone Line E		PM ₁₀	4.86	19.78		
SOSD	South Outside Storage Cooling Fan D		PM ₁₀	0.17	0.17		
DUMP2	Corn Germ Railcar Receiving Dump		PM ₁₀	0.59	0.78		
DUMP3	Cottonseed Railcar Receivir	ng	PM ₁₀	1.93	3.25		
BOIL1		SO ₂ NO _x CO	PM ₁₀ 13.24 6.74 3.24 VOC	0.56 4.85 17.93 14.19 0.21	0.93		
TCAF	Top Conditioner Aspiration I	Fan	PM ₁₀	0.15	0.67		
BCAF	Bottom Conditioner Aspiration	on	PM ₁₀	0.05	0.22		
PCAF	Pellet Cooler Aspiration Fan	SO ₂	PM ₁₀ 0.12	0.09 0.53	0.37		
EAF	Expeller Aspiration Fan	SO ₂	PM ₁₀ 0.42	0.21 1.84	0.92		
LOAD-1	Meal Loading		PM ₁₀	0.58	0.21		
NOSE	North Outside Storage Cooling Fan E		PM ₁₀	0.08	0.10		
LB3	Fabric Filter for 2 nd Cut Delinters		PM ₁₀	1.71	6.97		
(1) Emission point identification - either specific equipment designation or emission point number							

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number

EMISSION SOURCES MAXIMUM ALLOWABLE EMISSION RATES

from a plot plan.

- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) PM₁₀ particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

SO₂ - sulfur dioxide

NO_x - total oxides of nitrogen

CO - carbon monoxide.

VOC - non-methane volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

Dated October 7, 2004