

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 19156

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY

### POINT SOURCE EMISSIONS

#### 7,056 HOURS OF OPERATION PER YEAR

516	Bonderite and Rinse	VOC	32.1	50.0
517	ELPO Tank and Rinse	VOC	10.4	16.2
518	ELPO Oven	VOC	0.1	0.3
		NO <sub>x</sub>	4.8	13.1
		CO	1.2	3.1
		PM	0.1	1.1
		SO <sub>2</sub>	0.1	0.1
519	Primer Surfacer	VOC	0.1	0.2
	Oven-Convection Zone	NO <sub>x</sub>	3.6	10.8
		CO	0.9	2.6
		PM	0.1	0.9
		SO <sub>2</sub>	0.1	0.1
321	Base Coat Booths	VOC	2200.0	1654.3
	and Primer Surfacer	NO <sub>x</sub>	16.3	32.9
	Stack	CO	4.1	8.1
		PM	30.2	38.4
		SO <sub>2</sub>	0.5	0.5
320	Clear Coat Booths	VOC	200.0	111.6
	and Ovens Vented	NO <sub>x</sub>	24.7	50.4
	Through the Reeco	CO	6.2	12.8
	Oxidizer	PM	23.0	18.5
		SO <sub>2</sub>	0.1	0.7
153, 154, 155, and 156	Deadener Booth	VOC	5.0	10.0
4, 5, and 322	Dulux Booth and	VOC	8.1	5.2
	IR Oven	PM	0.9	0.7

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY
361, 362, 363, 364, and 365	Final Repair Booth	VOC	25.3	10.9
		PM	1.3	0.4
358, 366	Final Repair Conv. Oven	VOC	6.3	2.7
		NO <sub>x</sub>	0.6	1.3
	Final Repair IR Oven	CO	0.2	0.3
		PM	0.1	0.2
		SO <sub>2</sub>	0.1	0.1

POINT SOURCE EMISSIONS8,784 HOURS OF OPERATION PER YEAR

163	North Boiler (fuel oil 720 hrs. and Natural gas 8,064 hrs.)	VOC	N/A	0.9
		NO <sub>x</sub>	N/A	44.4
		CO	N/A	11.5
		PM	N/A	0.9
		SO <sub>2</sub>	N/A	8.5
164	Center Boiler (fuel oil 720 hrs. and Natural gas 8,064 hrs.)	VOC	N/A	0.9
		NO <sub>x</sub>	N/A	44.4
		CO	N/A	11.5
		PM	N/A	0.9
		SO <sub>2</sub>	N/A	8.5
165	South Boiler (fuel oil 720 hrs. and Natural gas 8,064 hrs.)	VOC	N/A	0.9
		NO <sub>x</sub>	N/A	44.4
		CO	N/A	11.5
		PM	N/A	0.9
		SO <sub>2</sub>	N/A	8.5
163	North Boiler (fuel oil; 720 hrs.)	VOC	0.2	0.1
		NO <sub>x</sub>	10.8	3.9
		CO	2.7	1.0
		PM	1.1	0.4
		SO <sub>2</sub>	23.1	8.3
164	Center Boiler (fuel oil; 720 hrs.)	VOC	0.2	0.1
		NO <sub>x</sub>	10.8	3.9
		CO	2.7	1.0
		PM	1.1	0.4

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY
		SO <sub>2</sub>	23.1	8.3
165	South Boiler (fuel oil; 720 hrs.)	VOC	0.2	0.1
		NO <sub>x</sub>	10.8	3.9
		CO	2.7	1.0
		PM	1.1	0.4
		SO <sub>2</sub>	23.1	8.3
163	North Boiler (natural gas 8,784 hrs.)	VOC	0.2	1.0
		NO <sub>x</sub>	10.5	44.4
		CO	2.6	11.5
		PM	0.1	0.5
		SO <sub>2</sub>	0.1	0.2
164	Center Boiler (natural gas 8,784 hrs.)	VOC	0.2	1.0
		NO <sub>x</sub>	10.5	44.4
		CO	2.6	11.5
		PM	0.1	0.5
		SO <sub>2</sub>	0.1	0.2
165	South Boiler (natural gas 8,784 hrs.)	VOC	0.2	1.0
		NO <sub>x</sub>	10.5	44.4
		CO	2.6	11.5
		PM	0.1	0.5
		SO <sub>2</sub>	0.1	0.2
191	Maintenance Paint Booth	VOC	10.0	1.2
		PM	0.1	0.1
506, 507	BC/CC Mix Room	VOC	8.2	36.0
440	BC/CC Purge Thinner Tank	VOC	1.0	2.1
439	BC/CC Cleaning Thinner Tank	VOC	1.0	2.1

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates*	
			lbs/hr	TPY
446, 447, 510, 511, 512, 513, 514 and 515	SEO Rooms 1 and 2 Primer Room 1 and 2	VOC	5.4	18.0
180	Propane Flare	VOC	10.0	0.1
		NO <sub>x</sub>	0.1	0.1
		CO	0.1	0.1
		PM	0.1	0.1
		SO <sub>2</sub>	0.1	0.1
182	Tank Farm Gasoline Tank No. 1	VOC	1.0	0.6
397	Tank Farm Tank No. 2 Antifreeze	VOC	0.1	0.1
183	Tank Farm Tank No. 3 Automatic Transmission Fluid	VOC	0.1	0.1
184	Tank Farm Gasoline Tank No. 4	VOC	1.0	0.6
185	Tank Farm Tank No. 5 Purge Thinner	VOC	1.0	0.1
182A	Tank Farm Gasoline Tank No. 6	VOC	1.0	0.6
186	Tank Farm Tank No. 7	VOC	0.1	0.1
187	Tank Farm Tank No. 8 Rear Axle Oil	VOC	0.1	0.1
185A	Tank Farm Gasoline Tank No. 9	VOC	1.0	0.6
188	Tank Farm Tank No. 10 Power Steering Fluid	VOC	0.1	0.1

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates*</u>	
			lbs/hr	TPY
400	Fuel Oil Tank No. 1	VOC	0.1	0.1
401	Fuel Oil Tank No. 2	VOC	0.1	0.1
402	Fuel Oil Tank No. 3	VOC	0.1	0.1
403	Fuel Oil Tank No. 4	VOC	0.1	0.1
404	Fuel Oil Tank No. 5	VOC	0.1	0.1
405	Fuel Oil Tank No. 6	VOC	0.1	0.1
413	Oil Paint Mix Paint Slop Tank	VOC	0.1	0.1
414	Oil Paint Mix Purge Thinner Tank	VOC	0.1	0.1
521	Pyrolysis Oven	VOC	5.0	1.0
		NO <sub>x</sub>	0.2	0.5
		CO	0.1	0.1
		PM	5.0	0.5
		SO <sub>2</sub>	0.1	0.1
324	Kolene Area Vent	VOC	0.1	0.1
327	Kolene Baghouse	VOC	5.0	0.1
		PM	10.0	4.5
323	Kolene Burners	VOC	0.1	0.1
		NO <sub>x</sub>	0.4	0.8
		CO	0.1	0.1
		PM	0.1	0.1

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		SO <sub>2</sub>	0.1	0.1
173	Miscellaneous Plant- Wide Production Operations	VOC	336.1	647.2
		NO <sub>x</sub>	12.9	19.0
	CO	3.4	4.7	
		PM	0.4	1.1
		SO <sub>2</sub>	0.4	0.4

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1  
 NO<sub>x</sub> - total oxides of nitrogen  
 CO - carbon monoxide  
 PM - particulate matter  
 SO<sub>2</sub> - sulfur dioxide

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule or the schedules noted above:

Hrs/day\_\_\_Days/week\_\_\_Weeks/year\_\_\_or Hrs/year 8,784

Dated\_\_\_\_\_