EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 4673B

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	<u>TPY</u>
DPP 30	A Drier Scrubber		$\begin{array}{c} VCM \\ PM_{10} \\ NO_x \\ SO_2 \\ CO \end{array}$	(5) 1.88 2.80 0.01 0.70	(5) 8.24 12.26 0.04 3.07
DPP 31	B Drier Scrubber		$\begin{array}{c} VCM \\ PM_{10} \\ NO_x \\ SO_2 \\ CO \end{array}$	(5) 1.88 2.80 0.01 0.70	(5) 8.24 12.26 0.04 3.07
DPP 57	Reactor Vent Blower		VCM	0.30	0.50
DPP 40	Silo Dust Collector, 570 Baghou	ise PM ₁₀	VCM 0.20	(5) 0.89	(5)
DPP 41	Silo Dust Collector, 580 Baghou	ise PM ₁₀	VCM 0.20	(5) 0.89	(5)
DPP 42	Silo Dust Collector, 590 Baghou	ise PM ₁₀	VCM 0.20	(5) 0.89	(5)
DPP 94	Blending Silo Dust Collector, 595 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.68
DPP 43	Resin Dust Collector	PM ₁₀	VCM 0.72	(5) 3.15	(5)
DPP 45	A Train Receiver	PM ₁₀	VCM 0.17	(5) 0.76	(5)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air	Contaminant Name (3)	Emission F	Rates *
DPP 46	B Train Receiver	PM ₁₀	VCM	(5) 0.76	(5)
DPP 51	Vacuum Cleaner Baghouse		VCM 0.03	(5) 0.13	(5)
DPP 101	PVC Truck Transloading	PM ₁₀	VCM 0.01	(5) 0.02	(5)
DPP 80	Ammonia Scrubber Vent		NH_3	<0.01	<0.01
DPP 104	Bulk Emulsifier Tank(6)		VOC	0.09	0.01
DPP 102	Process Fugitives (4)	PM NH ₃	VCM 0.01 0.33	1.69 0.01 1.45	7.40
DPP 91	Blending Silo Dust Collector, 510 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 88	Blending Silo Dust Collector, 511 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 68	Blending Silo Dust Collector, 512/513 Baghouses		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 71	Blending Silo Dust Collector, 514 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 72	Blending Silo Dust Collector, 515 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 73	Blending Silo Dust Collector, 516 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 74	Silo Dust Collector, 517 Bagho	use PM ₁₀	VCM 0.15	(5) 0.64	(5)
DPP 75	Blending Silo Dust Collector, 518 Baghouse		VCM PM ₁₀	(5) 0.15	(5) 0.64
DPP 87	Blending Silo Dust Collector,		VCM	(5)	(5)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
	525 Baghouse	PM ₁₀	0.12	0.54
DPP 84	Blending Silo Dust Collector, 526 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 85	Blending Silo Dust Collector, 527 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 86	Blending Silo Dust Collector, 528 Baghouse	VCM PM ₁₀	(5) 0.12	(5) 0.54
DPP 68-L 71-L-75-L, 84-L-88-L, 91-L, 92-L	PVC Railcar loading	VCM	(5)	(5)
DPP 95	Equipment Openings	VCM	0.54	0.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compound
 - PM_{10} particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

 NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

VCM - vinyl chloride monomer

NH₃ - anhydrous ammonia

- (4) Fugitive emissions are an estimate based on component count, emission factors, and applicable reduction credits for a leak detection and repair program.
- (5) Total for residual VCM emissions is 2.16 pounds per hour and 9.44 tons per year.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760