

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 6289 and PSD-TX-76M7

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr (4)	TPY
S-25	SO ₂ Storage Tank	SO ₂	0.09	0.38
BDS-5	Barge Dock Scrubber	VOC	1.03	0.71
FG-1	Cooling Tower	NH ₃	0.64	2.82
		VOC	0.37	1.63
FG-AN-III	Acrylonitrile Fugitives	NH ₃	1.14	5.02
		CO	0.01	0.04
		VOC	1.47	6.14
FL-G14	CB and I Ammonia Flare	NH ₃	2.42	0.13
		CO	0.37	1.28
		NO _x	0.93	0.27
		SO ₂	0.05	0.20
FL-G32	CB and I Propylene Flare	CO	0.29	1.26
		NO _x	0.06	0.25
		SO ₂	0.01	0.06
FL-G33	Barge Dock Ammonia Flare	NH ₃	0.10	<0.01
		CO	0.09	0.27
		NO _x	0.14	0.06
		SO ₂	0.05	0.20
FL-G34	Barge Dock Propylene Flare	CO	2.04	0.49
		NO _x	0.40	0.10
		SO ₂	0.05	0.20
		VOC	2.77	0.31

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr (4)	TPY
FL-G4	Process Flare	CO	6.53	15.24
		NO _x	2.58	3.10
		SO ₂	0.14	0.61
		VOC	10.50	3.97
FL-G4A	Ammonia Flare	NH ₃	0.92	0.13
		CO	0.54	1.32
		NO _x	1.32	0.34
		SO ₂	0.01	0.06
FL-G5	Hydrogen Cyanide (HCN) Flare	CO	0.96	4.19
		NO _x	0.35	1.52
		SO ₂	0.19	0.84
		VOC	0.67	2.92
G-2	Quench Water Clarifier Scrubber	VOC	1.05	0.07
H-3	HCN Incinerator	CO	120.00	525.60
		NO _x	173.00	757.70
		SO ₂	4.50	19.70
		VOC	6.00	26.30
H-4A and B	AOGIB Nos. 1 and No. 2 (5) Absorber Off-Gas Incinerator/Boiler No. 1 and No. 2 Combined Annual Limits	NH ₃	--	17.80
		CO	--	131.00
		NO _x	--	630.80
		PM ₁₀	--	18.60
		SO ₂	--	7.60
		VOC	--	43.40
H-4A and B	AOGIB Nos. 1 and No. 2 Absorber Off-Gas Incinerator/Boiler No. 1 and No. 2 Maximum hourly rate EACH	NH ₃	2.03	--
		CO	105.00	--
		NO _x	150.00	--
		PM ₁₀	2.10	--
		SO ₂	0.90	--
		VOC	9.46	--

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr (4)</u>	<u>TPY</u>
H-4C	AOGIB No. 3 Absorber Off-Gas Incinerator/Boiler No. 3	NH ₃	1.10	4.70
		CO	63.00	9.70
		NO _x	90.00	119.60
		PM ₁₀	1.30	5.58
		SO ₂	0.40	1.90
		VOC	2.49	4.78
RRS-6	Railcar Vent Scrubber	VOC	0.37	0.07
S-11B and C	AN Rundown Tanks (6) (Two Tanks)	VOC	0.39	1.05
S-12A, B, C, and D	AN Product Tanks (6) (Four Tanks)	VOC	0.53	3.24
S-21	Catalyst Trap	PM ₁₀	0.06	0.26
S-22	Bag Filter	PM ₁₀	0.01	0.02
S-9A and B	Crude/Off Spec AN Tanks (6) (Two Tanks)	VOC	0.61	1.91
WW-1	Wastewater Treatment	VOC	--	0.50

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources use area name or fugitive source name.

(3) PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

NH₃ - ammonia

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (4) Hourly emissions are based on clock hour averages
- (5) Annual emissions for AOGIBs No. 1 and No. 2 are combined because of the waste streams used for fuel and allow for the possibility that more of the waste streams may be fired in one boiler than the other.
- (6) The hourly rate is maximum for each tank and an annual rate is the combined total for all similar tanks

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

8,760 Hrs/year

Dated March 17, 2006