### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## Permit Number 1303

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
PE-20	No. 1 Vent Stack (5) Normal Operation only	NH₃ VOC	4.25 0.67	18.67 2.91	
PE-20	No. 1 Vent Stack (5) Maintenance 48 hours only	NH₃ VOC	111.68 19.48	2.68 0.47	
PE-21	Low-Pressure Absorber (5) Normal Operation only	NH₃ VOC	5.10 0.70	22.34 3.07	
PE-21	Low-Pressure Absorber (5) Maintenance 48 hours only	NH₃ VOC	129.73 29.67	3.11 0.71	
PE-39	Tank Absorber	NH₃ VOC	0.15 0.01	0.65 0.01	
PE-40	Loading Absorber	NH₃ VOC	0.27 0.01	1.17 0.05	
PE-41	COU Absorber	NH₃ VOC	0.07 0.13	0.33 0.56	
PE-43	ADN Storage Tank	VOC	0.01	0.01	
PE-44	ADN Storage Tank	VOC	0.01	0.01	
PE-45	ADN Storage Tank	VOC	0.01	0.01	
PE-46	ADN Storage Tank	VOC	0.01	0.01	

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission</u>	Rates
- Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
PE-51	B258 Fugitives (4)	NH₃ VOC	2.33 0.05	9.59 0.18
PE-52	B261 Fugitives (4)	NH₃ VOC	0.01 0.06	0.02 0.27
PE-53	B517 Fugitives (4)	NH₃ VOC	0.01 0.09	0.04 0.39
PE-54	B317 Fugitives (4)	VOC	0.01	0.01
PE-55	B233 Fugitives (4)	NH₃ VOC	0.01 0.01	0.01 0.01
PE-61	ADN Storage Tank	NH₃ VOC	0.02 0.01	0.01 0.01
PE-62	Oil Storage Tank	VOC	0.01	0.01
PE-65	Solvent Degreaser	VOC	0.06	0.03
PE-66	Iron Ore Catalyst	РМ	0.01	0.03
PE-67	Secondary Flash Tank Analyzer Vent	VOC	0.01	0.01
PE-68	"D" Column Make Analyzer Vent	VOC	0.01	0.01
PE-70	Wastewater Fugitives (4)	VOC	0.35	1.54

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NH<sub>3</sub> ammonia
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - PM particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.
  - $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Emissions from these EPNs are only from these permitted facilities

^	schedule:	are based o	n and the	iacillues	are iimiled	by the	lollowing	maximum	operating
	Hrs/day	Days/wee	kWee	eks/year o	r <u>8,760</u> H	rs/year			

\*\* Compliance with annual emission limits is based on a rolling 12-month period.

Dated <u>June 22, 2007</u>