

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 7824A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

| Emission<br>*<br>Point No. (1) | Source<br>Name (2)     | Air Contaminant<br>Name (3) | Emission Rates |        |
|--------------------------------|------------------------|-----------------------------|----------------|--------|
|                                |                        |                             | lb/hr          | TPY    |
| PEHEXTRVN                      | Extruder               | VOC                         | 2.10           | 3.20   |
|                                |                        | PM                          | 0.22           | 0.98   |
| PETHERMST                      | Thermal Oxidizer       | VOC                         | 1.79           | 4.12   |
|                                |                        | PM                          | 0.04           | 0.18   |
|                                |                        | SO <sub>2</sub>             | 0.08           | 0.33   |
|                                |                        | NO <sub>x</sub>             | 0.32           | 0.93   |
|                                |                        | CO                          | 0.19           | 0.96   |
| PE001FL                        | LDPE Flare             | VOC                         | 19.90          | 10.14  |
|                                |                        | SO <sub>2</sub>             | <0.01          | <0.01  |
|                                |                        | NO <sub>x</sub>             | 2.62           | 1.43   |
|                                |                        | CO                          | 5.22           | 2.85   |
| PE001FE                        | Process Fugitives (4)  | VOC                         | 72.20          | 316.00 |
| PEWAXFE                        | Wax Blowdown           | VOC                         | 9.00           | 0.38   |
| PEINITVN                       | Initiator/Mix Building | VOC                         | <0.01          | <0.01  |
| PE001LR                        | Naphtha Loading        | VOC                         | 34.92          | 0.55   |
| PKGWH                          | Packaging Warehouse    | PM                          | 5.10           | 22.00  |
| PESILOVN                       | Storage Silos          | VOC                         | 9.00           | 19.00  |
|                                |                        | PM                          | 3.14           | 17.10  |
| PE043TK                        | Waste Oil Tank         | VOC                         | 0.25           | 0.02   |

|         |                |     |      |      |
|---------|----------------|-----|------|------|
| PE046TK | Waste Oil Tank | VOC | 0.25 | 0.01 |
|---------|----------------|-----|------|------|

Permit No. 7824A  
Page 2

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

| Emission<br>*<br>Point No. (1) | Source<br>Name (2) | Air Contaminant<br>Name (3) | Emission Rates |       |
|--------------------------------|--------------------|-----------------------------|----------------|-------|
|                                |                    |                             | lb/hr          | TPY   |
| PE102ATK                       | Lube Oil Tank      | VOC                         | 0.007          | <0.01 |
| PE102BTK                       | Lube Oil Tank      | VOC                         | 0.007          | <0.01 |
| PE102CTK                       | Lube Oil Tank      | VOC                         | 0.007          | <0.01 |
| PE102DTK                       | Lube Oil Tank      | VOC                         | 0.007          | <0.01 |
| PE208TK                        | IPA Tank           | VOC                         | 5.77           | 0.23  |
| PE220TK                        | Heptane Tank       | VOC                         | 0.08           | 0.1   |
| PE915TK                        | Naphtha Tank       | VOC                         | 72.00          | 1.55  |
| PE922TK                        | Naphtha Tank       | VOC                         | 72.00          | 1.54  |
| PE104VATK                      | Vinyl Acetate Tank | VOC                         | 0.20           | 0.40  |
| PEDRUMFE                       | Drum Fugitives     | VOC                         | 1.75           | 0.02  |
| PE002FE                        | Naphtha Wash Vats  | VOC                         | 73.80          | 2.50  |
| P0001LR                        | Waste Oil Loading  | VOC                         | 0.01           | <0.01 |
| PE104AAN                       | Analyzer Vent      | VOC                         | 0.008          | 0.034 |
| PE104BAN                       | Analyzer Vent      | VOC                         | 0.008          | 0.036 |
| PE104CAN                       | Analyzer Vent      | VOC                         | 0.004          | 0.02  |
| PE104DAN                       | Analyzer Vent      | VOC                         | 0.004          | 0.02  |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in 30 TAC Section 101.1  
PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>  
PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.  
NO<sub>x</sub> - total oxides of nitrogen  
SO<sub>2</sub> - sulfur dioxide  
CO - carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_\_\_Hrs/day\_\_\_\_\_Days/week\_\_\_\_\_Weeks/year or \_\_\_\_\_8,760  
Hrs/year

Dated\_\_\_\_\_