

Emission Sources - Maximum Allowable Emission Rates

Permit Number 165709

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (5)	
			lbs/hour	TPY (4)
B1	Boiler 1 Stack (39.90 MMBtu/hr)	PM	0.19	-
		PM ₁₀	0.19	-
		PM _{2.5}	0.19	-
		VOC	0.32	-
		NO _x	1.20	-
		SO ₂	0.04	-
		CO	1.48	-
B2	Boiler 2 Stack (39.90 MMBtu/hr)	PM	0.19	-
		PM ₁₀	0.19	-
		PM _{2.5}	0.19	-
		VOC	0.32	-
		NO _x	1.20	-
		SO ₂	0.04	-
		CO	1.48	-
B3	Boiler 3 Stack (39.90 MMBtu/hr)	PM	0.19	-
		PM ₁₀	0.19	-
		PM _{2.5}	0.19	-
		VOC	0.32	-
		NO _x	1.20	-
		SO ₂	0.04	-
		CO	1.48	-
B4	Boiler 4 Stack (39.90 MMBtu/hr)	PM	0.19	-
		PM ₁₀	0.19	-
		PM _{2.5}	0.19	-

Emission Sources - Maximum Allowable Emission Rates

		VOC	0.32	-
		NO _x	1.20	-
		SO ₂	0.04	-
		CO	1.48	-
	Total Boiler Stacks (B1 – B4)	PM	-	2.88
		PM ₁₀	-	2.88
		PM _{2.5}	-	2.88
		VOC	-	4.80
		NO _x	-	18.00
		SO ₂	-	0.60
		CO	-	22.20
BN501	Dryer 1 Burner Stack (22.66 MMBtu/hr)	PM	0.17	0.75
		PM ₁₀	0.17	0.75
		PM _{2.5}	0.17	0.75
		VOC	0.12	0.55
		NO _x	3.03	13.25
		SO ₂	0.01	0.06
		CO	6.70	29.34
BH501	Main Baghouse 1 Stack	PM	3.17	13.89
		PM ₁₀	3.17	13.89
		PM _{2.5}	3.17	13.89
BH502	Main Baghouse 2 Stack	PM	3.17	13.89
		PM ₁₀	3.17	13.89
		PM _{2.5}	3.17	13.89
BH503	Fluidized Bed Baghouse 3 Stack	PM	3.00	13.14
		PM ₁₀	3.00	13.14
		PM _{2.5}	3.00	13.14
BH504	Packaging Line 1 Dust Collector Stack	PM	0.26	1.13
		PM ₁₀	0.26	1.13

Emission Sources - Maximum Allowable Emission Rates

		PM _{2.5}	0.26	1.13
V1	Vacuum Pump Fabric Filters Exhaust Stack	PM	0.15	0.64
		PM ₁₀	0.15	0.64
		PM _{2.5}	0.15	0.64
S1	Salting Belt Wet Scrubber Stack	PM	0.27	1.20
		PM ₁₀	0.27	1.20
		PM _{2.5}	0.27	1.20
BH505	Main Baghouse 5 Stack	PM	2.22	9.72
		PM ₁₀	2.22	9.72
		PM _{2.5}	2.22	9.72
BH506	Fluidized Bed Baghouse 6 Stack	PM	2.10	9.20
		PM ₁₀	2.10	9.20
		PM _{2.5}	2.10	9.20
BN502	Dryer 2 Burner Stack (15.86 MMBtu/hr)	PM	0.12	0.53
		PM ₁₀	0.12	0.53
		PM _{2.5}	0.12	0.53
		VOC	0.09	0.38
		NO _x	2.12	9.28
		SO ₂	<0.01	0.04
		CO	4.69	20.54
BH507	Packaging Line 2 Dust Collector Stack	PM	0.26	1.13
		PM ₁₀	0.26	1.13
		PM _{2.5}	0.26	1.13

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
(2) Specific point source name. For fugitive sources, use area name or fugitive source name.
(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO_x - total oxides of nitrogen
SO₂ - sulfur dioxide
PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
CO - carbon monoxide
(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
Project Number: 330701

Emission Sources - Maximum Allowable Emission Rates

(5) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: _____ Draft _____

DRAFT