Permit No. 6630A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissi</u>	<u>on Rates</u>
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
1	Amine Reboiler Flue Gas	NO _x CO	0.30 0.10	0.90 0.40
2	Amine Regenerator Overhead	VOC H₂S	0.50 0.50	2.00 2.30
3	Dryer Regenerator Flue Gas	NO_{\times} CO	0.30 0.20	1.10 0.50
4	CM-11.01A Compressor Engine Exhaust	NO_{x} CO VOC PM_{10}	24.87 5.91 0.62 0.50	108.93 25.89 2.72 2.19
5	CM-11.01B Compressor Engine Exhaust	NO_{x} CO VOC PM_{10}	25.57 6.07 0.64 0.51	112.00 26.59 2.80 2.23
6	Fugitive Emissions - 64.00 Ethane Recovery Pla	unt (4)	VOC	14.61
14	Cisco Compressor C-3 Exhaust	NO_{\times} CO VOC PM_{10}	3.95 5.93 0.99 0.01	17.30 25.97 4.34 0.04
15	Fugitive Emissions -		VOC	0.65

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Rates
<u>* </u>				
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **

2.85
Cisco Compressor C-3 (4)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source A	ir Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY **
16	Glycol Reboiler No. 2 Flue Gas	NO _x CO VOC	0.12 0.03 0.01	0.52 0.11 0.02
19	Glycol Reboiler No. 2 Overhead	VOC (5) Benzene Toluene Ethyl-benzene Xylene	6.25 0.20 0.47 0.04 0.21	27.38 0.85 2.05 0.19 0.90
20	Low Field Compressor No. 1 Exhaust	NO_x CO VOC PM_{10}	3.57 5.36 0.89 0.01	15.64 23.48 3.90 0.04
21	Fugitive Emissions - Lo 2.99 Field Compressor No.		VOC	0.68
22	Slop Tank No. 1 Vent	VOC	0.67	2.93
23	Slop Tank No. 2 Vent	VOC	0.67	2.93
24	Loading Dock - Condensa 2.86	te '	VOC	190.70
33	Loading Dock - Alternat	e VOC	69.60	0.35
34	Loading Dock - Lube Oil	VOC	69.60	0.35
35	Loading Dock - Waste Oi	1 VOC	58.60	0.12
36	Waste Oil Tank	VOC	0.13	0.57
37	Fugitive Emissions - Ta	nks (4)	VOC	1.48

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
	6.49			
38	Loading Dock - Slop Ta 5.81	nks	VOC	221.40
39	KC West Compressor Engine Exhaust	NO_x CO VOC PM_{10}	3.57 5.36 0.89 0.01	15.64 23.48 3.90 0.04
40	Fugitive Emissions - KC West Compressor (V0C 4)	1.6	6.98
43	Field Compressor - No. Waukesha L 7042-GU	4 NO _x CO VOC PM ₁₀	3.95 5.93 0.99 0.01	17.30 25.97 4.34 0.04
44	Fugitive Emissions - 0.92 Field Compressor No.	4 (4)	VOC	0.20

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NO_x total oxides of nitrogen
 - CO carbon monoxide
 - PM_{10} particulate matter less than 10 microns in diameter
 - VOC volatile organic compounds as defined in General Rule 101.1
 - H₂S hydrogen sulfide
- (4) Fugitive emissions are an estimate based on component count and appropriate fugitive emission factors.
- (5) Speciated pollutants listed below VOC are included in VOC emission

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>
Point No. (1)	Name (2)	Name (3)	lb/hr TPY **

rates.

- * Emission rates are based on an operating schedule of 8,760 hours/year
- ** Compliance with the annual emission limits shall be based on a rolling 12-month year rather than the calendar year.

Dated	<u> </u>