## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Nos. 41996, PSD-TX-953, and N-020

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source Ai	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
Turbine and Duct Burn	ner (Hourly Limits)			
CTG1	Turbine/HRSG#1 (Westinghouse 501F Turbine wi 400 MMBtu/hr Duct Burner)	$\begin{array}{c} \text{NO}_{\text{X}} \\ \text{th}  \text{CO} \\ \text{PM}_{10} \\ \text{VOC} \\ \text{SO}_{2} \\ \text{NH}_{3} \\ \text{SO}_{4}  4.8 \end{array}$	29.3 228.0 28.3 24.8 28.2 30.9	
CTG2	Turbine/HRSG#2 (Westinghouse 501F Turbine wi 400 MMBtu/hr Duct Burner)	$\begin{array}{c} NO_X \\ \text{th}  CO \\ PM_{10} \\ VOC \\ SO_2 \\ NH_3 \\ H_2SO_4 \end{array}$	29.3 228.0 28.3 24.8 28.2 30.9 4.8	
CTG3	Turbine/HRSG#3 (Westinghouse 501F Turbine wi 400 MMBtu/hr Duct Burner)	$\begin{array}{c} NO_X\\ th  CO\\ PM_{10}\\ VOC\\ SO_2\\ NH_3\\ H_2SO_4 \end{array}$	29.3 228.0 28.3 24.8 28.2 30.9 4.8	

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY	
Turbine and Duct Bur	ner (Combined Annual Limits)				
CTG#1 - #3	Turbine/HRSG#1-#3 (Westinghouse 501F Turbines w 400 MMBtu/hr Duct Burners)	$NO_X$ with $CO$ $PM_{10}$ $VOC$ $SO_2$ $NH_3$ $H_2SO_4$		324.3 1281.9 259.4 97.9 34.6 343.2 5.7	
LOV-1	CTG-1 Lube Oil Vent	PM/PM <sub>10</sub>	0.1	0.4	
LOV-2	CTG-2 Lube Oil Vent	PM/PM <sub>10</sub>	0.1	0.4	
LOV-3	CTG-3 Lube Oil Vent	PM/PM <sub>10</sub>	0.1	0.4	
LOV-4	Steam Turbine Lube Oil Vent	PM/PM <sub>10</sub>	0.1	0.4	
CWT-1	Cooling Tower	$PM_{10}$	1.9	8.3	
FUG-NH₃	Ammonia Fugitives	$NH_3$	0.4	1.7	
FUG-NG	Natural Gas Fugitives	VOC	0.11	0.5	

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number from plot plan.

SO<sub>2</sub> - sulfur dioxide NH<sub>3</sub> - ammonia

H<sub>2</sub>SO<sub>4</sub> - sulfuric acid mist

<sup>(2)</sup> Specific point source name. For fugitive sources use area name or fugitive source name.

<sup>(3)</sup> NO<sub>x</sub> - total oxides of nitrogen

<sup>-</sup> carbon monoxide CO

PM- particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.

PM<sub>10</sub> - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- \* The maximum lb/hr NO<sub>x</sub> emission rate is based upon a rolling three hour average concentration. The lb/hr NO<sub>x</sub> emission rate listed above represents a maximum three hour average pound per hour emission rate.
- \* Emission rates of combustion turbines are based on and the facilities are limited by the following maximum operating schedule:

8,760 Hrs/year

\* Annual emission rates of duct burners are based on and the facilities are limited by the sum of the heat input to the duct burners of all three cogeneration trains. The sum of the heat input shall not exceed 1,481,400 MMBtu per year.