Permit Number 2380

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

| Emission | Source | Air Contaminant | Emission Rates | |
|---------------|---------------------------------------|------------------|----------------|------|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| B2 | Resin Silo No. 7 | PM ₁₀ | 0.05 | 0.19 |
| B2A | Resin Silo No. 8 | PM_{10} | 0.05 | 0.19 |
| B2B | Resin Silo No. 9 | PM ₁₀ | 0.05 | 0.19 |
| B2C | Blended Saran Silo No. 3 | PM_{10} | 0.05 | 0.19 |
| B14A | Barrier Extrusion Web No. 7 | NO _x | 0.05 | 0.20 |
| B14B | Barrier Extrusion Web No. 6 | NO _x | 0.03 | 0.11 |
| B14C | Barrier Extrusion Web No. 5 | NO _x | 0.05 | 0.20 |
| B14D | Barrier Extrusion Web No. 4 | NO_x | 0.05 | 0.20 |
| B14E | Barrier Extrusion Web Nos. 1 and 2 | NO _x | 0.05 | 0.20 |
| B14F | Barrier Extrusion Web No. 9 | NO _x | 0.05 | 0.20 |
| B14G | Barrier Extrusion Web No. 8 | NO_x | 0.07 | 0.31 |
| B14H | Barrier Extrusion Web | NO _x | 0.05 | 0.20 |

| Emission | Source | Air Contaminant | Emission Rates | | | |
|---------------|---------------------------------|---|---|--|--|--|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY | | |
| | No. 10 | | | | | |
| B14I | Barrier Extrusion Web No. 11 | NO _x | 0.05 | 0.20 | | |
| B14J | Barrier Extrusion Web No. 12 | NO _x | 0.05 | 0.23 | | |
| B14K | Web 3 Extrusion Line | NO _x | 0.08 | 0.27 | | |
| B14L | Barrier Extrusion Web No. 13 | NO _x | 0.06 | 0.25 | | |
| B14M | Barrier Extrusion Web No. 14 | NO_x | 0.07 | 0.31 | | |
| B14N | Barrier Extrusion Web No. 15 | NO _x | 0.07 | 0.31 | | |
| B20F1 | Ink Room Fan No. 1 | VOC | 0.89 | 3.90 | | |
| B20F2 | Ink Room Fan No. 2 | VOC | 0.89 | 3.90 | | |
| B21B3 | Press Nos. 3 Fugitive | VOC | 7.80 | 24.57 | | |
| B21D4 | Press No. 4 Fugitive | VOC | 6.50 | 13.65 | | |
| B21F | Press Nos. 4 and 5 Oxidiz | er VOC VOC (5) NO _x CO SO ₂ PM ₁₀ | 0.65 0.03 0.60 0.50 <0.01 0.05 | 1.37 0.10 1.75 1.47 0.01 0.13 | | |
| B21F1 | Press No. 5 Fugitive | VOC | 6.50 | 13.65 | | |

| Emission | Source | Air Contaminant | Emission Rates | |
|---------------|--|--|---|--|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| B21F4 | Press No. 3 Exhausted Through a Catalytic Oxidizer | VOC VOC (5) NO _x CO SO ₂ PM ₁₀ | 1.14 0.03 0.47 0.40 <0.01 0.04 | 3.60 0.10 1.75 1.47 0.01 0.13 |
| BR1-FUG | Bag Room 1 In-Line Printing | VOC | 8.52 | 29.80 |
| B28D | Boiler No. 4 | VOC NO_x CO SO_2 PM_{10} | 0.18 4.80 2.77 16.02 0.48 | 0.79 14.97 12.12 5.85 1.18 |
| B28E | Boiler No. 5 | $\begin{array}{c} VOC \\ NO_{x} \\ CO \\ SO_{2} \\ PM_{10} \end{array}$ | 0.18 4.80 2.77 16.02 0.48 | 0.79 14.97 12.12 5.85 1.18 |
| B41A | TBG No. 4 | VOC NO_x CO SO_2 PM_{10} | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41B | TBG No. 3 | $\begin{array}{c} VOC \\ NO_x \\ CO \\ SO_2 \\ PM_{10} \end{array}$ | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41C | TBG No. 2 | VOC NO _x | <0.01 0.03 | 0.01 0.13 |

| Emission | Source | Air Contaminant | Emission Rates | |
|---------------|------------|---|---|---------------------------------------|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| | | CO SO ₂ PM ₁₀ | 0.03 <0.01 <0.01 | 0.11 <0.01 0.01 |
| B41D | TBG No. 7 | VOC NO_x CO SO_2 PM_{10} | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41E | TBG No. 8 | VOC NO_x CO SO_2 PM_{10} | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41F | TBG No. 9 | VOC NO_x CO SO_2 PM_{10} | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41G | TBG No. 10 | VOC NO_x CO SO_2 PM_{10} | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41H | TBG No. 11 | $\begin{array}{c} VOC \\ NO_x \\ CO \\ SO_2 \\ PM_{10} \end{array}$ | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| B41I | TBG No. 1 | VOC NO _x | <0.01 0.03 | 0.01 0.13 |

| Emission | Source | Air Contaminant | Emission Rates | |
|---------------|-----------------|------------------------------------|---|---------------------------------------|
| Point No. (1) | Name (2) | Name (3) | lb/hr | TPY |
| | | CO SO_2 PM_{10} | 0.03 <0.01 <0.01 | 0.11 <0.01 0.01 |
| B41J | TBG No. 6 | VOC NO_x CO SO_2 PM_{10} | <0.01 0.03 0.03 <0.01 <0.01 | 0.01 0.13 0.11 <0.01 0.01 |
| F1 | Film Line No. 1 | NO_x | 0.05 | 0.20 |
| F2 | Film Line No. 2 | NO_x | 0.07 | 0.31 |
| F5 | Film Line No. 5 | NO_x | 0.10 | 0.41 |
| F6 | Film Line No. 6 | NO_x | 0.10 | 0.41 |
| F7 | Film Line No. 7 | NO_x | 0.10 | 0.41 |
| F8 | Film Line No. 8 | NO_x | 0.10 | 0.41 |
| F9A | Film Line No. 1 | РМ | 0.05 | 0.20 |
| F9B | Film Line No. 2 | РМ | 0.05 | 0.20 |
| F9C | Film Line No. 3 | РМ | 0.05 | 0.20 |
| F9D | Film Line No. 4 | РМ | 0.01 | 0.04 |
| F9E | Film Line No. 5 | PM | 0.01 | 0.04 |
| F9F | Film Line No. 6 | РМ | 0.01 | 0.04 |
| F9G | Film Line No. 7 | PM | 0.01 | 0.04 |

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | <u>Emissio</u> lb/hr | n Rates TPY | |
|---------------------------|---------------------------|---------------------------------------|-------------------------|----------------------------|---|
| | | | | | _ |
| F9H | Film Line No. 8 | PM | 0.01 | 0.04 | |
| T102 | Storage Tank | HCI | 0.08 | <0.01 | |
| T301 | Tank No. 1 (Fuel Oil) | VOC | 0.40 | <0.01 | |
| T302 | Tank No. 2 (Fuel Oil) | VOC | 0.40 | <0.01 | |
| T303 | Tank No. 1 (50/50 Solvent | r) VOC | 14.00 | 0.23 | |
| T304 | Tank No. 2 (Solvent) | VOC | 11.83 | 0.18 | |
| T305 | Tank No. 2 (Solvent) | VOC | 6.57 | 0.20 | |
| T306 | Storage Tank | VOC | 13.14 | 0.11 | |
| EX-1 | Resin Silo No. 1 | PM ₁₀ | 0.05 | 0.19 | |
| EX-2 | Resin Silo No. 2 | PM ₁₀ | 0.05 | 0.19 | |
| EX-3 | Resin Silo No. 3 | PM_{10} | 0.05 | 0.19 | |
| EX-4 | Resin Silo No. 4 | PM ₁₀ | 0.05 | 0.19 | |
| EX-5 | Resin Silo No. 5 | PM_{10} | 0.05 | 0.19 | |
| EX-6 | Resin Silo No. 6 | PM ₁₀ | 0.05 | 0.19 | |
| EX-10 | Resin Silo No. 10 | PM_{10} | 0.05 | 0.19 | |
| EX-11 | Resin Silo No. 11 | PM_{10} | 0.05 | 0.19 | |
| SITEWIDE | All | Individual HAP Total HAPs Ozone | | <10.00 <25.00 <98.00 | |

Combustion emissions.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission | Source | Air Contam | inant | Emission | Rates |
|--|---|---------------------|----------------|--------------|----------------|
| Point No. (1 |) Name (2) | Name (| (3) | lb/hr | TPY |
| (1) Emission point identification - either specific equipment designation or emission point number from plot plan. | | | | | |
| (2) Spec | cific point source name. | | | | |
| (3) | | VOC | - | volatile | organic |
| | compounds as defined in Title 30 | Texas Administra | ative Code § 1 | 01.1. | |
| PM | | - | particulate m | atter, suspe | ended in the |
| | atmosphere, including PM ₁₀ and F | PM _{2.5} | | | |
| PM_{10} | | - | particulate m | natter equa | l to or less |
| | than 10 microns in diameter | | • | • | |
| $PM_{2.5}$ | | - | particulate m | natter equa | l to or less |
| | than 2.5 microns in diameter | | • | • | |
| HCI | | - | hydrochloric a | acid | |
| NO_x | | - | total oxides o | f nitrogen | |
| SO_2 | | - | sulfur dioxide | • | |
| CO | | - | carbon mono | xide | |
| HAP | | - | any air conta | minant (pol | lutant) listed |
| | in § 112(b) of the Federal Clean A Subpart C | Air Act or Title 40 | • | (1 | , |

Compliance with annual emission limits is based on a rolling 12-month period.

Dated <u>August 23, 2007</u>