Emission Sources - Maximum Allowable Emission Rates

Permit Numbers 127838 and PSDTX1588

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emiss	Emission Rates	
			lbs/hour	TPY (4)	
PE3-01	Dry Catalyst Filter	PM	<0.01	<0.01	
		PM ₁₀	<0.01	<0.01	
		PM _{2.5}	<0.01	<0.01	
PE3-02A	Elutriator Cyclone A	PM	0.40	1.75	
		PM ₁₀	0.13	0.56	
		PM _{2.5}	0.03	0.15	
		VOC	0.22	(6)	
PE3-02B	Elutriator Cyclone B	PM	0.40	1.75	
		PM ₁₀	0.13	0.56	
		PM _{2.5}	0.03	0.15	
		VOC	0.22	(6)	
PE3-03	Powder Surge Hopper Filter	PM	0.01	0.03	
		PM ₁₀	0.01	0.03	
		PM _{2.5}	0.01	0.03	
		VOC	0.15	0.66	
PE3-04	Powder Feeder Filter	PM	<0.01	0.02	
		PM ₁₀	<0.01	0.02	
		PM _{2.5}	<0.01	0.02	
		VOC	0.10	0.44	
PE3-05	Additive Hopper Filter	PM	0.01	0.02	
		PM ₁₀	0.01	0.02	
		PM _{2.5}	0.01	0.02	
PE3-06	Additive Feeder Filter	PM	<0.01	0.01	
		PM ₁₀	<0.01	0.01	
		PM _{2.5}	<0.01	0.01	
PE3-07	Pellet Dryer Cyclone	PM	0.62	2.73	

Project Number: 316830

Emission Sources - Maximum Allowable Emission Rates

I	I		<u> </u>	
		PM ₁₀	0.01	0.03
		PM _{2.5}	<0.01	0.01
		VOC	0.97	(6)
PE3-08A	Product Silo A Filter	PM	0.33	0.73
		PM ₁₀	0.33	0.73
		PM _{2.5}	0.33	0.73
		VOC	0.91	(6)
PE3-08B	Product Silo B Filter	PM	0.33	0.73
		PM ₁₀	0.33	0.73
		PM _{2.5}	0.33	0.73
		VOC	0.91	(6)
PE3-10	Flare	СО	58.52	4.26
		NO _x	11.36	0.83
		SO ₂	<0.01	<0.01
		VOC	148.04	9.69
PE3-11A & PE3- 11B	Thermal Oxidizers A & B	NO _x	2.38	3.76
110		PM	0.30	0.48
		PM ₁₀	0.30	0.48
		PM _{2.5}	0.30	0.48
		СО	3.33	5.26
		SO ₂	0.01	0.01
		VOC	0.93	2.30
PE3-12	PE3 Cooling Tower (5)	HOCI	<0.01	<0.01
		PM	0.96	2.69
		PM ₁₀	0.22	0.98
		PM _{2.5}	<0.01	0.01
		VOC	0.74	3.24
PE3-13	Fugitives (5)	Cl ₂	<0.01	0.02
		VOC	11.92	52.20
PE3-14	Extruder Feed Hopper Filter	PM	<0.01	0.01
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	0.01

Project Number: 316830

Emission Sources - Maximum Allowable Emission Rates

		VOC	0.03	0.15
PE3-MAINT	PE3 Maintenance Fugitives	VOC	79.04	0.42
		PM	11.96	0.05
		PM ₁₀	6.52	<0.01
		PM _{2.5}	6.52	<0.01
PE3-10 or PE3- TEMP	Flare or Temporary Control Device (PE3 MSS Contribution)	VOC	506.36	4.13
		NO _x	49.04	1.10
		СО	278.85	11.99
PE3-CAP	Cap for Downstream Pellet Handling VOCs	VOC (6)	-	10.13

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

Cl₂ - chlorine

HOCI - hypochlorous acid

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) EPN PE3-CAP is representative of the annual cap for downstream pellet handling VOC emissions of the indicated EPNs.

Date:	TBD	