

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 19641

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
BCAREA	Fugitives (4)	VOC	0.50	2.20
CARB	Process Fugitives (4)	VOC	0.43	1.89
CARB2	Process Fugitives (4)	PO	0.03	0.13
		PC	0.21	0.94
FC004	Vessel F-C-4	VOC	0.29	0.01
FC055	Vessel F-C-55	VOC	0.02	0.01
FE042	Scrubber (T-E-74/75/116)	VOC	1.39	0.46
HA1	Heater	VOC	0.04	0.18
		NO _x	0.76	3.34
		CO	0.16	0.70
		PM	0.03	0.15
		SO ₂	0.01	0.02
HC1	H-C-1	NO _x	0.90	3.90
	CO	0.30	1.30	
LB8	Vacuum Source (FB042 Vent)	VOC	0.01	0.01
RAIL	Railcar Loading (5)	VOC	0.26	0.15
RA22	Plant Flare	VOC	11.17	4.02
		NO _x	1.73	0.82
		CO	5.72	1.54

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>
RE22	Loading Incinerator	VOC	0.75	0.17
		NO _x	0.74	2.51
		CO	0.12	0.53
		PM	0.03	0.11
		SO ₂	0.01	0.02
RF60	Flare	VOC	0.51	1.14
		NO _x	0.12	0.48
		CO	1.03	4.17
		HBr	2.47	1.00
TB014	Storage Tank T-B-14	VOC	3.17	0.38
TB015	Storage Tank T-B-15	VOC	3.17	0.38
TB016	Rundown Tank	VOC	0.01	0.01
TB017	Storage Tank T-B-17	VOC	0.01	0.01
TB018	Rundown Tank	VOC	0.01	0.01
TB019	Carbonate Catalyst Tank	VOC	0.01	0.01
TB020	Carbonate Catalyst Tank	VOC	0.01	0.01
TC042	Storage Tank T-C-42	VOC	0.05	0.01
TC043	Storage Tank T-C-43	VOC	0.05	0.01
TE011	Product Storage Tank T-E-11	VOC	0.09	0.01
TE012	Product Storage Tank T-E-12	VOC	0.09	0.01
TE016	Storage Tank T-E-16	VOC	0.01	0.01
TE017	Storage Tank T-E-17	VOC	0.10	0.10

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lb/hr	TPY
TE025	Product Storage Tank T-E-25	VOC	0.03	0.01
TE026	Product Storage Tank T-E-26	VOC	0.03	0.01
TE029	Storage Tank T-E-29	VOC	0.07	0.01
TE030	Storage Tank T-E-30	VOC	0.02	0.01
TE050	Storage Tank T-E-50	VOC	0.01	0.01
TE060	Storage Tank T-E-60	VOC	0.01	0.01
TE079	Storage Tank T-E-79	VOC	0.01	0.01
TK1	TE-11, 12 Fugitives (4)	VOC	0.10	0.42
TK2	Fugitives (4)	VOC	0.01	0.02
TK3	Fugitives (4)	VOC	0.50	2.21
TK4	Fugitives (4)	VOC	0.01	0.01
TK9	Fugitives (4)	VOC	0.44	1.94
TRUCK	Truck Loading (5)	VOC	0.26	0.15
UC678	Cooling Tower	VOC	3.00	2.21

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

CO - carbon monoxide
SO₂ - sulfur dioxide
PM - particulate matter, suspended in the atmosphere, including PM₁₀
PO - propylene oxide
PC - propylene carbonate
HBr - hydrogen bromide

Permit Number 19641

Page 4

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

(5) Maximum combined emissions from EPNs. RAIL and TRUCK shall not exceed 0.26 lb/hr and 0.15 tpy.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

__ Hrs/day __ Days/week __ Weeks/year or 8,760 Hrs/year

Dated December 27, 2001