Emission Sources - Maximum Allowable Emission Rates

Permit Number 49154

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
11ALKYFUG	Alkylation Unit Fugitives (5)	VOC	3.04	13.31
		Hydrogen Fluoride	0.24	1.03
37ARORKLDG	Aromex Railcar Loading Rack Fugitives and Losses	VOC	1.19	0.74
		Benzene	0.86	0.59
25AROMXFUG	Aromex Unit Fugitives (5)	voc	1.03	4.52
		Benzene	0.42	1.85
08CLEFUG	Cat Light Ends Unit Fugitives (5)	VOC	4.24	18.57
		H ₂ S	0.06	0.25
25CLAYHTR	Clay Tower Heater	voc	0.09	0.39
		NO _x	1.49	6.53
		SO ₂	0.43	0.47
		PM	0.12	0.53
		PM ₁₀	0.12	0.53
		PM _{2.5}	0.12	0.53
		со	1.05	4.60
37TANK0321	Storage Tank 321	VOC	0.99	1.28
37TK321FUG	Storage Tank 321 Fugitives (5)	VOC	0.03	0.11
06CHRGHTR	FCCU Charge Heater	VOC	0.34	1.32
		NO _x	2.21	8.58
		SO ₂	1.84	2.02
		PM	0.47	1.83
		PM ₁₀	0.47	1.83
		PM _{2.5}	0.47	1.83
		со	2.19	8.52

Emission Sources - Maximum Allowable Emission Rates

06ESPPCV	FCCU ESP Stack	DAY	VOC	5.08	22.25
		O,	NO _x	105.98	464.21
			SO ₂	669.90	2430.37
			PM	35.55	155.73
			PM ₁₀	35.55	155.73
			PM _{2.5}	35.55	155.73
			СО	161.32	706.59
			Hydrogen Cyanide	1.87	7.58
06FCCUFUG	FCCU Fugitives (5)		voc	7.10	31.09
			Benzene	0.04	0.16
			H ₂ S	0.03	0.14
14NEASTFLR	Northeast Flare		VOC	14.90	5.34
			NO _x	1.28	0.33
			со	10.95	2.79
			Benzene	2.04	4.14
06CTR16FUG	Cooling Tower 16		VOC	0.36	1.59
			PM	1.91	8.37
			PM ₁₀	0.03	0.11
			PM _{2.5}	<0.01	<0.01
08CLECTR	Cooling Tower 2	VOC	0.38	1.66	
			PM	1.99	8.72
			PM ₁₀	0.03	0.12
			PM _{2.5}	<0.01	<0.01
11CTR6FUG	Cooling Tower 6		voc	0.34	1.47
			PM	1.77	7.75
			PM ₁₀	0.02	0.10
			PM _{2.5}	<0.01	<0.01

Emission Sources - Maximum Allowable Emission Rates

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1, including benzene

 NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM_{10} and $PM_{2.5}$, as represented PM_{10} - total particulate matter equal to or less than 10 microns in diameter, including $PM_{2.5}$, as represented

 $PM_{2.5}$ - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide H₂S - hydrogen sulfide

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.