Permit No. 8823A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

CONTAMINANTS DATA

AIR

Emission	Source	Air Contaminant	<u>Emissio</u>	n Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
1	No. 1 Impact Mill/C 6.81		NO_x	1.56
	Baghouse Stack	PM_{10} CO VOC SO_2	1.27 0.39 0.031 0.0067	5.56 1.70 0.14 0.029
2	No. 2 Impact Mill/C 5.56	Calciner	PM ₁₀	1.27
	Baghouse Stack	NO_x CO VOC SO_2	1.56 0.39 0.031 0.0067	6.81 1.70 0.14 0.029
3	No. 3 Impact Mill/C 5.56	Calciner	PM ₁₀	1.27
	Baghouse Stack	NO_x CO VOC SO_2	1.56 0.39 0.031 0.0067	6.81 1.70 0.14 0.029
4	No. 4 Impact Mill/C 5.56	Calciner	PM ₁₀	1.27
	Baghouse Stack	NO_x CO VOC SO_2	1.56 0.39 0.031 0.0067	6.81 1.70 0.14 0.029

AIR

Emission *	Source	Air Contaminant	<u>Emis</u>	ssion Rates
Point No. (1)	Name (2)	N	lame (3)	lb/hr
	TPY			
5	Stucco Storag	ge/Handling/	PM_{10}	2.06
	9.01	<u>-</u>		
	Mixing/End			
	Baghouse St	ack		

AIR

Emission *	Source	Air Contamina	ant <u>Emissio</u>	n Rates
Point No. (1)	Name (2) TPY		Name (3) 1	b/hr
6	Dryer Wet End Seal Stack	PM_{10} NO_x CO VOC SO_2	0.069 0.70 0.18 0.50 0.003	0.30 3.07 0.77 2.18 0.013
7	No. 5 Impact Mill/C 5.31 Baghouse Stack	alciner NOx CO VOC SO2	PM ₁₀ 1.56 0.39 0.031 0.0067	1.21 6.81 1.70 0.14 0.029
8	Dryer	PM_{10} NO_{x} CO VOC SO_{2}	1.23 12.60 3.15 8.97 0.054	5.40 55.19 13.80 39.31 0.24
9F	Crushed Gypsum Truc Unloading (4)	k PM ₁₀	3.56	15.57
9A-F	Crushed Gypsum Hand 6.77 And Storage (4)	ling	PM_{10}	1.55
9B-F	Off-Spec Material Chipper (4)	PM PM ₁₀	1.16 0.10	5.10 0.43
10	Dryer Dry End Seal : 0.30	Stack	PM_{10}	0.07
	0.30	NO_{\times} CO	0.70 0.18	3.07 0.77

AIR

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	Name	(3)	<u>1b/hr</u>
	TPY			
		VOC	0.50	2.18
		SO ₂	0.003	0.013

AIR

CONTAMINANTS DATA

Emission *	Source	Ai	r Contamina	nt	<u>Emiss</u>	sion Rates
Point No. (1)	Name (2) TPY			Name	(3)	<u>lb/hr</u>
11		oler Baghouse	PM ₁₀		2.10	9.10
12	Ball Mill		PM_{10}		0.60	0.26

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate

matter, suspended in the atmosphere, including PM₁₀

 PM_{10} - particulate matter equal or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

 NO_x - total oxides of nitrogen

CO - carbon monoxide

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

SO₂ - sulfur dioxide

- (4) Fugitive emissions are an estimate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule, wallboard production, and gypsum processed rates:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

Wallboard Production Rates: Ft²/hour 57,600 Ft²/year 505,000,000

Gypsum Processed: Tons/hour_60 Tons/year_525,600

Permit No. 8823A Page 6

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR

Emission	Source	Air Contaminant	<u>Emission</u>	Rates
<u>*</u>				
Point No. (1)	Name (2)	Name	(3) 1b/l	<u>hr</u>
	TPY			

Dated	
Ducca	