#### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

#### Permit No. 19386

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissic</u>	on Rates
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
PE-FLARE	PE Flare	VOC NO <sub>x</sub> CO	158.0 21.18 107.90	149.0 21.51 109.61
PE-CT3	Cooling Tower 3 (CT-	3) VOC	0.76	3.33
PE-A50	PE Area 50 Process Fugitives (4)	VOC	10.94	47.92
PE-AR702	PE Area R702 Process Fugitives (4)	VOC	4.53	19.84
PE-A130A	PE Area 130A Process Fugitives (4)	VOC	16.44	72.01
PE-A130B	PE Area 130B Process Fugitives (4)	VOC	11.25	49.28
PE-A130C	PE Area 130C Process Fugitives (4)	VOC	15.86	69.47
PE-A150	PE Area 150 Process Fugitives (4)	VOC	8.35	36.57
PE-A160	PE Area 160 Process Fugitives (4)	VOC	0.16	0.70
PE-AMTRYD	Meter Yard PE Compon Fugitives (4)	ents VOC	0.65	2.85

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	_Name (3)	lb/hr	<u>TPY</u>
PE-ERU	Ethylene Recovery Ur 8.50	nit (4)	VOC	1.94
PE-CVS PE-BB2FV	PE Closed Vent Syste PE BB2 Feed Vent Grouping	em (4) VOC VOC	25.90 0.59	113.44 1.72
PE-BB2DRY	PE BB2 Dryer Vent	VOC	0.48	1.05
PE-BB2STG	PE BB2 Storage Vents Grouping	S VOC PM <sub>10</sub>	0.77 0.09	1.89 0.22
PE-CM7DRY	PE CM7 Dryer Vent	VOC	1.44	3.30
PE-CM7STG	PE CM7 Storage Vents Grouping	S VOC PM <sub>10</sub>	3.89 0.10	10.78 0.27
PE-CM8DRY	PE CM8 Dryer Vent	VOC	1.44	3.30
PE-CM8STG	PE CM8 Storage Vents Grouping	S VOC PM <sub>10</sub>	3.89 <0.01	10.78 <0.01
PE-CM8VNT	CM8 Extruder Premixe Vent	er VOC PM <sub>10</sub>	0.40 <0.01	0.88 0.01
PE-CM10DRY	PE CM10 Dryer Vent	VOC	0.57	1.97
PE-CM10STG	PE CM10 Storage Vent Grouping	ts VOC PM <sub>10</sub>	2.09 <0.01	7.76 <0.01
PE-CM10FV	PE CM10 Extruder Fee Vent	ed VOC PM <sub>10</sub>	2.64 <0.01	9.67 <0.01
PE-FCM1DRY	PE FCM1 Dryer Vent	VOC	0.6	1.13

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissior</u>	n Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
PE-FCM1STG	PE FCM1 Storage Vent Grouping	S VOC PM <sub>10</sub>	1.62 0.08	3.68 0.21
PE-FCM2DRY	PE FCM2 Dryer Vent	VOC	0.76	1.88
PE-FCM2STG	PE FCM2 Storage Vent Grouping	S VOC PM <sub>10</sub>	2.05 0.08	6.13 0.30
PE-FCM3DRY	PE FCM3 Dryer Vent	VOC	0.76	1.88
PE-FCM3STG	PE FCM3 Storage Vent Grouping	S VOC PM <sub>10</sub>	2.05 0.08	6.13 0.30
PE-FCM4DRY	PE FCM4 Dryer Vent	VOC	0.76	1.88
PE-FCM4STG	PE FCM4 Storage Vent Grouping	S VOC PM <sub>10</sub>	2.05 0.08	6.13 0.30
PE-FCM5DRY	PE FCM5 Dryer Vent	VOC	0.76	1.88
PE-FCM5STG	PE FCM5 Storage Vent Grouping	S VOC PM <sub>10</sub>	2.05 0.05	6.13 0.15
PE-FCM6FV	PE FCM6 Feed Vents Grouping	VOC	2.94	8.82
PE-FCM6DRY	PE FCM6 Dryer Vent	VOC	2.4	5.40
PE-FCM6STG	PE FCM6 Storage Vent Grouping	S VOC PM <sub>10</sub>	3.84 0.19	9.72 0.40
PE-LOAD	PE Loading Sources	VOC PM <sub>10</sub>	2.86 0.33	8.34 0.97
PE-B9	Steam Boiler	VOC	2.55	11.17

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

	$NO_x$ $SO_2$ $PM_{10}$ $CO$	12.15 1.75 0.56 9.96	7.66 2.45
(1) Emission point ide designation or emission			quipment
(2) Specific point so area name or fugitive so	urce name. For		ces use
(3) $PM_{10}$ than 10 microns $VOC$ - volatile organic compounds $NO_x$ - total oxides of nitrogen $SO_2$ - sulfur dioxide	•	culate matte eral Rule 101	
CO - carbon monoxide  (4) Fugitive emissions are a considered as a maximum allowable		and should	not be
* Emission rates are based on a following maximum operating sched		are limited	by the
Hrs/day <u>24</u> Days/ Hrs/year <u>8,760</u>	/week <u>7</u> Wee	ks/year <u>5</u>	2 or
	Dated		