Permit Number 19841

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (7)	
(1)		(3)	lbs/hour	TPY (4)
BP-2	Batching/Milling/Glaze	РМ	4.86	20.70
	Prep/Glaze Lines 1 and 2 Baghouse Stack	PM ₁₀	4.86	20.70
	(Baghouses BP-2A, BP-2B, BP-2C, and BP-2D)	PM _{2.5}	4.86	20.70
		CR ⁶⁺ (6)	0.01	0.02
BP-3	Spray Dryers 1 and 2 Baghouse Stack	PM	5.13	21.84
	(Baghouses BP-3, BP-	PM ₁₀	5.13	21.84
	4A, and BP-4B)	PM _{2.5}	5.13	21.84
		SO ₂	0.63	2.68
		NO _x	4.63	19.74
		со	3.89	16.58
		VOC	0.25	1.09
CS	Presses 1-7 and Glaze Lines 3-9 Baghouse Stack (Baghouses CS-1, CS- 2, CS-3, and CS-4)	PM	8.85	37.70
		PM ₁₀	8.85	37.70
		PM _{2.5}	8.85	37.70
		CR ⁶⁺ (6)	<0.01	0.02
PR-1	Press Dryer 1	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57

PR-1	Press Dryer 1	СО	2.54	10.85
		voc	0.01	0.05
PR-2	Press Dryer 2	РМ	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		СО	2.54	10.85
		voc	0.01	0.05
PR-3	Press Dryer 3	РМ	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		СО	2.54	10.85
		voc	0.01	0.05
PR-4	Press Dryer 4	РМ	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		СО	2.54	10.85
		voc	0.01	0.05
PR-5	Press Dryer 5	РМ	0.38	1.62
		PM ₁₀	0.38	1.62

		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		СО	2.54	10.85
		voc	0.01	0.05
PR-6	Press Dryer 6	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		со	2.54	10.85
		VOC	0.01	0.05
PR-7	Press Dryer 7	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.13	0.57
		СО	2.54	10.85
		VOC	0.01	0.05
KCSYS1	Kiln Control System 1 (Dry Scrubber) and Cooling	PM	8.90	37.93
	Stacks (Kiln 1, Kiln Cooler 1, Kiln	PM ₁₀	8.90	37.93
	3, Kiln Cooler 3)	PM _{2.5}	8.90	37.93
		SO ₂	6.89	9.09

		NO _x	4.59	17.04
		со	12.97	45.61
		voc	1.78	6.49
		HF	3.42	2.85
		HCI	3.40	2.85
		Pb (5)	0.05	0.15
KCSYS2	Kiln Control System 2 (Dry Scrubber) and Cooling	РМ	3.50	14.93
	Stacks (Kiln 2, Kiln Cooler 2)	PM ₁₀	3.50	14.93
	(Kiiii 2, Kiiii Coolei 2)	PM _{2.5}	3.50	14.93
		SO ₂	22.84	34.06
		NO _x	2.69	11.72
		со	7.61	32.64
		voc	1.11	4.74
		HF	1.81	1.49
		HCI	1.67	1.40
		Pb (5)	0.04	0.10
BP-5	Spray Dryer 3 Baghouse Stack	PM	1.93	8.22
	Stack	PM ₁₀	1.93	8.22
		PM _{2.5}	1.93	8.22
BP-5	Spray Dryer 3 Baghouse Stack	SO ₂	0.66	2.82
	Sidek	NOx	4.39	18.71
		СО	3.69	15.72
		VOC	0.24	1.03
PR-10	Press Dryer 10	РМ	0.38	1.62
		PM ₁₀	0.38	1.62

		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		СО	2.54	10.85
		voc	0.01	0.05
PR-11	Press Dryer 11	РМ	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		СО	2.54	10.85
		voc	0.01	0.05
PR-12	Press Dryer 12	РМ	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
PR-12	Press Dryer 12	со	2.54	10.85
		voc	0.01	0.05
PR-13	Press Dryer 13	РМ	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		СО	2.54	10.85

		VOC	0.01	0.05
PR-14	Press Dryer 14	PM	0.38	1.62
		PM ₁₀	0.38	1.62
		PM _{2.5}	0.38	1.62
		SO ₂	<0.01	0.02
		NO _x	0.14	0.64
		со	2.54	10.85
		VOC	0.01	0.05
CS-B	Presses 10-16,	PM	2.14	9.13
	Conveyor Systems, and Plant 2 Glaze Lines 10-	PM ₁₀	2.14	9.13
	19 Baghouse Stack (Baghouses P2-CSA	PM _{2.5}	2.14	9.13
	and P2-CS2B)	CR ⁶⁺ (6)	<0.01	0.01
KCSYS3	Kiln Control System 3 (Dry Scrubber) and Cooling	PM	4.12	15.99
	Stacks (Kiln A Predryer, Kiln A1,	PM ₁₀	4.12	15.99
	Kiln A Cooler 1, Kiln A2, Kiln A Cooler 2)	PM _{2.5}	4.12	15.99
KCSYS3	Kiln Control System 3 (Dry Scrubber) and Cooling	SO ₂	29.39	41.00
	Stacks (Kiln A Predryer, Kiln A1,	NO _x	4.72	20.62
	Kiln A Cooler 1, Kiln A2, Kiln A Cooler 2)	со	21.74	78.84
	Kiiii A Coolei 2)	VOC	9.81	35.60
		HF	3.47	2.80
		HCI	3.43	2.81
		Pb (5)	0.05	0.13
KCSYS4	Kiln Control System 4 (Dry Scrubber) and Cooling	PM	4.12	15.99
	Stacks (Kiln B Predryer, Kiln B1,	PM ₁₀	4.12	15.99
	Kiln B Cooler 1, Kiln B2, Kiln B Cooler 2)	PM _{2.5}	4.12	15.99

		SO ₂	29.39	41.00
		NO _x	4.72	20.62
		СО	21.74	78.84
		VOC	9.81	35.60
		HF	3.47	2.80
		HCI	3.43	2.81
		Pb (5)	0.05	0.13
F-1	Raw Material Stockpiles	PM	0.08	0.37
		PM ₁₀	0.04	0.18
		PM _{2.5}	0.04	0.18

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}

PM₁₀ - particulate matter equal to or less than 10 microns in diameter PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

SO₂ - sulfur dioxide

NO_x - total oxides of nitrogen

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

CO - carbon monoxide HF - hydrogen fluoride

HCI - hydrogen chloride (02/02)
 Pb - lead or lead compounds (1/98)
 Cr⁶⁺ - hexavalent chromium (03/07)

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Lead emissions are included in the total hourly and annual PM/P M_{10} emission rates.
- (6) Hexavalent chromium emissions are included in the total hourly and annual PM/PM₁₀ emission rates. **(03/07)**
- (7) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date:	April 12, 2013
-------	----------------