

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 18064

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source		Air Contaminant		<u>Emission Rates *</u>	
	Name (2)	Name (3)	lb/hr	TPY		
T-880	Fixed Roof Distillate Tank			VOC (5)	1.14	1.3
				VOC (6)		2.13
T-881	Fixed Roof Distillate Tank			VOC (5)		1.3
T-881	Internal Floating Roof Product Tank (10)			VOC (6)	2.22	4.83
T-882	Internal Floating Roof Product Tank (10)			VOC (5)	3.82	10.3
				VOC (6)		8.17
T-883	Fixed Roof Jet Kerosene Tank			VOC (5)		1.0
T-883	Internal Floating Roof Product Tank (10)			VOC (6)	2.22	4.83
T-978	Internal Floating Roof Product Tank (10)			VOC (5)	1.55	5.9
				VOC (6)		3.35
T-985	Internal Floating Roof Product Tank (10)			VOC (5)	1.29	5.1
				VOC (6)		2.89
T-2035	Internal Floating Roof Product Tank (10)			VOC (5)	1.34	1.5
				VOC (6)		0.62

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
T-2038	Internal Floating Roof Product Tank (10)		VOC (5)	4.5
			VOC (6)	3.58
T-XCL12	Fixed Roof Gasoline Additive Tank		VOC (5)	24.18
			VOC (6)	1.82
T-OS	Fixed Roof Off-Spec Tank		VOC (9)	7.97
VR-6212	Vapor Recovery Unit		VOC (7)	22.58
			VOC (8)	7.28
FUG	Process Fugitives (4)		VOC (7)	12.0
			VOC (8)	6.71
F-6212	Tank Truck Leakage		VOC (7)	132.54

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) These emission rates are valid only prior to the modifications to Tanks T-881 and T-883.
- (6) These emission rates are valid only after the modifications to Tanks T-881 and T-883.
- (7) These emission rates are valid only prior to the start-up of the vacuum vapor loading system.
- (8) These emission rates are effective upon the start-up of the vacuum vapor loading system.
- (9) Emission rates also includes loading losses for this tank.
- (10) Product tanks may store motor or aviation gasoline, diesel, jet fuel, off-spec product or additive as detailed in the permit application.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day\_\_\_Days/week\_\_\_Weeks/year\_\_\_or Hrs/year 8,760

Revised \_\_\_\_\_