

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 3179

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
INH9200	Incinerator	VOC	35.0	13.1
		PM ₁₀	0.2	0.6
		SO ₂	<0.1	<0.1
		NO _x	7.6	3.0
		CO	0.8	3.6
FNF8300	Heavy Ends Furnace	VOC	<0.1	0.2
		NO _x	1.7	7.4
		SO ₂	<0.1	<0.1
		PM ₁₀	<0.1	0.3
		CO	0.5	1.9
FNF8301	Regen Furnace	VOC	<0.1	<0.1
		NO _x	0.3	0.1
		SO ₂	<0.1	<0.1
		PM ₁₀	<0.1	<0.1
		CO	<0.1	<0.1
TFD306	Phenol Tank	VOC	27.3	1.3
TFD307	Phenol Tank	VOC	27.3	1.3
TFD313	Toluene Tank	VOC	7.9	0.7
TFD342	Cumene Tank	VOC	18.3	1.7
TID390	Acetone Tank	VOC	1.7	2.0
TID391	Acetone Tank	VOC	1.7	2.0
TID392	Acetone Tank	VOC	1.7	2.0

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
TID393	Benzene Tank	VOC	0.3	1.2
TFD394	Cumene Tank	VOC	18.1	0.9
TFD395	Cumene Tank	VOC	18.1	0.5
TFD400	Cumene Tank	VOC	2.7	0.5
TFD402	Phenol Tank	VOC	3.1	3.4
TFD403	Phenol Tank	VOC	3.1	3.4
TFEX67	Caustic Tank	Caustic	0.5	<0.1
TFS303A	Acid Tank	H ₂ SO ₄	0.1	<0.1
TIEX80	Wastewater Tank	VOC	0.4	0.4
CDEWRTCDMK	Acetone Land Loading	VOC	41.5	20.5
SBV9300	Phenol Land Loading	VOC	2.9	0.6
PAPFUG	Fugitives (4)	VOC	18.4	80.5
ANALYZERS	Process Analyzers	VOC	<0.1	0.2
CWT13	Cooling Water Tower	VOC	2.1	9.2
MARACE	Acetone Marine Loading	VOC	429.0	44.2
MARCUM	Cumene Marine Loading	VOC	48.3	0.7
MARPHEN	Phenol Marine Loading	VOC	14.0	0.7
CPI	CPI Separator	VOC	4.0	3.0

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
EPFLARE	East Property Flare	VOC	27.0	15.8
		NO _x	1.6	1.0
		CO	8.2	4.8
VESSEL	Drain Vessel	VOC	0.1	0.4
CDE8256	Cleavage Reactor Vent (5)	VOC	1.3	5.7
CDE8309	Acetone Finishing Column (5)	VOC	1.0	4.4

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM₁₀ - particulate matter
VOC - volatile organic compounds as defined in General Rule 101.1
NO_x - total oxides of nitrogen
SO₂ - sulfur dioxide
CO - carbon monoxide
Caustic - sodium phenate
H₂SO₄ - sulfuric acid
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) These emission points shall be routed to the incinerator by February 28, 1996.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day____Days/week____Weeks/year____or Hrs/year 8,760

Dated_____

