EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 9868A and PSD-TX-102M4

EMISSION CAP TABLE

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

See Attachment I for Source Name and Emission Point Number Index.

VOC EMISSION CAP

| Source Name | Year | lb/hr | TPY |
|--|----------------|-------|-------|
| | | | |
| Flares | 1995 (Initial) | 11071 | 10202 |
| Fired Units (Furnaces, Heaters, Boilers, etc.) | 1996 | 10978 | 10134 |
| FCCU CO Boilers | 1997 | 10776 | 9912 |
| Engines | 1998 | 8908 | 9795 |
| Cooling Towers | 1999 | 4941 | 9374 |
| Wastewater (4) | 2000 | 4399 | 7396 |
| Tanks | 2001 | 4229 | 7140 |
| Truck and Rail Loading | 2002 | 4068 | 6718 |
| Fugitives (4) | 2003 | 3760 | 6320 |
| Incinerators | 2004 | 3110 | 5663 |
| Vents (56V1) | 2005 | 3024 | 5474 |
| | 2006 (Final) | 2248 | 5003 |

NO_x EMISSION CAP

| Source Name | Year | lb/hr | TPY |
|--|----------------|-------|------|
| | | | |
| Flares | 1995 (Initial) | 2082 | 4632 |
| Fired Units (Furnaces, Heaters, Boilers, etc.) | 1996 | 2014 | 4632 |
| FCCU CO Boilers | 1997 | 1957 | 4632 |
| Engines | 1998 | 1957 | 4632 |
| Incinerators | 1999 | 1843 | 4452 |
| | 2000 | 1753 | 3699 |
| | 2001 | 1697 | 3456 |

| EMISSION SOURCES | 2002 2003 2004 2005 2006 (Final) | 1590 1519 1513 1512 1619 | 3115 2802 2764 2770 2868 |
|---|--|--|---|
| <u>EPNs</u> | Year | lb/hr | <u>TPY</u> |
| 81B17 and 81 B18 | 2002 (final) | 68 | 57 |
| So | D ₂ EMISSION CAP | | |
| Source Name | Year | lb/hr | <u>TPY</u> |
| Flares Fired Units (Furnaces, Heaters, Boilers, etc.) FCCU CO Boilers Engines Incinerators Sulfur Handling Fugitives (4) Wastewater (4) | 1995 (Initial) 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 (Final) | 7128 7004 6880 6880 6877 6850 6850 6847 6847 6845 6845 | 12740 12560 12016 12017 12015 11934 11934 11927 11927 11921 11922 5194 |
| CO EN | IISSION CAP | | |
| Source Name | Year | lb/hr | TPY |
| Flares Fired Units (Furnaces, Heaters, Boilers, etc.) FCCU CO Boilers Engines Incinerators | 1995 (Initial) 1996 1997 1998 1999 2000 2001 2002 2003 | 1285 1295 1302 1302 1260 1204 1206 1164 1168 | 5305 5305 5305 5305 5305 4758 4765 4642 4606 |

2004 1166 4579 2005 1167 4587 2006 (Final) 1243 4916

PM EMISSION CAP

| Year | lb/hr | TPY |
|----------------|--|--|
| | | |
| 1995 (Initial) | 271 | 1129 |
| 1996 | 271 | 1129 |
| 1997 | 271 | 1129 |
| 1998 | 271 | 1129 |
| 1999 | 271 | 1129 |
| 2000 | 261 | 1125 |
| 2001 | 261 | 1125 |
| 2002 | 261 | 1125 |
| 2003 | 261 | 1125 |
| 2004 | 261 | 1125 |
| 2005 | 261 | 1120 |
| 2006 (Final) | 261 | 1093 |
| | 1995 (Initial) 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 | 1995 (Initial) 271 1996 271 1997 271 1998 271 1999 271 2000 261 2001 261 2002 261 2003 261 2004 261 2005 261 |

H₂S EMISSION CAP

| Source Name | Year | lb/hr | <u>TPY</u> |
|--|----------------|-------|------------|
| | | | |
| Flares | 1995 (Initial) | 128 | 307 |
| Fired Units (Furnaces, Heaters, Boilers, etc.) | 1996 | 126 | 299 |
| FCCU CO Boilers | 1997 | 125 | 292 |
| Incinerators | 1998 | 128 | 305 |
| Sulfur Handling | 1999 | 120 | 243 |
| Fugitives (4) | 2000 | 43 | 115 |
| Wastewater (4) | 2001 | 42 | 108 |
| Vent (32V1) | 2002 | 42 | 108 |
| Tank (3003) | 2003 | 42 | 108 |
| , | 2004 | 37 | 103 |
| | 2005 | 38 | 104 |
| | 2006 (Final) | 37 | 97 |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES HCI EMISSION CAP

| Source Name | Year | lb/hr | <u>TPY</u> |
|---------------|----------------|-------|------------|
| | | _ | |
| Flares | 1995 (Initial) | 13 | 30 |
| Fugitives (4) | 1996 | 13 | 30 |
| | 1997 | 12 | 28 |
| | 1998 | 12 | 28 |
| | 1999 | 12 | 28 |
| | 2000 | 5.7 | 25 |
| | 2001 | 5.7 | 25 |
| | 2002 | 5.7 | 25 |
| | 2003 | 5.7 | 25 |
| | 2004 | 5.7 | 25 |
| | 2005 | 5.7 | 25 |
| | 2006 (Final) | 5.7 | 25 |
| | | | |

NH₃ EMISSION CAP

| Source Name | Year | lb/hr | TPY |
|----------------|----------------|-------|-----|
| | | | |
| Fugitives (4) | 1995 (Initial) | 82 | 355 |
| Wastewater (4) | 1996 | 82 | 355 |
| Vent (32V1) | 1997 | 82 | 355 |
| Tank (3003) | 1998 | 82 | 355 |
| | 1999 | 5 | 7 |
| | 2000 | | 2.0 |
| 5.4 | | | |
| | 2001 | | 2.0 |
| 5.4 | | | |
| | 2002 | | 2.0 |
| 5.4 | | | |
| | 2003 | | 2.0 |
| 5.5 | | | |
| | 2004 | | 2.0 |
| 5.5 | | | |
| | 2005 | | 2.0 |
| 5.5 | (1) | | |
| | 2006 (Final) | | 2.0 |
| 5.5 | | | |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES HF EMISSION CAP

| Source Name | Year | lb/hr | TPY |
|---------------|----------------|-------|------|
| | | | |
| Fugitives (4) | 1995 (Initial) | 0.56 | 2.44 |
| | 1996 | 0.56 | 2.44 |
| | 1997 | 0.56 | 2.44 |
| | 1998 | 0.56 | 2.44 |
| | 1999 | 0.56 | 2.44 |
| | 2000 | 0.43 | 1.9 |
| | 2001 | 0.43 | 1.9 |
| | 2002 | 0.43 | 1.9 |
| | 2003 | 0.43 | 1.9 |
| | 2004 | 0.43 | 1.9 |
| | 2005 | 0.43 | 1.9 |
| | 2006 (Final) | 0.43 | 1.9 |

CHLORINE CAP (3/03)

| Source Name | Year | lb/hr | TPY |
|----------------|--------------|-------|------|
| | | | |
| Cooling Towers | 2003 | 1.65 | 7.23 |
| - | 2004 1.65 | 7.23 | |
| | 2005 1.65 | 7.23 | |
| | 2006 (final) | 1.65 | 7.23 |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SPECIATED VOC EMISSION CAPS

Benzene CAP

| Source Name | Year | lb/hr | TPY |
|------------------------|-----------------|--------|----------|
| Flavos | 1005 (Initial) | 47 | 70 |
| Flares | 1995 (Initial) | 47 | 78 75 |
| Tanks | 1996 | 45 | 75 60 |
| Truck and Rail Loading | 1997 | 42 | 68 |
| Fugitives (4) | 1998 | 41 | 67 |
| Wastewater (4) | 1999 | 22 | 65 65 |
| | 2000 | 14 | 35 |
| | 2001 | 13 | 34 |
| | 2002 | 13 | 33 |
| | 2003 | 13 | 33 |
| | 2004 | 12 | 32 |
| | 2005 | 12 | 32 |
| | 2006 (Final) | 11 | 31 |
| | Cyclohexane CAP | | |
| Source Name | Year | lb/hr | TPY |
| Source Name | rear | ID/TII | |
| Flares | 1995 (Initial) | 828 | 316 |
| Tanks | 1996 ` | 827 | 316 |
| Truck and Rail Loading | 1997 | 813 | 268 |
| Fugitives (4) | 1998 | 308 | 223 |
| Wastewater (4) | 1999 | 104 | 211 |
| () | 2000 | 89 | 118 |
| | 2001 | 89 | 120 |
| | 2002 | 89 | 118 |
| | 2003 | 89 | 116 |
| | 2004 | 82 | 107 |
| | 2005 | 82 | 107 |
| | 2006 (Final) | 74 | 95 |

Ethylbenzene CAP

| Source Name | Year | lb/hr | TPY |
|--|--|---|---|
| Flares Tanks Fugitives (4) Wastewater (4) | 1995 (Initial) 1996 1997 1998 1999 2000 | 15 15 15 14 13 12 | 61 61 61 60 55 50 |
| 6.8 | 2002 | | 1.8 |
| 6.7 | 2003 | | 1.8 |
| 6.7 | 2004 | | 1.7 |
| 6.6 | 2005 | | 1.7 |
| 6.6 | 2006 (Final) | | 1.6 |
| 6.6 | 2000 (1 11141) | | 1.0 |
| | Hexane CAP | | |
| Source Name | Year | lb/hr | TPY |
| Flares Tanks Truck and Rail Loading Fugitives (4) Wastewater (4) | 1995 (Initial) 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 (Final) | 1353 1353 1333 576 163 111 112 111 112 111 110 109 | 400 399 368 350 341 141 144 140 121 118 117 |

Permit Numbers 9868A and PSD-TX-102M4 Page 8

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Toluene CAP

| Source Name | Year | lb/hr | TPY |
|---|--|---|--|
| Flares Tanks Fugitives (4) Wastewater (4) | 1995 (Initial) 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 (Final) | 104 103 102 76 29 22 21 21 21 20 20 19 | 110 106 102 101 97 59 58 57 57 56 56 51 |
| | Xylene CAP | | |
| Source Name | Year | lb/hr | <u>TPY</u> |
| Flares Tanks Fugitives (4) Wastewater (4) | 1995 (Initial) 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 (Final) | 15 14 14 13 13 7.9 7.9 7.8 7.8 7.5 7.0 6.9 | 67 63 63 63 60 41 41 41 41 41 40 |

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM₁₀

 PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

CO - carbon monoxide

H₂S - hydrogen sulfide

HCI - hydrogen chloride

NH₃ - ammonia

HF - hydrogen fluoride

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) The NO_x emissions in this subcap are also included in the overall NO_x cap.

Emission rates are based on and the facilities are limited by the following maximum operating schedule:

| Hrs/day | _Days/week | Weeks/year | or Hrs/year <u>8,760</u> |
|---------|------------|------------|--------------------------|

| Dated | |
|-------|--|
| | |