

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 45642, PSD-TX-979, and N-036

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
Turbine and Duct Burner (Hourly Limits)				
ST-1	CTG1 and HRSG1 (Westinghouse 501F Turbine with 725 MMBtu/hr Duct Burner)	NO _x	24.3	
		CO	291.8	
		PM ₁₀	33.9	
		VOC	35.7	
		SO ₂	31.9	
		NH ₃	25.2	
		H ₂ SO ₄ 4.89		
	(NH ₄) ₂ SO ₄	6.59		
ST-2	CTG2 and HRSG2 (Westinghouse 501F Turbine with 725 MMBtu/hr Duct Burner)	NO _x	24.3	
		CO	291.8	
		PM ₁₀	33.9	
		VOC	35.7	
		SO ₂	31.9	
		NH ₃	25.2	
		H ₂ SO ₄ 4.89		
	(NH ₄) ₂ SO ₄	6.59		
ST-3	CTG3 and HRSG3 (Westinghouse 501F Turbine with 725 MMBtu/hr Duct Burner)	NO _x	24.3	
		CO	291.8	
		PM ₁₀	33.9	
		VOC	35.7	
		SO ₂	31.9	
		NH ₃	25.2	
		H ₂ SO ₄ 4.89		
	(NH ₄) ₂ SO ₄	6.59		

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
ST-4	CTG4 and HRSG4 (Westinghouse 501F Turbine with 725 MMBtu/hr Duct Burner)	NO _x	24.3	
		CO	291.8	
		PM ₁₀	33.9	
		VOC	35.7	
		SO ₂	31.9	
		NH ₃	25.2	
		H ₂ SO ₄	4.89	
		(NH ₄) ₂ SO ₄	6.59	
Turbines and Duct Burners (Combined Annual Limits)				
ST-1, ST-2	CTG1-4/HRSG1-4	NO _x **		304.3
ST-3, and ST-4		CO**		1981.0
		PM ₁₀ **		377.5
		VOC**		61.6
		SO ₂		30.0
		NH ₃		341.4
		H ₂ SO ₄		4.59
		(NH ₄) ₂ SO ₄		6.18
CWT	Cooling Tower	PM ₁₀	5.26	18.40
PIPEFUG	Piping Fugitives	VOC	0.22	0.98
		NH ₃	0.53	2.30
LUBEFUG	Turbine Lubrication Fugitives	VOC	0.032	0.14

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) NO_x - total oxides of nitrogen
- CO - carbon monoxide
- PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. This includes both front and back half collected. This also includes (NH₄)₂SO₄ emissions.
- VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- SO₂ - sulfur dioxide
- NH₃ - ammonia
- H₂SO₄ - sulfuric acid mist

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

$(\text{NH}_4)_2\text{SO}_4$ - ammonium sulfate

- * The maximum lb/hr NO_x emission rate is based upon a rolling three-hour average concentration. The lb/hr NO_x emission rate listed above represents a maximum three-hour average lb/hr emission rate.

- ** NO_x , VOC, CO, and PM_{10} emissions regulated under PSD-TX-979 permit authorization.

NO_x and VOC emissions regulated under N-036 permit authorization.

Dated_____