Flexible Permit Number 18897

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
VOC SOURCES: Flare 112 (6), Boilers, Furnaces, Heaters, Compressors, Incinerator, Thermal Oxidizer, FCCU/WGS, Fire Water Pump, Thermal Combustors, Cooling Towers (4), Fugitive Emissions (4), Loading Racks, Fixed-Roof Storage Tank Groups, Floating Roof Storage Tank Groups, and Carbon Canister Systems				
EMISSIONS CAP: the EMISSIONS CAP: the EMISSIONS CAP: the EMISSIONS CAP: af	rough 01/01/2011 rough 04/04/2013	VOC VOC VOC	698 494 488 403	1,118 930 930 930
NO _x SOURCES: Flare 112 (6), Boilers, Furnaces, Heaters, Compressors, Incinerator, Thermal Oxidizer, FCCU/WGS, Fire Water Pump, and Thermal Combustors				
EMISSIONS CAP: the EMISSIONS CAP: the EMISSIONS CAP: the EMISSIONS CAP: af	rough 01/01/2011 rough 04/04/2013	NO _x NO _x NO _x NO _x	609 377 325 205	1,374 937 853 535

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
CO SOURCES: Flare 112 (6), Boilers, Compressors, Incine Thermal Oxidizer, For Fire Water Pump, The and Absorber	erator, CCU/WGS,			
EMISSIONS CAP: thr EMISSIONS CAP: thr EMISSIONS CAP: thr EMISSIONS CAP: aft	ough 01/01/2011 ough 04/04/2013	CO CO CO	270 203 187 171	630 556 526 479
PM SOURCES: Boilers, Furnaces, He Compressors, Incine Thermal Oxidizer, FCCU/WGS, Fire W Thermal Combustors and Solid Waste Load	ater Pump, s,			
EMISSIONS CAP: thr EMISSIONS CAP: thr EMISSIONS CAP: thr EMISSIONS CAP: aft	rough 01/01/2011 rough 04/04/2013	PM PM PM PM	54 53 53 53	105 99 99 99

SO₂ SOURCES: Flare 112 (6), Boilers, Furnaces, Heaters,

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant		Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
Compressors, Incine Thermal Oxidizer, For Fire Water Pump, and Thermal Combu	CCU/WGS,				
EMISSIONS CAP: through 01/01/2009 EMISSIONS CAP: through 01/01/2011 EMISSIONS CAP: through 04/04/2013 EMISSIONS CAP: after 04/04/2013		SO ₂ SO ₂ SO ₂ SO ₂	230 157 157 157	525 375 375 375	
H ₂ S SOURCES: Flare 112 (6), Boilers, Furnaces, Heaters, Absorber, Incinerator, Thermal Oxidizer, Thermal Combustors, Carbon Canister EPN PK-854, Fugitive Emission EPNs F-16N, F-39, F-71-72, F-1/2, F-11, and F-13 (4), and Sulfur Loading and Storage					
EMISSIONS CAP: thr EMISSIONS CAP: thr EMISSIONS CAP: thr EMISSIONS CAP: aft	ough 01/01/2011 ough 04/04/2013	H₂S H₂S H₂S H₂S	3 2 2 2	6 4 4 4	

COS SOURCES:

Absorber

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission lb/hr	Rates * TPY**
<u> </u>	ν (= ,			
EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: af	rough 01/01/2011 rough 04/04/2013	COS COS COS	1 1 1	5 5 5 5
H ₂ SO ₄ SOURCES: FFCU/WGS				
EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: af	rough 01/01/2011 rough 04/04/2013	H_2SO_4 H_2SO_4 H_2SO_4 H_2SO_4	4 4 4 4	18 18 18 18
NH₃ SOURCES: Carbon Canister EPN	N PK-854			
EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: af	rough 01/01/2011 rough 04/04/2013	$ m NH_3$ $ m NH_3$ $ m NH_3$ $ m NH_3$	0.01 0.01 0.01 0.01	0.06 0.06 0.06 0.06
HCI SOURCES: pH Neutralization				
EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: th EMISSIONS CAP: af	rough 01/01/2011 rough 04/04/2013	HCI HCI HCI HCI	0.77 0.10 0.10 0.10	0.15 0.02 0.02 0.02

Emission	Source	Air Contaminant	Emission F		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**	
Benzene SOURCES: Fugitive Emissions EPNs LE-FUG, F-16N, F-39, F-41, TNK-FUG, F-1/2, F-3/4, F-8, F-11, F-16S, F-22, and FUG (4), Thermal Oxidizer, Carbon Canister PK-854, Carbon Canister CA-SK, Fixed-Roof Storage Tank Groups, Floating Roof Storage Tank Groups, and Cooling Towers.					
EMISSIONS CAP: through 01/01/2009 EMISSIONS CAP: through 01/01/2011 EMISSIONS CAP: through 04/04/2013 EMISSIONS CAP: after 04/04/2013		Benzene Benzene Benzene Benzene	1.75 1.60 1.60 1.60	5.90 5.30 5.27 5.24	
D-2914	Relief Gas Emergency Flare (5)	VOC NO _x CO SO ₂	0.01 0.16 0.80 0.01	0.06 0.68 3.48 0.01	
R-2911	Rheniformer Emergency Flare (7)	VOC NO _x CO SO ₂	0.01 18.24 46.35 0.01	0.01 0.26 0.89 0.01	
128	Sour Water Stripper Emergency Flare (5)	VOC NO _x CO SO ₂	0.01 0.05 0.10 0.01	0.01 0.21 0.43 0.01	
XF7104	Standby SRU Tailgas Incinerator (5)	VOC NO _x	0.01 0.23	0.04 0.67	

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
		CO PM	0.08 0.02	0.24 0.05
		SO ₂	0.01	0.01
		H ₂ S	0.01	0.01
112	Plant Emergency/AAG/	VOC	0.01	0.01
	Main South Flare (5, 6)	NO_x	0.02	0.07
		CO	0.11	0.49
		SO ₂	0.01	0.01
XF8301/2	Steam Reformer Heater F-8301	VOC	0.70	2.61
	Steam Reformer Heater F-8302	NO_x	4.52	16.96
		CO	4.52	16.96
		PM	0.96	3.61
		SO_2	3.81	1.92
		H ₂ S	0.08	0.04
H2FUG	Hydrogen Plant Fugitives (4)	СО	0.01	0.06
		VOC	0.01	0.06
		H ₂ S	0.01	0.01
9	Boiler No. 4	СО	1.05	3.51
		NO_x	3.95	13.22
		NH_3	0.64	2.17
		PM/PM ₁₀	4.57	11.35
		SO_2	8.11	10.36
		H_2SO_4	1.99	2.54
		TRS	0.68	0.93
		VOC	1.43	4.88
		H_2S	0.03	0.11

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
9	Boiler No. 4 (8)	CO	25.62	1.43
		NO_x	57.95	3.25
		VOC	1.43	0.10
		PM	4.57	0.32
		SO_2	0.05	0.01
F-24	Boiler No. 4 Process Fugitives (4)	VOC	0.03	0.12
	· · · · · · · · · · · · · · · · · · ·	H₂S	0.01	0.01

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - NO_x total oxides of nitrogen
 - CO carbon monoxide
 - PM particulate matter, suspended in the atmosphere, including PM₁₀.
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
 - SO₂ sulfur dioxide
 - COS carbonyl sulfide
 - H₂S hydrogen sulfide
 - H₂SO₄ sulfuric acid
 - HCl hydrochloric acid
 - NH₃ ammonia
 - TRS total reduced sulfur
- (4) Emission rates are an estimate and enforceable through compliance with the applicable special condition(s) and permit application representations.
- (5) Only pilot emissions are authorized for these combustion sources.
- (6) The EPN 112 will be authorized for use as a process flare through September 2007. After that, only pilot emissions will be authorized for the flare, and the flare will no longer be included in the pollutant caps.
- (7) Start-up, shutdown, and maintenance emissions associated with the hydrogen unit are authorized.
- (8) Start-up and shutdown emissions for periods not to exceed 144 hours on a rolling 12-month basis only.

		Source Name (2)		Air Contaminant Name (3)	Emission I lb/hr	Rates * TPY**
	EM	ISSION SOURCES - MA	AXIMUM ALLO\	WABLE EMISSION R	ATES	
*	Emission rates schedule:	are based on and the fa	acilities are limite	ed by the following m	aximum ope	rating
	<u>24</u> Hrs/day _	7_Days/week <u>52</u> Wee	ks/year or	_ Hrs/year		
**	•	th annual emission limits t was issued, and a rolli		•	or the first ei	ght years
					atad Oataba	1.4. 2000
				Di	ated <u>Octobe</u>	<u>1 14, 2008</u>