EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 21000

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates
* Point No. (1)	Name (2)	Name (3)		TPY
Point No. (1)	Name (2)	Name (3)	10/111	<u>IPI</u>
7-BV	Building Vents (17 total)	H_2S NH_3 H_2SO_4	2.53 5.29 <0.01	7.59 11.62 0.16
7-S	Acid Tank	H_2SO_4	<0.01	0.16
7-SC	Tannery Two-Stage Scrubber	H ₂ S NH₃ COS	0.66 0.14 0.40	1.04 0.14 0.32
7-P	Pickle Tanks (4 total)	H_2SO_4	0.16	0.81
7-C	Chase Vents (6 total)	H ₂ S NH₃ COS	1.54 1.27 1.20	3.57 2.76 0.08
7-L	Lime Silo	PM_{10}	0.08	0.02
7-A	Acidulate Tank	H_2SO_4	0.16	0.81
7-D	Tanning Drum Vents (6 total)	H_2S NH_3 H_2SO_4 COS	1.10 0.02 0.02 0.02	1.74 0.02 0.12 0.09

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

Permit No. 21000 Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

 $\begin{array}{cccc} \text{(3)} \ \ \text{H}_2\text{S} & - \ \text{hydrogen sulfide} \\ \text{NH}_3 & - \ \text{anhydrous ammonia} \end{array}$

 H_2SO_4 - sulfuric acid

COS - carbonyl sulfide

 PM_{10} - particulate matter (PM) less than equal to or less than 10 microns in diameter. Where PM is not listed, it should be assumed that no particulate matter greater than 10 microns is emitted.

* Refer to Special Condition No. 2 for throughput limitations and basis of emission rates.

Dat	\sim \sim	
va i	.eu	