

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 31266

This table lists the maximum allowable emission rates. The total emissions of air contaminants from any of the sources covered by this permit shall not exceed the values stated. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these sources.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
23100	Boiler No. 1 (Natural Gas)	SO ₂	0.02	0.081
		NO _x	2.51	11.0
		CO	1.89	8.29
		VOC	0.09	0.38
		PM	0.42	1.86
	Boiler No. 1 (Fuel Oil)	SO ₂	7.16	1.2
		NO _x	3.36	0.56
		CO	0.84	0.14
		VOC	3.36	0.56
		PM	0.34	0.06
23200	Boiler No. 2 (Natural Gas)	SO ₂	0.02	0.081
		NO _x	2.51	11.0
		CO	1.89	8.29
		VOC	0.09	0.38
		PM	0.42	1.86
	Boiler No. 2 (Fuel Oil)	SO ₂	7.16	1.2
		NO _x	3.36	0.56
		CO	0.84	0.14
		VOC	3.36	0.56
		PM	0.34	0.06
23600	Sander Dust Boiler (Natural Gas)	SO ₂	0.012	0.053
		NO _x	8.5	37.61
		CO	8.0	35.04
		VOC	0.39	1.691
		PM	4.9	21.462

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
	Sander Dust Boiler (Fuel Oil)	SO ₂	4.86	0.82
		NO _x	2.28	0.39
		CO	0.57	0.1
		VOC	2.61	0.44
		PM	0.228	0.04
23601	Dust Silo-Roots Blower	PM	0.15	0.66
23700	Fume Incinerator Waste	SO ₂	0.012	0.053
	Heat Boiler (Natural Gas)	NO _x	2.88	12.62
		CO	10.00	43.8
		VOC	0.057	0.25
		PM	0.282	1.24
	Fume Incinerator Waste	SO ₂	7.7	1.3
	Heat Boiler (Fuel Oil)	NO _x	3.6	0.6
		CO	0.9	0.15
		VOC	3.6	0.61
		PM	0.36	0.06
	Manufacturing Facilities	VOC	9.73	15.68
		Acetone	1.32	1.72
D-1	Diesel Tank	Diesel	0.01	0.02
AC-1	Acetone Tank	Acetone	0.02	0.06
P-9	Phenolic Resin Tank P-9 UST	VOC	0.06	0.95
P-10	Phenolic Resin Tank P-9 UST	VOC	0.25	1.14
AL-2	Isopropyl Alcohol Tank UST	VOC	0.01	0.09
G-6	Gasoline Tank UST	Gasoline	0.03	0.12
D-9	Diesel Tank UST	Diesel	0.01	0.01
D-10	Diesel Tank AST	Diesel	0.01	0.01
M-1, M-2,	Four Melamine	VOC	0.02	0.08

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
M-3, M-4	Tanks (4)			
Stack 1A	Melamine Treater Nos. 3 and 4	VOC	3.69	16.16
03001	Melamine General Exhaust	VOC	0.06	0.23
08100	Dust Collector	PM	1.7	7.45
		VOC	0.04	0.13
08200	Dust Collector	PM	1.7	7.45
		VOC	0.04	0.13
08300	Dust Collector	PM	1.7	7.45
		VOC	0.04	0.13
07201	Press No. 2	VOC	0.42	1.83
07301	Press No. 3	VOC	0.42	1.83
07401	Press No. 4	VOC	0.42	1.83
07501	Press No. 5	VOC	0.42	1.83
07601	Press No. 6	VOC	0.42	1.83
07602	Press No. 6	VOC	0.42	1.83
07603	Press No. 6	VOC	0.42	1.83
07604	Press No. 6	VOC	0.42	1.83
07605	Press No. 6	VOC	0.42	1.83
07701	Press No. 7	VOC	0.42	1.83

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
06002	Custom Lam1	VOC	0.29	1.27
06003	Custom Lam2	VOC	0.13	0.57
PPUMPFUG	Phenolic Pump Room (Fugitives)	VOC	0.06	0.26
MPUMPFUG	Melamine Pump Area Fugitives	VOC	0.002	0.01

(1) Emission point identification - emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM₁₀.

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

CO - carbon monoxide

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year

Dated _____