

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 2248A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission Rates	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
1	Baghouse Stack	VOC	7.0	3.5
		NO _x	9.0	4.5
		CO	9.5	4.75
		SO ₂	0.46	0.46
		PM ₁₀	7.24	3.62
2	Lime Silo Baghouse Stack	PM ₁₀	0.13	0.03
2	Material Handling (4)	PM	4.10	1.97
		PM ₁₀	1.04	0.50
3	Aggregate Stockpiles (4)	PM	-.--	0.51
		PM ₁₀	-.--	0.24

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in General Rule 101.1 (mainly asphalt vapors)

NO_x - total oxides of nitrogen

CO - carbon monoxide

SO₂ - sulfur dioxide

PM₁₀ - particulate matter equal to or less than 10 microns in diameter.

Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

PM - particulate matter, suspended in the atmosphere, including PM₁₀.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (4) Fugitive emissions are an estimate only.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

* Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:

10 Hrs/day 6 Days/week 40 Weeks/year or 2,400 Hrs/year

	<u>tons/hr</u>	<u>tons/yr</u>
Standard Hot Mix Asphalt Concrete	250	200,000
RAP Modified Asphalt Concrete	250	50,000

Dated _____