

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

2480A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *		
			lb/hr	TPY	
T101	Tank		VOC	0.73	1.19
T106	Tank		VOC	0.73	1.19
T118	Tank		VOC	0.73	1.19
F-100	Piping Fugitives (4)		VOC	0.53	2.34

BEFORE DECEMBER 29, 1995

L-8	Loading Fugitives (4)		VOC	60.44	1.50
L-10	Loading Fugitives (4)		VOC	60.44	20.50

AFTER DECEMBER 29, 1995

TO-1	Enclosed Flare (Loading Flare)		VOC	2.42	2.51
			NO _x	0.32	0.56
			SO ₂	<0.01	<0.01
			CO	0.66	1.16
L-8 & L-10	Loading Fugitives (4)(5)		VOC	(To loading flare)	

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in General Rule 101.1
NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) DOT Type 307 Tank and railcars or equivalent are used with 100 percent collection efficiency.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day____Days/week____Weeks/year____or Hrs/year 8,760

Dated_____

