EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 19386

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	_Name (3)	lb/hr	TPY
PE-FLARE	PE Flare	VOC NO _x CO	158.0 15.0 111.0	149.0 15.0 110.0
PE-CT3	Cooling Tower 3 (CT-	3) VOC	0.76	3.33
PE-A50	PE Area 50 Process Fugitives (4)	VOC	10.94	47.92
PE-AR702	PE Area R702 Process Fugitives (4)	VOC	4.53	19.84
PE-A130A	PE Area 130A Process Fugitives (4)	VOC	16.44	72.01
PE-A130B	PE Area 130B Process Fugitives (4)	VOC	11.25	49.28
PE-A130C	PE Area 130C Process Fugitives (4)	VOC	15.86	69.47
PE-A150	PE Area 150 Process Fugitives (4)	VOC	8.35	36.57
PE-A160	PE Area 160 Process Fugitives (4)	VOC	0.16	0.70
PE-AMTRYD	Meter Yard PE Compon	ents VOC	0.65	2.85

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emissi</u>	on Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
	Fugitives (4)			
PE-ERU	Ethylene Recovery Ur 8.50	nit (4)	VOC	1.94
PE-CVS	PE Closed Vent Syste	em (4) VOC	25.90	113.44
PE-BB2FV	PE BB2 Feed Vent Grouping	VOC	0.59	1.72
PE-BB2DRY	PE BB2 Dryer Vent	VOC	0.48	1.05
PE-BB2STG	PE BB2 Storage Vents Grouping	VOC PM ₁₀	0.77 0.09	1.89 0.22
PE-CM7DRY	PE CM7 Dryer Vent	VOC	1.44	3.30
PE-CM7STG	PE CM7 Storage Vents Grouping	VOC PM ₁₀	3.89 0.10	10.78 0.27
PE-CM8DRY	PE CM8 Dryer Vent	VOC	1.44	3.30
PE-CM8STG	PE CM8 Storage Vents Grouping	VOC PM ₁₀	3.89 <0.01	10.78 <0.01
PE-CM8VNT	CM8 Extruder Premixe Vent	er VOC PM ₁₀	0.40 <0.01	0.88 0.01
PE-CM10DRY	PE CM10 Dryer Vent	VOC	0.57	1.97
PE-CM10STG	PE CM10 Storage Vent Grouping	VOC PM ₁₀	2.09 <0.01	7.76 <0.01
PE-CM10FV	PE CM10 Extruder Fee	ed VOC PM ₁₀	2.64 <0.01	9.67 <0.01
PE-FCM1DRY	PE FCM1 Dryer Vent	VOC	0.6	1.13

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	Emission	Rates
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY</u>
PE-FCM1STG	PE FCM1 Storage Vent Grouping	ts VOC PM ₁₀	1.62 0.08	3.68 0.21
PE-FCM2DRY	PE FCM2 Dryer Vent	VOC	0.76	1.88
PE-FCM2STG	PE FCM2 Storage Vent Grouping	ts VOC PM ₁₀	2.05 0.08	6.13 0.30
PE-FCM3DRY	PE FCM3 Dryer Vent	VOC	0.76	1.88
PE-FCM3STG	PE FCM3 Storage Vent Grouping	ts VOC PM ₁₀	2.05 0.08	6.13 0.30
PE-FCM4DRY	PE FCM4 Dryer Vent	VOC	0.76	1.88
PE-FCM4STG	PE FCM4 Storage Vent Grouping	ts VOC PM ₁₀	2.05 0.08	6.13 0.30
PE-FCM5DRY	PE FCM5 Dryer Vent	VOC	0.76	1.88
PE-FCM5STG	PE FCM5 Storage Vent Grouping	ts VOC PM ₁₀	2.05 0.05	6.13 0.15
PE-FCM6FV	PE FCM6 Feed Vents Grouping	VOC	2.94	8.82
PE-FCM6DRY	PE FCM6 Dryer Vent	VOC	2.4	5.40
PE-FCM6STG	PE FCM6 Storage Vent Grouping	ts VOC PM ₁₀	3.84 0.19	9.72 0.40
PE-LOAD	PE Loading Sources	VOC PM ₁₀	2.86 0.33	8.34 0.97

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

PE-B9	Steam Boiler	VOC	2.55	11.17
		NO_x	12.15	53.22
		SO_2	1.75	7.66
		PM_{10}	0.56	2.45
		CO	9.96	43.62
(2) $(3) PM_{10}$ $than 10 micro$ $ VOC - vol$ $ NO_x - tot$ $ SO_2 - sul$ $ CO - car$ $ (4) Fugit$	Emission point ident esignation or emission p Specific point sour rea name or fugitive sou ns atile organic compounds al oxides of nitrogen fur dioxide bon monoxide ive emissions are an as a maximum allowable	oint number from ce name. For rce name. - parti as defined in Ge estimate only	plot plan. fugitive sour iculate matte neral Rule 101	rces use er less
* Fmission	mates and based on an	d +bo focili+io	c and limited	by the
	rates are based on an maximum operating schedu		s are ilmited	by the
	rs/day <u>24</u> Days/w rs/year <u>8,760</u>	eek <u>7</u> We	eks/year <u>5</u>	<u>2</u> or
				Dated
				<u></u>